"info": {

    "_postman_id": "85432da3-12be-47dd-b760-2c49f4c50743",

    "name": "jobs",

    "schema": "https://schema.getpostman.com/json/collection/v2.1.0/collection.json"

},

": "POST",

    "header": [

        {

            "key": "Content-Type",

            "value": "application/vnd.sas.job.definition+json",

            "type": "text"

        }

    ],

    "body": {

        "mode": "raw",

        "raw": "{\r\n \"version\":2,\r\n \"name\":\"Simple proc print\",\r\n \"description\":\"Show the contents of sashelp.class using PROC PRINT\",\r\n \"type\":\"Compute\",\r\n \"parameters\":[\r\n {\r\n   \"version\": 1,\r\n   \"name\": \"_contextName\",\r\n   \"defaultValue\": \"SAS Job Execution compute context\",\r\n   \"type\": \"CHARACTER\",\r\n   \"label\": \"Context Name\",\r\n   \"required\": false\r\n }\r\n],\r\n \"code\":\"ods html style=HTMLBlue;\\nproc print data=sashelp.class; run; quit;\\nods html close;\"\r\n}",

        "options": {

            "raw": {}

        }

    },

    "url": {

        "raw": "{{sasserver}}/jobDefinitions/definitions",

        "host": [

            "{{sasserver}}"

        ],

        "path": [

```
						"jobDefinitions",
						"definitions"
					]
				}
			},
			"response": []
		},
		"method": "POST",
			"header": [
				{
					"key": "Content-Type",
					"value":
"application/vnd.sas.job.execution.job.request+json",
					"type": "text"
				},
				{
					"key": "Accept",
					"value":
"application/vnd.sas.job.execution.job+json",
					"type": "text"
				}
			],
			"body": {
				"mode": "raw",
				"raw": "{\r\n  \"jobDefinitionUri\":
\"/jobDefinitions/definitions/{{jobDefinition}}\"\r\n}",
				"options": {
					"raw": {}
				}
			},
			"url": {
				"raw": "{{sasserver}}/jobExecution/jobs",
```

                    "host": [
                            "{{sasserver}}"
                    ],
                    "path": [
                            "jobExecution",
                            "jobs"
                    ]
            }
    },
    "response": []
},
"method": "GET",
                    "header": [],
                    "url": {
                            "raw":
"{{sasserver}}/jobExecution/jobs/{{jobExecutionID}}/state",
                            "host": [
                                    "{{sasserver}}"
                            ],
                            "path": [
                                    "jobExecution",
                                    "jobs",
                                    "{{jobExecutionID}}",
                                    "state"
                            ]
                    }
            },
            "response": []
    },
"method": "DELETE",
                    "header": [],

```
                            "url": {
                                    "raw":
"{{sasserver}}/jobDefinitions/definitions/{{jobDefinition}}",
                                    "host": [
                                            "{{sasserver}}"
                                    ],
                                    "path": [
                                            "jobDefinitions",
                                            "definitions",
                                            "{{jobDefinition}}"
                                    ]
                            }
                    },
                    "response": []
            }
    ],
```