

# GEANT-4 GPU Port:

## **Test Plan**

Stuart Douglas – dougls2  
Matthew Pagnan – pagnanmm  
Rob Gorrie – gorrierw  
Victor Reginato – reginavp

**Version 0**  
March 17, 2016

# Contents

<b>1</b>	<b>General Information</b>	<b>1</b>
1.1	Summary . . . . .	1
1.2	Risks . . . . .	2
1.3	Constraints . . . . .	3
1.4	Definitions and Acronyms . . . . .	4
1.5	References . . . . .	4
<b>2</b>	<b>Test Types</b>	<b>5</b>
2.1	System Testing . . . . .	5
2.2	Unit Testing . . . . .	5
2.3	PerformInitialization . . . . .	6
2.4	OperatorEquals . . . . .	6
2.5	GetPoint . . . . .	6
2.6	GetX . . . . .	6
2.7	GetY . . . . .	7
2.8	GetXsec . . . . .	7
2.9	SetData . . . . .	7
2.10	SetX . . . . .	7
2.11	SetY . . . . .	7
2.12	Init . . . . .	8
2.13	CleanUp . . . . .	8
2.14	SampleLin . . . . .	8
2.15	Integrate . . . . .	8
2.16	IntegrateAndNormalise . . . . .	8
2.17	Times . . . . .	9
2.18	GetXsecBuffer . . . . .	9
2.19	Dump . . . . .	9
2.20	ThinOut . . . . .	9
2.21	Sample . . . . .	9
2.22	Check . . . . .	10
2.23	GetVectorLength . . . . .	10
2.24	GetLabel . . . . .	10
2.25	GetIntegral . . . . .	10
2.26	SetPoint . . . . .	10
2.27	SetInterpolationManager . . . . .	11
2.28	SetScheme . . . . .	11
2.29	Merge . . . . .	11
2.30	Code Testing . . . . .	11
2.31	Requirements Testing . . . . .	12
2.32	Performance Profiling . . . . .	12
	2.32.1 General Profiling . . . . .	12
	2.32.2 CUDA Profiling . . . . .	13

<b>3</b>	<b>Testing Factors</b>	<b>13</b>
3.1	Factors to be Tested . . . . .	13
3.2	Description of Factor . . . . .	14
3.2.1	Correctness . . . . .	14
3.2.2	Performance . . . . .	14
3.2.3	Reliability . . . . .	14
<b>4</b>	<b>Manual and Automated Testing</b>	<b>15</b>
4.1	Automated System Testing . . . . .	15
4.2	Automated Unit Testing . . . . .	15
<b>5</b>	<b>Proof of Concept Test</b>	<b>15</b>
<b>6</b>	<b>Schedule</b>	<b>16</b>
6.1	Deliverables . . . . .	17

# Revision History

All major edits to this document will be recorded in the table below.

Table 1: Revision History

Description of Changes	Author	Date
Changes for rev0 presentation	Matt	2016-02-08
Added Test Schedule Table	Stuart	2015-10-30
Reformatted Tables	Matthew	2015-10-30
Added System test cases	Matthew	2015-10-29
Initial draft of document	Stuart, Matthew, Rob, Victor	2015-10-26

## List of Tables

Table #	Title
1	Revision History
2	Risks
3	Definitions and Acronyms
4	References
5	System Tests
33	Requirements Tests
34	Test Factors
35	Testing Schedule
36	Timeline of Deliverables

## 1 General Information

### 1.1 Summary

The product, GEANT4-GPU, will be a modified version of G4-STORK that will leverage GPU computing to increase performance while still outputting the same results as the existing, CPU-based G4-STORK project. This testing plan outlines how the development team is expected to test the correctness and performance of the product through the use of unit testing, system testing, and code testing.

## 1.2 Risks

The following table outlines the major risks associated with the testing of the product. A more detailed analysis of each of the risks follows the table.

Table 2: Risks

Risk #	Summary	Severity
1	differing order of random numbers on GPU could lead to difficulty comparing results with simulations run on CPU	Very High
2	isolating GEANT4 methods to test with unit tests may be too difficult	High
3	running time of tests will be too long to run them frequently	High

### Risk 1 – Random Numbers:

The GEANT4 project is heavily dependent on random numbers. Random numbers are used to determine attributes about particles (independent of all other particles) as they move through the system. By parallelizing the workload, the order in which the particles are evaluated may change, causing it to draw a different random number from the sequence, leading to different results. If it is decided to generate the random numbers using GPU API calls, then they will certainly be different than in the serial, CPU version of the software.

Two solutions to this problem have been discussed. The first is to develop a solution to pass the CPU-generated numbers to the GPU while ensuring they remain in sync to the order they would be received in the serial version. This would require extra development work, but would ensure that testing the product against the existing system can be done in a straight-forward manner. The alternative is to test the software based on degree of similarity between single points of summarizing data (e.g. a mean). Comparing the products in this manner would have the developers check that the results are within a given margin of error, and if so the product would be deemed correct. This is the solution that is planning on being implemented at this point, however if it does not seem feasible during the design and development phases the developers are open to exploring solution one.

**Risk 2 – Isolating Functions:**

The codebase of GEANT4 is large and complex, a potential testing risk would be that the functions to be parallelized are not well-enough isolated to easily test inputs and outputs. The objects used in GEANT4's calculations are large and often dependent on other objects. To mitigate this testing risk, development will focus on porting single functions in classes to be tested, and unit testing will test those specific functions.

**Risk 3 – Test Runtime**

Running a full system test on the modified code is a computationally intensive procedure. Even with a relatively small number of particles the computation could take several hours. With a larger, more realistic number of particles, running the program could take on the order of days. This would prevent frequent system testing, and the team would have to rely on unit tests during development. To address this risk, relatively simple examples will be used for most system tests (i.e. with few particles) and they will be run tests regularly along with unit tests. After large changes, more complex system tests will be run to ensure that the correctness has not been affected when using larger, more realistic examples.

## 1.3 Constraints

Time is one of the largest constraints, the completed project is due next April, which is 6 months from the initial revision of this document. In order to perform rigorous testing on all functions, classes, and sections of code that have been parallelized, a large amount of time is required. GEANT4 is a large library with many different objects and functions, with each section contributing to the overall performance. Each addition of a control branch to the code must be tested to ensure that the original functionality is preserved. Maximizing performance while minimizing changes to the actual code should help to deal with the time constraint.

## 1.4 Definitions and Acronyms

Table 3: Definitions and Acronyms

Acronym	Definition
GEANT-4	open-source software toolkit used to simulate the passage of particles through matter
G4-STORK	(Geant-4 STOchastic Reactor Kinetics), fork of GEANT-4 developed by McMaster’s Engineering Physics department to simulate McMaster’s nuclear reactor
GPU	graphics processing unit, well-suited to parallel computing tasks
CPU	computer (central) processing unit, general computer processor well suited to serial tasks
GP-GPU	concept of running ”general purpose” computations on the GPU
CUDA	parallel computing architecture for general purpose programming on GPU, developed by NVIDIA
PoC	proof of concept
SRS	software requirements specification

## 1.5 References

The following documents are referenced within this test plan.

Table 4: Referenced Documents

Title	Author(s)	Description
GEANT-4 GPU Port: SRS	Stuart, Matthew, Rob, Victor	Requirements specification for the project
PoC Plan for GEANT4-GPU	Stuart, Matthew, Rob, Victor	Demonstration details for product’s Proof of Concept
UniNotesTestPlan	Umar Khan, Ashwin Samtani, Olakotumbo Agia	Test plan outline/framework

## 2 Test Types

### 2.1 System Testing

There are several examples included with the GEANT4 toolkit as well as some created by McMaster’s Engineering Physics department for G4-STORK. Examples in GEANT4 will be used for system testing. Due to the computation time for some of the examples, they will be run less frequently than the simpler ones. This will let the developers run system tests regularly on the simple files, while checking that more realistic, complex examples are also correct after bigger changes.

Table 5: System Tests

#	Initial State	Inputs	Outputs	Description
1	Fresh start up	Events = 2000 Material = water	Same output as non-GPU GEANT4	HADR04 no changes
2	Fresh start up	Events = 2000 Material = Uranium	Same output as non-GPU GEANT4	HADR04 – basic example
3	Fresh start up	Events = 600 Material	Same output as non-GPU GEANT4	HADR04 – Shorter test
4	Fresh start up	Events = 20000 Material = Uranium	Same output as non-GPU GEANT4	HADR04 – Long simulation stress Test
5	Fresh start up	Events = 0 Material = Uranium	Same output as non-GPU GEANT4	HADR04 – no runs, Edge case

[Not using G4-STORK for system tests - therefore had to change system tests —MP]

### 2.2 Unit Testing

Unit tests will be created throughout development as functions and classes are ported to the GPU. Before porting a specific function of a class, a variety of inputs covering edge cases for the function as well as several “normal” cases will be created. The results



of the function for each of the inputs will be recorded from the CPU version, and a test case will be added to test whether the outputs are the same with GPU computation enabled. GEANT4 is not able to be reliably built in IDEs. Therefore we are going to create our own testing framework specifically for GEANT4-GPU.

[What unit testing framework are you planning to use? —DS] [Mentioned that we will be making our own unit testing framework —MP]

## 2.3 PerformInitialization

Table 6: Unit Tests

Test #	Code	Description
6	Code goes here	Description goes here

## 2.4 OperatorEquals

Table 7: Unit Tests

Test #	Code	Description
7	Code goes here	Description goes here

## 2.5 GetPoint

Table 8: Unit Tests

Test #	Code	Description
8	Code goes here	Description goes here

## 2.6 GetX

Table 9: Unit Tests

Test #	Code	Description
9	Code goes here	Description goes here

Table 10: Unit Tests

Test #	Code	Description
10	Code goes here	Description goes here

## 2.7 GetY

## 2.8 GetXsec

Table 11: Unit Tests

Test #	Code	Description
11	Code goes here	Description goes here

## 2.9 SetData

Table 12: Unit Tests

Test #	Code	Description
12	Code goes here	Description goes here

## 2.10 SetX

Table 13: Unit Tests

Test #	Code	Description
13	Code goes here	Description goes here

## 2.11 SetY

Table 14: Unit Tests

Test #	Code	Description
14	Code goes here	Description goes here

Table 15: Unit Tests

Test #	Code	Description
15	Code goes here	Description goes here

## 2.12 Init

## 2.13 CleanUp

Table 16: Unit Tests

Test #	Code	Description
16	Code goes here	Description goes here

## 2.14 SampleLin

Table 17: Unit Tests

Test #	Code	Description
17	Code goes here	Description goes here

## 2.15 Integrate

Table 18: Unit Tests

Test #	Code	Description
18	Code goes here	Description goes here

## 2.16 IntegrateAndNormalise

Table 19: Unit Tests

Test #	Code	Description
19	Code goes here	Description goes here

Table 20: Unit Tests

Test #	Code	Description
20	Code goes here	Description goes here

## 2.17 Times

## 2.18 GetXsecBuffer

Table 21: Unit Tests

Test #	Code	Description
21	Code goes here	Description goes here

## 2.19 Dump

Table 22: Unit Tests

Test #	Code	Description
22	Code goes here	Description goes here

## 2.20 ThinOut

Table 23: Unit Tests

Test #	Code	Description
23	Code goes here	Description goes here

## 2.21 Sample

Table 24: Unit Tests

Test #	Code	Description
24	Code goes here	Description goes here

Table 25: Unit Tests

Test #	Code	Description
25	Code goes here	Description goes here

## 2.22 Check

## 2.23 GetVectorLength

Table 26: Unit Tests

Test #	Code	Description
26	Code goes here	Description goes here

## 2.24 GetLabel

Table 27: Unit Tests

Test #	Code	Description
27	Code goes here	Description goes here

## 2.25 GetIntegral

Table 28: Unit Tests

Test #	Code	Description
28	Code goes here	Description goes here

## 2.26 SetPoint

Table 29: Unit Tests

Test #	Code	Description
29	Code goes here	Description goes here

Table 30: Unit Tests

Test #	Code	Description
30	Code goes here	Description goes here

## 2.27 SetInterpolationManager

## 2.28 SetScheme

Table 31: Unit Tests

Test #	Code	Description
31	Code goes here	Description goes here

## 2.29 Merge

Table 32: Unit Tests

Test #	Code	Description
32	Code goes here	Description goes here

## 2.30 Code Testing

The developers will follow strict code testing guidelines to help reduce coding errors and improve collaboration. This will be done by adhering to the *Feature Branch Workflow* and enforcing code reviews for every commit. Developers will create separate branches for each new feature, commit to that branch and then push it to the repository. Using GitHub’s pull request feature, all branches will go through a code review process. The author will open a pull request for their feature, and a different developer (to be chosen based on availability [“availability” —DS][fixed spelling mistake —MP] and knowledge of the feature) will be assigned as reviewer. The reviewer will manually read through the changes on GitHub and post comments as necessary. After comments have been addressed, the reviewer will merge the feature branch into the master. Following such a strict model will ensure that all committed code is double-checked by a different developer, which can catch many bugs and errors. This practice will not apply to changes to documentation.

## 2.31 Requirements Testing

Testing requirements refers to tests which verify that documented requirements are met. The requirements documentation includes a variety of non-functional and functional requirements to be tested. The unit and system tests that will be run frequently will be aimed at testing the functional requirements related to the correctness of the system, as well as the non-functional requirements related to performance. At the end of development of Revision 0, other requirements will be tested. The results from those evaluations will lead to decisions made for the final product. The following table outlines Requirements Tests to be performed at the end of Revision 0 (not including those covered by unit and system tests. Requirement number refers to that of the System Requirements Specification.

Table 33: Requirements Testing – Tests for Revision 0

Test #	Req. #	Inputs	Outputs	Description
33	2	NA	NA	enabling GPU computations should be straightforward – an extra flag for the CMake tool will be used to enable or disable it
34	12	NA	NA	software should be at least as stable as existing product – running the new product with input files known to work on the existing product should not cause unexpected behaviour (i.e. crashing)
35	16	NA	NA	clear installation instructions shall be included with the product – a user comfortable with G4-STORK should be able to follow the instructions to install the product without any issues

[removed hardware detection, no longer a requirement —MP]

## 2.32 Performance Profiling

Performance results (i.e. how much improvement there is) will be measured through the system testing, however performance profiling during development will use proprietary CUDA profiling tools, as well as more general profiling software.

### 2.32.1 General Profiling

Initially during development, the “Time Profiling” tool of the “Instruments” software package will be used to identify the most time consuming operations of the G4-STORK

codebase. Identifying these operations first will allow the developers to easily pinpoint the areas that would best benefit from being ported to the GPU. As more functions are ported, the developers will continue to use “Time Profiling” to identify bottlenecks.

### 2.32.2 CUDA Profiling

NVIDIA has developed a solution for profiling CUDA code, called the “NVIDIA Visual Profiler”. This tool will be used extensively to identify the areas of the CUDA code that can be improved, and to better understand how the software is using the hardware. This profiler is available as a plugin for the Eclipse IDE, and very thoroughly analyzes CUDA code for improvements.

## 3 Testing Factors

### 3.1 Factors to be Tested

The purpose [“purpose” —DS][fixed spelling mistake —MP] of this section is to shed light on the features and properties of the system that we wish to stress and test. The chart below provides a brief description of every property we aim to measure and a method as means for measuring.

Table 34: Test Factors

Factors	Description	Test Method
Correctness	Objective success or failure of a function	Unit Testing
Performance	Quantitative and Qualitative measure of temporal performance and stability in a particular workload	Unit Testing, black-box, System stress testing [How are you stress-testing the system? —DS] [defined what type of stress testing will be used —MP]
Reliability	Consistent performance of functions in routine circumstances	Unit Testing, requirements



## **3.2 Description of Factor**

### **3.2.1 Correctness**

Tests run on the GPU-enabled product should provide the same output as tests run on the existing product.

#### **Rationale**

In order for the product to be of use it must be able to compute the correct outputs.

#### **Methods of testing**

- The output files of tests run on the product will be compared with the output files of tests run on the non-GPU existing product
- See risk 1 for more information on how they will be compared

### **3.2.2 Performance**

Tests run with the GPU functionality enabled should take less time to compute compared to the same tests run on the existing CPU-based product.

#### **Rationale**

The focus of this project is to reduce the computation time for G4-STORK by parallelizing functions on a GPU.

#### **Methods of testing**

- Compare the computation times of tests run on the product with GPU enabled with the computation times of test run on the existing product to see if the GPU-based computation times are smaller.

### **3.2.3 Reliability**

Consistent performance of functions in routine circumstances.

#### **Rationale**

Research software requires functions to perform reliably in order to produce results that can be duplicated.

#### **Methods of testing**

- Running the same test multiple times should produce the same result every time.

## 4 Manual and Automated Testing

Manual testing needs to be conducted by people, where test cases and inspections are manually performed. On the other hand, automated testing relies less on people and performs tests quickly and effectively returning feedback on results not meeting expectations. Manual testing is more flexible; However, it is far more time consuming.

Our system testing will be done automatically – a small script will be written to run the example and check the output file against an output file from the existing product. Unit tests will also be automated, by passing in specific inputs to modified functions and checking that output against the correct output from the existing product.

### 4.1 Automated System Testing

A small script will be created to run the chosen example file and compare the output file with the correct output file from the existing product. If the results are the same within a margin of error elicited from consultation with the stakeholders, then the test is passed. Although the test itself will be automated, it will be manually run by the developers. This will let the developers try out different example files at different times, and to choose more complex ones when larger changes are made. The output files contain run-time data which will be used to evaluate performance.

### 4.2 Automated Unit Testing

A testing class will be added to the project which will contain all unit tests. These will be created as functions are ported to the GPU by deciding on several inputs and recording the results as well as the running time from the existing CPU-bound product. The testing class will then call the ported function with the same inputs and verify that the outputs are the same. The testing function will record performance while it runs to ensure that the changes are positive from a performance standpoint. If the results for all functions in the testing class match the expected results, the unit tests have passed. The unit tests will be manually run throughout development as the developer sees fit. As well as those frequent tests, all unit tests must pass before any code is merged into the repository. Changes that cause a performance regression will be allowed, under the assumption that they will be improved upon until their performance is better than the existing non-GPU functions.

## 5 Proof of Concept Test

As documented in the Proof of Concept Plan, the demonstration will include running GEANT4 examples with and without GPU computation enabled, as well as a very minor CUDA example. Since it is not planned to have any ported functions running

on the GPU, unit tests will not be used at this point. A full system test will be used to verify that adding the small CUDA example does not impact the results. It is expected that the CUDA example won't affect the results, as it will not be passing any data back to G4-STORK to be used. The empty unit testing file (along with a trivial unit test) will be included in the project, and may be demonstrated if requested.

## 6 Schedule

The testing schedule can be summarized as follows: manual code reviews for every commit, unit tests added for every ported function and run throughout development and passed before every commit, system tests run throughout development and passed before every commit, performance profiling used throughout development, requirements testing done for Revision 0. The following testing timeline will be followed. The *date* column refers to the date by which the event shall be completed, if it is not a range.

Table 35: Testing Schedule

<b>Date</b>	<b>Test Type</b>	<b>Event</b>	<b>Testers</b>
2015-11-04	System Test	Input files will be chosen for system tests, and their outputs on the existing product recorded	Everyone
2015-11-04	System Test	Script will be created to run system test and compare results. Running the script on the existing product will pass & Victor and Rob	
2015-11-04 - 2016-04-01	System Test	System tests will be run throughout development, and must be passed before every commit	Matt & Stuart
2015-11-04 - 2016-04-01	Code Testing	All changes will be reviewed by a different developer before merging	Matt
2015-11-06	Performance Profiling	Profiling tools will be used to identify the most computationally involved portions of the codebase	Rob & Victor
2015-11-10	Unit Test	Unit tests framework file will be created and added to the project. Methods will be added to run tests and report their results.	Victor

2016-11-10	Unit Test	Two trivial unit tests (one that will fail, one that will pass) will be added to unit tests file. Running the unit tests should produce expected outputs. Rob & Victor	
2015-11-10 - 2016-04-01	Unit Test	Unit tests will be added throughout development for every function that is ported to the GPU.	Matt
2015-11-10 - 2016-04-01	Unit Test	Unit tests will be run throughout development, and must be passed before every commit	Matt
2016-02-10	Requirements Testing	All requirements tests will be evaluated at Revision 0, results will guide product development for Revision 1.	Everyone

[Who will be doing what? —DS][Added people to work on specific testing tasks —MP]

## 6.1 Deliverables

The deliverables specific to testing are as follows:

Table 36: Timeline of Deliverables

Date	Deliverable	Description
2015-10-30	Test Plan Revision 0	set guidelines and objectives for testing, subject to change
2016-03-21	Test Report Revision 0	report on progress, history, and results regarding testing and test methods
2016-04-01	Test Plan Final	rigorously outline test cases and considerations in preparation [“preparation” —DS][fixed —MP] for the projects final release
2016-04-01	Test Report Final	report on the final results of tests performed and provide relevant analytics

[Will you be doing any tests that result in exceptions? How will those be performed? You are missing a lot of edge/boundary test cases (or you do not make it clear that they are being tested). —DS] [Added a few exception and edge case tests in unit testing and system testing —MP]