



TakuEcom - BCI Payments for WooCommerce

Merchant Setup Guide | v1.0.0


- In the left-hand sidebar of **WordPress** click **Plugins > Add Plugin**




- Click **Upload Plugin** then click **Choose File**




- Select the **woocommerce-gateway-bci.zip** file that you downloaded, then click **Install Now**




- Click **Activate Plugin**




- Click **WooCommerce > Settings**



- Click **Payments** then click **Manage** next to **TakuEcom - BCI Payments**. Use **Enable** only after setup is complete.



- Note the **Callback URL**, it will match your domain name



- Configure **Callback notifications** in the **Merchant Portal**, according to the screenshot below, using the **Callback URL** from the previous step. Click **Generate** and note the **Callback token**, then click **Save**

The screenshot shows the Merchant Portal interface. On the left is a dark sidebar with a navigation menu. The main content area is titled 'Settings' and has a sub-section for 'Callback notifications'. At the top right, there's a 'Live mode' indicator and a user profile for 'bci.test'. The 'Callback notifications' section includes a warning box, a merchant selection dropdown (set to 'bci.test'), a toggle for 'Callback notifications enabled' (which is turned on), and options for 'Callback type' (Static/Dynamic) and 'Callback method' (GET/POST). There's a text input for the 'Callback URL' with the placeholder 'Paste your Callback URL here'. Below that is a dropdown for 'Additional parameters'. The 'Signing type' is set to 'Symmetric'. A 'Callback token' input field is shown next to a 'Generate' button. At the bottom, there's an 'Operations' section with checkboxes for various transaction states: Deposited, Reversed, Binding created, Declined by timeout, Approved, Refunded, Binding activity changed, and Declined cardpresent. The 'Generate' button at the bottom right is highlighted with a blue bar.

Merchant Portal

Settings

Callback notifications

Please avoid changing the configuration settings if you are not aware of the changes that will be applied.

Merchant: bci.test

☒ Callback notifications enabled

Callback type: **Static** Dynamic

Callback method: **POST** GET

Paste your Callback URL here

Additional parameters: Select...

Signing type: **Symmetric** Asymmetric

Callback token: **Generate**

Operations

☒ Deposited	☒ Approved
☒ Reversed	☒ Refunded
☐ Binding created	☐ Binding activity changed
☒ Declined by timeout	☐ Declined cardpresent

- Input your **Sandbox credentials** and **Sandbox Callback Token** in the plugin settings.

Settings

Sandbox Configuration

Use these credentials for test transactions. Sandbox is used whenever Test mode is enabled.

Sandbox API Login

The sandbox merchant API username.

Sandbox API Password

The sandbox merchant API password.

Sandbox Callback Token

Generated in the BCI sandbox merchant portal under Settings > Callback notifications.

Sandbox Connection Test

Test connection

Checks that WordPress can reach the selected BCI gateway endpoint with the saved credentials.

- Keep Use sandbox credentials and endpoint enabled while testing. The BPC development environment defaults to EUR, so leave Sandbox Currency set to EUR. If the development merchant currency is changed in the BPC Dev Merchant Portal, select the same currency in WooCommerce. A mismatch can cause Error 3: Unknown currency. Disable sandbox mode only after configuring live credentials and confirming that you are ready to receive live payments.

Test mode

☒ Use sandbox credentials and endpoint

Disable this only when BCI has issued live credentials and you are ready to process real payments.

- Enable the **payment gateway** in WooCommerce.

Enable/Disable

☒ Enable TakuEcom - BCI Payments

- Click **Save changes** at the bottom of the plugin settings page.

Save changes

13. After saving, click **Test connection** to confirm WordPress can reach the selected BCI gateway endpoint with the saved credentials.

Before going live

- Enter the live API login and live API password supplied by BCI.
- Configure the live callback URL and callback token in the BCI merchant portal.
- Run the live connection test.
- Disable Use sandbox credentials and endpoint only when you are ready to process real payments. Live payment requests use NZD.
- Save changes and place a small live test payment.