

TakuEcom - BCI Payments Setup Guide

Merchant Setup Guide | plugin v1.1.1

This guide is for WooCommerce store operators configuring BCI TakuEcom payments.

Before You Start

You need:


- WordPress admin access.
- WooCommerce installed and active.
- The TakuEcom - BCI Payments plugin installed and active.
- Sandbox API login and password from BCI.
- Live API login and password from BCI before accepting real payments.
- Access to the BCI merchant portal callback notification settings.
- HTTPS on the public store URL.

For subscriptions, you also need WooCommerce Subscriptions and BCI stored credential permissions. Subscription renewal support is experimental in v1.0 and disabled by default.


Installing The Plugin

Skip this section if the plugin is already installed and active.


1. In the WordPress admin sidebar, go to Plugins > Add Plugin.




2. Click Upload Plugin, then Choose File.



3. Select the woocommerce-gateway-bci.zip file supplied by BCI, then click Install Now.




4. Click Activate Plugin.




Step 1: Open The Gateway Settings

1. In WordPress admin, go to WooCommerce > Settings.



2. Select the Payments tab.
3. Open TakuEcom - BCI Payments with the Manage button.



4. Tick Enable TakuEcom - BCI Payments.

Enable/Disable

☒ Enable TakuEcom - BCI Payments

5. Keep **Use sandbox credentials and endpoint** enabled while testing. This also uses the development environment's default EUR currency.

Test mode

☒ Use sandbox credentials and endpoint

Disable this only when BCI has issued live credentials and you are ready to process real payments.

Step 2: Enter Sandbox Credentials

In Sandbox Configuration:

1. Enter the Sandbox API Login.
2. Enter the Sandbox API Password.
3. Keep Sandbox Currency set to EUR. The BPC development environment defaults to EUR.
4. If your development merchant uses NZD, first change its currency in the BPC Dev Merchant Portal, then select NZD in WooCommerce.
5. Save changes.

Save changes

6. Click Test connection.

Settings

Sandbox Configuration

Use these credentials for test transactions. Sandbox is used whenever Test mode is enabled.

Sandbox API Login

bci.test-api

The sandbox merchant API username.

Sandbox API Password

.....

The sandbox merchant API password.

Sandbox Callback Token

.....

Generated in the BCI sandbox merchant portal under Settings > Callback notifications.

Sandbox Connection Test

Test connection

Checks that WordPress can reach the selected BCI gateway endpoint with the saved credentials.

The connection test confirms that WordPress can reach the selected BCI gateway endpoint with the saved credentials.


If credentials are rejected, check for copied spaces, the correct environment, and whether the sandbox account has API access.

The WooCommerce sandbox currency must match the currency selected in the BPC Dev Merchant Portal. A mismatch can cause order registration to fail with **Error 3: Unknown currency**.

Step 3: Configure Callback Notifications

The callback keeps WooCommerce in sync even when the customer closes the browser before returning to the store.

1. Copy the Callback URL shown in the plugin settings.



2. Open Callback notifications in the BCI merchant portal.
3. Enable callback notifications.
4. Set Callback type to Static.
5. Set Method to POST.
6. Set Signing type to Symmetric.
7. Paste the plugin callback URL into the callback link field.
8. Generate a callback token.
9. Paste that token into the matching Sandbox Callback Token or Live Callback Token field in WooCommerce.
10. Enable Deposited, Approved, Reversed, Refunded, and Declined by timeout events.
11. Save the merchant portal settings and the WooCommerce gateway settings.

The screenshot shows the WooCommerce Settings interface. On the left is a dark sidebar with a menu including Overview, Dashboard, Transactions, POS operations, Reports, Payment tools, Pay by link, Virtual terminal, Payment links, Payment page builder, Administration, Quick buttons, Wallet certificates, Working with the API, and Settings. The 'Settings' menu is expanded, showing 'System settings' and 'Payment settings'. The main content area is titled 'Settings' and 'Callback notifications'. It features a warning box: 'Please avoid changing the configuration settings if you are not aware of the changes that will be applied.' Below this, there's a 'Merchant' dropdown set to 'bci.test'. A toggle for 'Callback notifications enabled' is turned on. 'Callback type' is set to 'Static' (with 'Dynamic' as an option). 'Callback method' is set to 'POST' (with 'GET' as an option). A text field prompts to 'Paste your Callback URL here'. An 'Additional parameters' dropdown is set to 'Select...'. 'Signing type' is set to 'Symmetric' (with 'Asymmetric' as an option). A 'Callback token' field is present with a 'Generate' button. At the bottom, there's a section for 'Operations' with checkboxes for 'Deposited', 'Reversed', 'Binding created', 'Declined by timeout', 'Approved', 'Refunded', 'Binding activity changed', and 'Declined cardpresent'.

The callback URL is:

```
/wp-json/bci-woo/v1/callback
```

The full URL shown in WooCommerce includes your store domain.

Step 4: Choose Paid Order Status

The default setting is WooCommerce default.

For most WooCommerce stores this means:

- Processing for paid orders that still need fulfilment.
- Completed for virtual or downloadable orders that need no fulfilment.

If store staff find Processing unclear, choose Force Completed. If every paid order should remain in a fulfilment queue, choose Force Processing.

Step 5: Test A Sandbox Order

1. Make sure Use sandbox credentials and endpoint is enabled. Sandbox payments use EUR unless you selected another matching Sandbox Currency.
2. Add a product to the cart.
3. Go through checkout using Card (BCI TakuEcom).
4. Complete the hosted payment page using sandbox test card details supplied by BCI.
5. Return to the WooCommerce order.
6. Confirm the order includes a BCI gateway reference and reaches the expected paid status.

WooCommerce normally requires a State / County and a Postcode / ZIP at checkout. Cook Islands addresses have neither, so the plugin makes both optional for Cook Islands customers and labels the state field Island. Customers can leave them blank.

If the order stays Pending:

1. Click Check Pending Orders in the gateway settings.
2. Open WooCommerce > Status > Logs.
3. Select a log source beginning with BCI_Woo_Plugin.
4. Check whether the gateway returned a pending, failed, or captured status.

Step 6: Configure Live Payments

Only switch to live after sandbox testing succeeds.

1. Enter Live API Login and Live API Password.
2. Configure live callback notifications in the live merchant portal.
3. Paste the live callback token into WooCommerce.
4. Save settings.
5. Run the live connection test.
6. Untick Use sandbox credentials and endpoint.
7. Place a small live test order if BCI support has approved that process.

Live payments are charged in NZD. If the WooCommerce store currency is set to anything other than NZD, the payment method does not appear at checkout in live mode and an admin notice explains why. Set WooCommerce > Settings > General > Currency to New Zealand dollar before going live.

Subscriptions

Subscriptions are experimental in v1.0 and disabled by default. The core v1.0 release is for one-off hosted checkout payments. Enable renewals only after WooCommerce Subscriptions is installed and BCI confirms stored credential permissions for the merchant account.

Before testing renewals, ask BCI support to confirm these permissions on the sandbox account:

- Stored credentials.
- `FORCE_CREATE_BINDING`.
- `recurrentPayment.do`.

- Merchant-initiated transaction permission if required by the processor.

Then:

1. Keep Use sandbox credentials and endpoint enabled.
2. Enable automatic renewals in the Subscriptions section only after the merchant-specific recurring-payment checklist has passed.
3. Click Test subscription readiness.
4. Create a sandbox subscription product.
5. Complete an initial subscription checkout.
6. Confirm the order note does not report a missing binding ID.
7. Trigger or wait for a renewal order and confirm it is paid through BCI.

Do not enable live subscription renewals until a sandbox subscription checkout creates a binding ID successfully.

Troubleshooting

Connection test fails:

- Confirm the correct live or sandbox credentials.
- Confirm outbound HTTPS requests are allowed from WordPress hosting.
- Confirm BCI has enabled API access.

Callback fails:

- Confirm the store uses a public HTTPS URL.
- Confirm the callback token in WooCommerce matches the merchant portal token.
- Confirm Signing type is Symmetric.
- Confirm the callback URL has no redirects or maintenance-mode protection.

Payment method missing at checkout:

- In live mode, confirm the WooCommerce store currency is NZD.
- Confirm API login and password are saved for the active environment.
- Confirm the gateway is enabled in WooCommerce > Settings > Payments.

Orders stay Pending:

- Use Check Pending Orders.
- Review WooCommerce logs with source `BCI_Woo_Plugin`.
- Confirm the order has a stored BCI gateway reference.

Subscriptions fail:

- Confirm WooCommerce Subscriptions is active.
- Confirm the initial subscription checkout created a binding ID.
- Confirm BCI enabled stored credential and recurrent payment permissions.
- Review the renewal order notes and BCI logs.

Support Information To Collect

When asking for support, include:

- Store URL.
- WooCommerce order number.
- Whether Use sandbox credentials and endpoint is enabled.
- The selected Sandbox Currency and the currency configured in the BPC Dev Merchant Portal.
- Approximate payment time.
- Screenshot or copied text from the order notes.
- Relevant `BCI_Woo_Plugin` log entries with passwords and callback tokens removed.