CSS 111 Exploring Computer Science (2566)

22 September 2566

Lab 4 More Docker and UNIX/Linux Commands

ID .... ชื่อ–นามสกุล: ....

ID .... ชื่อ–นามสกุล: ....

Lab Instruction

1. Run Docker Ubuntu in your Docker machine. **(2 marks)**

    1.1. Update all necessary programs/packages.

    1.2. Change directory to your home.

    1.3. Copy file `/etc/passwd` into your current directory (home), and make it name `pw`.

    1.4. Create a file named `two` that contains two copies of your `pw` file (as shown below), using command like `cp` or `cat`, not with any editors.

    1.5. Show that the number of lines of file `two` is twice of that of your copy of `pw` file, using just one command.

```
root@somchai:~# cat two
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
root@somchai:~#
```

2. The file /etc/nanorc is a configuration file for the editor nano. **(2 marks)**

   2.1. View its content before further processing.

   2.2. Filter only lines with **white** color and put the results into a file named white, and see its content before proceeding.

   2.3. Rename the file white to rc.

   2.4. From this rc file, use a single command to show all lines with words red or cyan.

3. Sorting **(2 marks)**

   3.1. ให้เรียงลำดับข้อมูลใน /etc/passwd โดยเรียงตาม UID จากมากไปน้อย และควรจะได้ผลลัพธ์ตามนี้

   (Hint: https://www.geeksforgeeks.org/sort-command-linuxunix-examples/)

```
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System
(admin):/var/lib/gnats:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
games:x:5:60:games:/usr/games:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
sys:x:3:3:sys:/dev:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
root:x:0:0:root:/root:/bin/bash
```