

The Banner Saga Developer Cheatsheet

[Log Files](#)

[Save Games](#)

[Console](#)

[Command Line Options](#)

[INI Files](#)

[Keyboard Hotkeys](#)

[GLOBAL](#)

[BATTLE](#)

[TRAVEL](#)

[CONVO/POPPENING](#)

[MISC](#)

[Game Controller hotkeys](#)

[GLOBAL](#)

[BATTLE](#)

[Touchscreen/Mouse Hotkeys](#)

Log Files

The log file locations are:

- Mac OS X: ~/Library/Application Support/TheBannerSaga/Local Store/gamelog/
 - Open Finder
 - Hit Command-Shift-G to open the “Go to the folder:” popup dialog
 - Paste the path into the textbox and hit Enter
- Windows: %HOMEPATH%\AppData\Roaming\TheBannerSaga\Local Store\gamelog\
 - Open Windows Explorer
 - Paste the path into the location bar textbox and hit Enter


For *Banner Saga 3*, replace the path above element TheBannerSaga with TheBannerSaga3:

- Mac OS X: ~/Library/Application Support/TheBannerSaga3/Local Store/gamelog/
 - Open Finder
 - Hit Command-Shift-G to open the “Go to the folder:” popup dialog
 - Paste the path into the textbox and hit Enter

- Windows: %HOMEPATH%\AppData\Roaming\TheBannerSaga3\Local Store\gamelog\
 - Open Windows Explorer
 - Paste the path into the location bar textbox and hit Enter

For example:

C:\Users\Adrienne\AppData\Roaming\TheBannerSaga3\Local Store\gamelog\



	Name	Date modified	Type	Size
s	A-0.log	5/2/2018 12:27 PM	TXT File	103 KB
	A-1.log	5/2/2018 11:05 AM	TXT File	92 KB
	A-2.log	5/1/2018 10:27 PM	TXT File	105 KB
ls	A-3.log	5/1/2018 9:38 PM	TXT File	2,659 KB
:S	A-4.log	5/1/2018 7:38 PM	TXT File	1,617 KB

How Log Files Work:

- Each time the game is launched, the play session will record as A-0.log.
- Every consecutive launch, A-0.log.txt is renamed to A-1.log.txt, A-1 turns into A-2 and so forth.
 - 0 is always the newest.
- The game only keeps the last 4 and the current log (5 total).

Save Games

Games are saved in a similar location to the logfiles, in this case:

- Mac OS X: ~/Library/Application Support/TheBannerSaga/Local Store/save/saga1/
 - Open Finder
 - Hit Command-Shift-G to open the “Go to the folder:” popup dialog
 - Paste the path into the textbox and hit Enter
- Windows: %HOMEPATH%\AppData\Roaming\TheBannerSaga\Local Store\save\saga1\
 - Open Windows Explorer
 - Paste the path into the location bar textbox and hit Enter

Each save file is a single .json file paired with a .png screenshot. You may share save files with others or transfer them to different machines. They may also be used to contain the state necessary to reproduce bugs.

wdd

For *Banner Saga 2*, replace the path above element TheBannerSaga with TheBannerSaga2:

- Mac OS X: ~/Library/Application Support/TheBannerSaga2/Local Store/gamelog/
 - Open Finder
 - Hit Command-Shift-G to open the “Go to the folder:” popup dialog
 - Paste the path into the textbox and hit Enter

- Windows: %HOMEPATH%\AppData\Roaming\TheBannerSaga2\Local Store\gamelog\
 - Open Windows Explorer
 - Paste the path into the location bar textbox and hit Enter

Note that for *Banner Saga 2*, no screenshots are included with the save files.

Console

At any time during gameplay, you can access the in-game console via the console hotkey **CTRL SHIFT ~**

The bottom right corner of the console can be used to resize the console. The console can be scrolled by click-dragging the mouse or clicking on the little arrow scrollers in the bottom right.

```

[INFO] (SAGA) VAR cin_start.weather_snow_density=6
[INFO] ( ) Triggers were filtered out for [acv_3_40_good_listener bag=saga3] -VARIABLE_INCREMENT due to prg_good_listener==15
[INFO] (SAGA) <- action end (4) [VARIABLE.SET weather_snow_density 6 happening=music_intro bag=cin_start]
[INFO] (SAGA) -> ACTION START (5) [VARIABLE.SET weather_snow_gravity -0.5 happening=music_intro bag=cin_start]
[INFO] (SAGA) VAR cin_start.weather_snow_gravity=-0.5
[INFO] ( ) Triggers were filtered out for [acv_3_40_good_listener bag=saga3] -VARIABLE_INCREMENT due to prg_good_listener==15
[INFO] (SAGA) <- action end (5) [VARIABLE.SET weather_snow_gravity -0.5 happening=music_intro bag=cin_start]
[INFO] (SAGA) -> ACTION START (6) [VARIABLE.SET weather_snow_variance 1.5 happening=music_intro bag=cin_start]
[INFO] (SAGA) VAR cin_start.weather_snow_variance=1.5
[INFO] (SAGA) <- action end (6) [VARIABLE.SET weather_snow_variance 1.5 happening=music_intro bag=cin_start]
[INFO] (SAGA) -> ACTION START (7) [VARIABLE.SET weather_wind -0.25 happening=music_intro bag=cin_start]
[INFO] (SAGA) VAR cin_start.weather_wind=-0.25
[INFO] ( ) Triggers were filtered out for [acv_3_40_good_listener bag=saga3] -VARIABLE_INCREMENT due to prg_good_listener==15
[INFO] (SAGA) <- action end (7) [VARIABLE.SET weather_wind -0.25 happening=music_intro bag=cin_start]
[INFO] (SAGA) -> ACTION START (8) [VARIABLE.SET weather_snow_color 0.0000000000000000 happening=music_intro bag=cin_start]
[INFO] (SAGA) VAR cin_start.weather_snow_color=0.0000000000000000
[INFO] ( ) Triggers were filtered out for [acv_3_40_good_listener bag=saga3] -VARIABLE_INCREMENT due to prg_good_listener==15
[INFO] (SAGA) <- action end (8) [VARIABLE.SET weather_snow_color 0.0000000000000000 happening=music_intro bag=cin_start]
[INFO] (SAGA) <-> happening end [music_intro bag=cin_start]
[INFO] (FSM) Current [GameSm/SceneLoadState[cin_start]] -> SceneState
[INFO] ( ) Creating saga_start_page
[INFO] ( ) SagaStartPage.onSaveSyncComplete
[INFO] ( ) SagaStartPage.setupSaves START
[INFO] ( ) SagaStartPage.setupSaves START
[INFO] ( ) Saga_start_page: SagaStartPage
[INFO] ( ) Scene.wiped false
[INFO] ( ) Scene.checkStartAnchor drift anchoring autopan=true
[INFO] ( ) Scene.wiped true
[INFO] ( ) Scene.ready true
[INFO] (NEWS) SagaStartPage.loadNews [http://stoicstudio.com/news/saga3/news3.json]
[INFO] (AUTO) NOTIFICATION ADDED saga_start_page_ready
[INFO] (SAGA) LOADED saga3scene/cin_start/cin_start.json.z
[INFO] (NEWS) newsHandler [[object SagaNews]]
[INFO] ( ) loading news icon [http://stoicstudio.com/news/saga3/art_warbands.png]
[INFO] ( ) loading news icon [http://stoicstudio.com/news/saga3/art_soundtracks.png]
[INFO] ( ) loading news icon [http://stoicstudio.com/news/saga3/art_albums.png]
[INFO] ( ) loading news icon [http://stoicstudio.com/news/saga3/art_goh.png]
[INFO] (AUTO) NOTIFICATION ADDED saga_start_page_ready
[INFO] (AUTO) NOTIFICATION ADDED saga_start_page_ready
[INFO] ( ) PlatformStarling.resize viewport to 960x536
[INFO] ( ) PrefBag:savePrefs - Saving Preferences to disk
[INFO] ( ) PlatformStarling.resize viewport to 960x551
[INFO] ( ) PrefBag:savePrefs - Saving Preferences to disk
[INFO] ( ) PlatformStarling.resize viewport to 960x556
[INFO] ( ) PrefBag:savePrefs - Saving Preferences to disk
  
```

The console page represents the same output as the [Log File](#), with errors colored **red**. The very first line of the console mentions the location of the [Log File](#) which is being written to disk.

Each line of the console and log output is prefixed with the string **[INFO]**, **[DEBUG]**, or **[ERROR]** to indicate its severity.

You can use the console to enter various useful commands.

****Note** that entering a command without arguments should usually result in an informational description of the command.

Many of these commands are hidden behind 'developer mode', which is accessed by running the game with the additional command line argument 'developer'

Notational convention: A word surrounded in angle brackets is a <required argument>. A word surrounded in square brackets is an [optional argument]. Do not include the bracket characters when typing the argument.

<code>?</code>	List all commands
<code>saga vars [pattern]</code>	List saga vars, using optional pattern filter
<code>saga vars caravan</code>	List caravan saga vars
<code>saga vars global</code>	List global saga vars
<code>saga vars cast</code>	List cast saga vars
<code>saga vars xyz</code>	List vars with names starting with 'xyz'
<code>saga set <var> <value></code>	Set a saga var
<code>saga happenings</code>	List all active happenings
<code>saga caravan</code>	Display info on current caravan
<code>saga bookmark [bookmark]</code>	Jump to bookmark, or list bookmarks
<code>saga info</code>	Get info on current scene, convo, etc... (also copies to clipboard)
<code>saga acv unlocked</code>	Display current unlocked achievements
<code>saga acv clear *</code>	Clear all achievements
<code>items</code>	Display list of all available items
<code>items_unlock</code>	Remove the rank restriction on equipping items
<code>saga item_all</code>	Add all items to the caravan's inventory
<code>fsm state battle ai</code>	Toggle Battle AI off, allowing you to control the AI
<code>fsm state battle stat <entity> <stattype> <value></code>	Ex. fsm state battle stat junos STRENGTH 100 - sets Strength to 100
<code>battle buffstr</code>	Give everyone in your party 100 STR
<code>battle buffarm</code>	Give everyone in your party 100 ARM
<code>ai</code>	Shortcut for the above
<code>Display <target> <depth></code>	Display objects in the scene up to depth levels below the target object. Children are specified with pipes, e.g: ScenePage scene_view

Start Screen Console Commands

<code>page current hide_start</code>	Hide GUI
<code>page current view landscape sprite_hide layer_4_back.4_back_logo_1</code>	Hide Logo (TBS1)
<code>page current view landscape sprite_hide logo.4_back_logo_1</code>	Hide Logo (TBS2)
<code>page current view landscape sprite_hide logo.logo3_1 page current view landscape sprite_hide logo.logo3_reflect_1</code>	Hide Logo (TBS3)

The entire set of commands can be explored by using '?' and the commands you see. If you type a command, it will generally tell you how to use it, and what subcommands exist.

Useful console commands for testing:

- `saga set renown <renown>`
- `saga kill <unit> <number>`

Unit Names:

Apostate: `dredge_stonesinger_ally_1`

Bulwark: `dredge_stoneguard_ally_1`

Castaway: `dredge_hurler_ally_1`


Kivi: `dredge_stoneguard_ally_preorder`

Command Line Options

You can set your command line options via the Steam properties “SET LAUNCH OPTIONS...” in the Steam Library.

<code>debug</code>	log much more information for debugging
<code>local_assets</code>	load assets from \$HOME/stoic/tbs/compile-assets
<code>sound=false</code>	disable all sound and music
<code>reset_prefs</code>	reset saved game prefs on startup
<code>width=XXX</code>	set window width on startup
<code>height=XXX</code>	set window height on startup
<code>fullscreen=false</code>	run in windowed mode
<code>fmod_profile</code>	run with an fmod profiling socket
<code>fmod_port=XXX</code>	listen on port XXX for FMOD Designer auditioning
<code>fmod_debug</code>	log much more fmod information
<code>happening=XXX</code>	launch the saga into a specific happening
<code>developer</code>	gain access to developer hotkeys and commands
<code>steam=false</code>	Disable steam. Only works for debugger builds.
<code>assets=file://URL</code>	Load your assets from a nonstandard location
<code>starling=false</code>	Disable the new Starling renderer
<code>ai=false</code>	Disable the AI, which allows the player to control them
<code>quickload</code>	Skips fade-ins, pan-ins, etc.. and loads the scenes quicker
<code>load=save[:profile]</code>	Load a save file. ex. load=resume:4, load=resume
<code>cloud=false</code>	Prevents cloud saves from being used
<code>cloud_purge_remote=true</code>	Clears out remote saves
<code>var_platform_override</code>	Allows DLC/Bonus unlock variables

vars=allow_rewards_unlock_all:1	Unlocks all DLC/Bonus rewards
---------------------------------	-------------------------------



INI Files

Alternatively, command line options can be set in the `tbs_config.ini` file. This is located in the game install folder:

Windows:

```
%ProgramFiles%\Steam\SteamApps\common\tbs\TheBannerSaga_Win32\
```

Mac OSX:

```
~/Library/Application
```

```
Support/Steam/SteamApps/common/tbs/TheBannerSaga.app/Contents/Resources/
```

These config files may also be copied to your home directory and modified. In your home directory they must be named `tbs_config_saga1.ini`

Keyboard Hotkeys

(Keys in RED are developer mode only)

(On Mac OSX, replace CTRL with Command)

GLOBAL	
<i>ESC</i>	Toggle Options Menu
<i>CTRL SHIFT F8</i>	Quicksave
<i>CTRL SHIFT F9</i>	Quickload (most recent checkpoint or quicksave)
<i>CTRL SHIFT F10</i>	Load Game Menu
<i>CTRL SHIFT ~</i>	Toggle the game console
<i>CTRL SHIFT F1</i>	Toggle Sound Debug HUD
<i>CTRL SHIFT F2</i>	Toggle Anim Battle Debug Overlay
<i>CTRL SHIFT P</i>	Toggle Performance HUD
BATTLE	
<i>SPACE/ENTER</i>	Deploy Ready
<i>CTRL SHIFT H</i>	Toggle HUD Visibility
<i>TAB</i>	Toggle Stat Banners
<i>1</i>	Move
<i>2</i>	Ability (multiple taps cycle)
<i>3</i>	Attack
<i>4</i>	Rest/End Turn (2 taps confirms)
<i>0</i>	Use Horn
<i>SPACE/ENTER</i>	Confirm attack/ability/rest/etc...
<i>LEFT ←</i>	Previous unit in initiative or valid targets
<i>RIGHT →</i>	Next unit in initiative or valid targets
<i>SHIFT LEFT ←</i>	Previous Enemy unit in initiative
<i>SHIFT RIGHT →</i>	Next Enemy unit in initiative

<i>CONTROL LEFT ←</i>	Previous Ally unit in initiative
<i>CONTROL RIGHT →</i>	Next Ally unit in initiative
<i>PLUS</i>	Add one willpower star
<i>MINUS</i>	Remove one willpower star
<i>CTRL SHIFT H</i>	Plink armor off of selected unit
<i>CTRL SHIFT J</i>	Auto-Kill selected unit
<i>CTRL SHIFT K</i>	Auto-Kill all enemy units
<i>CTRL SHIFT L</i>	Surrender battle (Lose)
TRAVEL	
<i>CTRL SHIFT SPACE</i>	Toggle Pause
<i>CTRL SHIFT LEFT</i>	Slower
<i>CTRL SHIFT RIGHT</i>	Faster
<i>CTRL SHIFT]</i>	Jump to next location
<i>CTRL SHIFT [</i>	Jump to previous location
<i>CTRL SHIFT H</i>	Halt
<i>CTRL SHIFT T</i>	Toggle Show travel spline
<i>CTRL SHIFT I</i>	Toggle Show Caravan
CONVO/POPPENING	
<i>SPACE/ENTER</i>	Next
<i>1,2,3,4,5,6</i>	Choose numbered option
<i>CTRL SHIFT]</i>	Jump through convo choosing option 1
LOCALIZATION	
<i>CTRL SHIFT A 1,2,3...</i>	Change localization
MISC	

<i>SPACE</i>	Continue, Ready, etc...
--------------	-------------------------

Game Controller hotkeys

The Game Controller can also be used to perform a variety of actions. To enter developer hotkey mode, hold down L1 and R1 and push the Right stick in each of the 4 cardinal directions. (In other words rotate the right stick 360 degrees clockwise). Continue holding down L1 and R1 and then press any of the following:

GLOBAL	
<i>DPAD UP + Y</i>	Toggle Console (in order to view logs)
<i>A</i>	Fast-forward (same as ctrl-shift-]) - Also kill all enemies, fast-forward travel/conversation, start survival from character roster page, leave camp, skip match resolution page
BATTLE	
<i>A</i>	Kill all
<i>B</i>	Kill current target
<i>X</i>	Plink current target armor (removes 4 armor from the selected character)
<i>Y</i>	Surrender (lose battle)

Touchscreen/Mouse Hotkeys

Triple-tap the bottom right corner of the screen to toggle the developer console.

Cheat Suppression

The session cheat flag is triggered by a variety of actions:

- Console commands marked '<< CHEAT >>'
- Using certain hotkeys:

- Fast-Forward (control-shift-])
 - Killall (control-shift-]) or control-shift-k)
 - Kill target (control-shift-j)
 - Plink target armor (control-shift-;)
 - (currently the above 2 items don't actually flag cheat)
- Enabling any these flags from the command line:
 - fastall
 - ai_eager (forces AI ability use)
 - ai_unwilling (disables AI ability use)
 - ai (disables AI globally)
 - ai_player (enables AI for player team)
 - invis_show
- Toggling any of the above flags via the console

Once the cheat flag is toggled, achievements, leaderboards, and game analytics will be disabled for the rest of the game executable session, or from any games loaded from the cheated session.