GitHub

Git Cheat Sheet

Git is the open source distributed version control system that facilitates GitHub activities on your laptop or desktop. This cheat sheet summarizes commonly used Git command line instructions for quick reference.

Install

GitHub for Windows
https://windows.github.com

GitHub for Mac
https://mac.github.com

Git for All Platforms
http://git-scm.com

Git distributions for Linux and POSIX systems are available on the official Git SCM web site.

Configure tooling

Configure user information for all local repositories

`$ git config --global user.name "[name]"`
Sets the name you want attached to your commit transactions

`$ git config --global user.email "[email address]"`
Sets the email you want attached to your commit transactions

`$ git config --global color.ui auto`
Enables helpful colorization of command line output

Branches

Branches are an important part of working with Git. Any commits you make will be made on the branch you're currently "checked out" to. Use `git status` to see which branch that is.

`$ git branch [branch-name]`
Creates a new branch

`$ git checkout [branch-name]`
Switches to the specified branch and updates the working directory

`$ git merge [branch]`
Combines the specified branch's history into the current branch. This is usually done in pull requests, but is an important Git operation.

`$ git branch -d [branch-name]`
Deletes the specified branch

Create repositories

When starting out with a new repository, you only need to do it once; either locally, then push to GitHub, or by cloning an existing repository.

`$ git init`
Turn an existing directory into a git repository

`$ git clone [url]`
Clone (download) a repository that already exists on GitHub, including all of the files, branches, and commits

The .gitignore file

Sometimes it may be a good idea to exclude files from being tracked with Git. This is typically done in a special file named `.gitignore`. You can find helpful templates for `.gitignore` files at github.com/github/gitignore.

Synchronize changes

Synchronize your local repository with the remote repository on GitHub.com

`$ git fetch`
Downloads all history from the remote tracking branches

`$ git merge`
Combines remote tracking branch into current local branch

`$ git push`
Uploads all local branch commits to GitHub

`$ git pull`
Updates your current local working branch with all new commits from the corresponding remote branch on GitHub. `git pull` is a combination of `git fetch` and `git merge`

GitHub Git Cheat Sheet

Make changes

Browse and inspect the evolution of project files

`$ git log`
Lists version history for the current branch

`$ git log --follow [file]`
Lists version history for a file, including renames

`$ git diff [first-branch]...[second-branch]`
Shows content differences between two branches

`$ git show [commit]`
Outputs metadata and content changes of the specified commit

`$ git add [file]`
Snapshots the file in preparation for versioning

`$ git commit -m "[descriptive message]"`
Records file snapshots permanently in version history

Redo commits

Erase mistakes and craft replacement history

`$ git reset [commit]`
Undoes all commits after [commit], preserving changes locally

`$ git reset --hard [commit]`
Discards all history and changes back to the specified commit

CAUTION! Changing history can have nasty side effects. If you need to change commits that exist on GitHub (the remote), proceed with caution. If you need help, reach out at github.community or contact support.

GitHub Flow



Glossary

`git`: an open source, distributed version-control system
`GitHub`: a platform for hosting and collaborating on Git repositories
`commit`: a Git object, a snapshot of your entire repository compressed into a SHA
`branch`: a lightweight movable pointer to a commit
`clone`: a local version of a repository, including all commits and branches
`remote`: a common repository on GitHub that all team member use to exchange their changes
`fork`: a copy of a repository on GitHub owned by a different user
`pull request`: a place to compare and discuss the differences introduced on a branch with reviews, comments, integrated tests, and more
`HEAD`: representing your current working directory, the HEAD pointer can be moved to different branches, tags, or commits when using `git checkout`

GitHub Training

Want to learn more about using GitHub and Git?
Email the Training Team or visit our web site for learning event schedules and private class availability.

services@github.com
services.github.com

DV-2024 Submission Confirmation: Entry Received

Success!

Your entry for the 2024 Diversity Visa program was received on Thursday, November 3, 2022 at 11:22:35 PM EDT. Please do **NOT** close this window until you have printed this confirmation page or made a record of your Confirmation Number.

Entrant Name:
BASNET, SAJAK
Confirmation Number:
20248XK9P9W3EQNQ
Year of Birth:
2004
Digital Signature:
EB8E12A1DFD906D6BE3CE59887B9F80F655E9116

Thank you for your entry for the 2024 Diversity Visa Program.

Please either print this page or make a record of the confirmation number before closing this window. You will not be able to retrieve this number after you close this window.

You must retain your confirmation number in order to check your entry status via **Entrant Status Check** between May 6, 2023 and September 30, 2024 to determine whether your entry was selected for further processing in the 2024 Diversity Visa Program. You will be **REQUIRED** to enter your confirmation number in combination with other personal information in order to check on your entry status.

Selectees will not receive selectee notifications or letters by regular postal mail from the Kentucky Consular Center (KCC).

Do not submit additional Entry Forms with this person as the Primary Entrant! Multiple entries will disqualify the Entrant from participation in the 2024 Diversity Visa Program.