


Pre-Requirements for TAK Server Deployment

Downloading Necessary Files

- Download Rocky Linux

- Go to the following link and select Default Image Rocky Linux 9 Boost ISO, which should start a download

- <https://rockylinux.org/download>



- Download TAK-SERVER


- Go to the following link and download Rocky release version of TAK Server on your local machine to the “TAK Server Install” folder

- <https://tak.gov/products/tak-server>

- Download Scripts

- Go to the following link then to the TAK-SERVER folder and download the TAK SERVER SCRIPTS and the MASTER_SERVER_NAME_FOLDER_STRUCTURE onto your local machine and extract the zip files

- <http://maps.takserver.us/>



Modify our Scripts – Opening the File

- Unzip the “TAK SERVER SCRIPTS...”
- Open “TAK SERVER SCRIPTS....” → open “Rocky#_Scripts”
 - In here we need to make sure the install script matches the TAK Server version we are using.
 - Notice that then name currently says “RL9.5_tak5.4r14_install.sh” or something similar to this, this indicates that an older version may be referenced currently.
 - To verify or update the current file being referenced we need to open the file.

Modify our Script – Update the Script

- To change this open the file “RL9.5_tak5.4r14_install.sh” with a text editor and scroll down to the following section.

```
##Install TAK Server v4.10 rel 60
echo "Install TAK server v5.0 REL69"
#sudo dnf install takserver-4.10-RELEASE50.noarch.rpm -y
sudo dnf install takserver-5.1-RELEASE40.noarch.rpm -y
#done
echo "+++++"

```

- Update the scripts to the downloaded TAK Server version.

```
##Install TAK Server v4.10 rel 60
echo "Install TAK server v5.0 REL69"
#sudo dnf install takserver-4.10-RELEASE50.noarch.rpm -y
sudo dnf install takserver-5.2-RELEASE16.noarch.rpm -y
#done
, "....."

```

 takserver-5.2-RELEASE16.noarch.rpm

- Save the file and exit out of the text editor.

Set Up Your VM