


TAK Server - QUIC Protocol

TAK Server - QUIC Protocol

- QUIC (Quick UDP Internet Connection) is a general-purpose transport layer network protocol.
- It includes a built-in encryption based on TLS, which provides secure communication between the endpoints, which makes it harder for third parties to intercept and manipulate the internet traffic.



TAK Server - QUIC Protocol Setup

- Open a terminal that is connected to your TAK Server and open the CoreConfig file with a text editor:
 - **vim /opt/tak/CoreConfig.xml**
 - Add the following line within the network body:
 - **<input _name="quic-test" protocol="quic" port="8090" archive="false"/>**
 - It should look like the following:

```
<Configuration xmlns="http://bbn.com/marti/xml/config">
  <network multicastTTL="5" serverId="e2da2ebbc64d4b3f9371a490f37c24f4" version="5.2-RELEASE-16-HEAD">
    <input _name="stdssl" protocol="tls" port="8089" coreVersion="2"/>
    <input _name="quic-test" protocol="quic" port="8090" archive="false"/>
    <connector port="8443" _name="https"/>
    <connector port="8440" clientAuth="false" _name="cert_https"/>
    <connector port="8441" federationTruststore="true" _name="fed_https"/>
    <announce/>
  </network>
  <auth x509groups="true" x509addAnonymous="false" x509checkRevocation="true">
    <File location="UserAuthenticationFile.xml"/>
  </auth>
</Configuration>
```

TAK Server - QUIC Protocol Setup

- Configure the firewall by running the following:
 - List the current networks:
 - **sudo firewall-cmd --list-all**
 - Add the needed port:
 - **sudo firewall-cmd --zone=public --add-port 8090/udp --permanent**
 - Reload the firewall
 - **sudo firewall-cmd --reload**
 - Double check to ensure it was added properly:
 - **sudo firewall-cmd --list-all**

TAK Server - QUIC Protocol - Connecting

- Start up your TAK device, I will be using WinTAK:
 - Open the network preferences and navigate to the server connection panel:
 - Select “Add Item”
 - Fill in the following information:
 - **Description:** Name the server connection
 - **Connection:**
 - **Protocol:** QUIC
 - **Host Address:** Server IP Address
 - **Port:** 8090
 - **Certificates:**
 - If you have auto enrollment setup:
 - Import the CA of the server.
 - Import both the CA and the client certificate
 - Select “OK” and enter in the credentials for the user when prompted.
 - You will have successfully connected when the cloud icon is green.

