




```
// JSX
let ProductCard  = <div className='card'>
    <h1 className='card-header'>{products[0].name}</h1>
    <p>
        Rs. {products[0].price}
    </p>

</div>
```

```
▼ {tag: 'div', props: {…}} i
  ▼ props:
    ▼ children: Array(2)
      ▼ 0:
        ▼ props:
          ▶ children: ['Oppo']
            className: "card-header"
          ▶ [[Prototype]]: Object
          tag: "h1"
        ▶ [[Prototype]]: Object
      ▼ 1:
        ▼ props:
          ▶ children: (2) ['Rs. ', 15000]
          ▶ [[Prototype]]: Object
          tag: "p"
        ▶ [[Prototype]]: Object
        length: 2
      ▶ [[Prototype]]: Array(0)
    className: "card"
  ▶ [[Prototype]]: Object
  tag: "div"
```




```
<ul>
  <li>Duke</li>
  <li>Villanova</li>
</ul>
```




```
<ul>
  <li>Connecticut</li>
  <li>Duke</li>
  <li>Villanova</li>
</ul>
```




```
<ul>
  <li key="2015">Duke</li>
  <li key="2016">Villanova</li>
</ul>
```




```
<ul>
  <li key="2014">Connecticut</li>
  <li key="2015">Duke</li>
  <li key="2016">Villanova</li>
</ul>
```