

```

export default class ParentComponent extends Component {
  state = {
    name: 'Roger',
    age: 24
  }
  changeName() {
    this.setState({
      name: faker.person.fullName()
    })
  }
  changeAge() {
    this.setState({
      age: this.state.age + 1
    })
  }
}

export default function ParentComponent() {
  let [age, setAge] = useState(24);
  let [name, setName] = useState("Roger");

```

age=100 → Reconciliation

```

function App() {
  let [userId, setUserId] = useState(1);
  return (
    <div>
      <ParentComponent />
      <div>
        <Users updateId={setUserId} />
        <UserDetails userId={userId} />
      </div>
    </div>
  )
}

export default function Users({updateId}) {
  let [users, setUsers] = useState(null);
  // get called only once componentDidMount;
  // empty dependency
  useEffect(() => {
    fetch("https://jsonplaceholder.typicode.com/users")
      .then(response => response.json())
      .then(data => setUsers(data));
  }, []);

  return (
    <div>
      <h1>Users</h1>
      {
        users && users.map(user => <div key={user.id} onMouseEnter={() => updateId(user.id)}>
          {user.name}, {user.email}
        </div>
      }
    </div>
  )
}

```

Time

```

{
  "id": 1,
  "name": "Leanne Graham",
  "username": "Bret",
  "email": "Serge@bret.com",
  "address": {
    "street": "Kulas Light",
    "suite": "540",
    "city": "New York",
    "zipcode": "10012-3456"
  },
  "phone": "312.333.4567",
  "website": "https://leanne-graham.com"
},
{
  "id": 2,
  "name": "Ervin霍夫曼",
  "username": "Ervin",
  "email": "Serge@bret.com",
  "address": {
    "street": "Kulas Light",
    "suite": "540",
    "city": "New York",
    "zipcode": "10012-3456"
  },
  "phone": "312.333.4567",
  "website": "https://leanne-graham.com"
},
{
  "id": 3,
  "name": "Leanne Graham",
  "username": "Bret",
  "email": "Serge@bret.com",
  "address": {
    "street": "Kulas Light",
    "suite": "540",
    "city": "New York",
    "zipcode": "10012-3456"
  },
  "phone": "312.333.4567",
  "website": "https://leanne-graham.com"
},
{
  "id": 4,
  "name": "Ervin霍夫曼",
  "username": "Ervin",
  "email": "Serge@bret.com",
  "address": {
    "street": "Kulas Light",
    "suite": "540",
    "city": "New York",
    "zipcode": "10012-3456"
  },
  "phone": "312.333.4567",
  "website": "https://leanne-graham.com"
},
{
  "id": 5,
  "name": "Leanne Graham",
  "username": "Bret",
  "email": "Serge@bret.com",
  "address": {
    "street": "Kulas Light",
    "suite": "540",
    "city": "New York",
    "zipcode": "10012-3456"
  },
  "phone": "312.333.4567",
  "website": "https://leanne-graham.com"
}

```


```

export default function UserDetails({userId}) {
  let [user, setUser] = useState(null);
  // componentDidMount
  useEffect(() => {
    fetch("https://jsonplaceholder.typicode.com/users/" + userId)
      .then(response => response.json())
      .then(data => setUser(data));
  }, [userId]);

  return (
    <div>
      <h1>UserDetails</h1>
      <div>
        {
          user && (
            {user.address.city}, {user.address.zipcode}
          )
        }
      </div>
    </div>
  )
}

```

API call for Id change



LinkedIn profile page for Banu Prakash, Co-founder of Lucida Technologies Private Limited. The page shows a post by Francis Balint, a suggested post, and a messaging sidebar. Handwritten annotations include:

- Avatar name** pointing to the profile picture.
- y?** pointing to the post content.

```
const ProfileContext = createContext();
```

```
<ProfileContext.Provider value={{avatar, displayName}}>  
  {props.children}  
</ProfileContext.Provider>
```

```
<ProfileContextProvider>  
  <First />  
</ProfileContextProvider>
```

```
export default function First() {  
  return (  
    <div>  
      First  
      <Second />  
    </div>  
  )  
}
```

```
export default function Second() {  
  return (  
    <div>  
      Second  
      <Third />  
    </div>  
  )  
}
```

```
export default function Third() {  
  let {avatar, displayName} = useContext(ProfileContext);  
  return (  
    <div>  
      Third <br />  
      Avatar: {avatar} <br />  
      Name : {displayName} <br />  
    </div>  
  )  
}
```

avatar
"banu.png"

"Banu Prakash"
displayName

Consumes