





The Diffing Algorithm

```
<ul>
  <li>first</li>
  <li>second</li>
  <li>third</li>
</ul>
```


```
let li = document.createElement("li");
createTextNode(...)
parent.appendChild(li);
```

```
<ul>
  <li>Duke</li>
  <li>Villanova</li>
</ul>
```

```
<ul>
  <li>Connecticut</li>
  <li>Duke</li>
  <li>Villanova</li>
</ul>
```

→ VDOM

VDOM copy




→ VDOM

VDOM copy

```
<ul>
  <li>Duke</li>
  <li>Villanova</li>
</ul>
```


```
<ul>
  <li>Connecticut</li>
  <li>Duke</li>
  <li>Villanova</li>
</ul>
```



	No Match	1 Match	1+ Match	Await?
getBy	throw	return	throw	No
findBy	throw	return	throw	Yes
queryBy	null	return	throw	No
getAllBy	throw	array	array	No
findAllBy	throw	array	array	Yes
queryAllBy	[]	array	array	No

- **ByLabelText** find by label or aria-label text content
 - getByLabelText
 - queryByLabelText
 - getAllByLabelText
 - queryAllByLabelText
 - findByLabelText
 - findAllByLabelText
- **ByPlaceholderText** find by input placeholder value
 - getByPlaceholderText
 - queryByPlaceholderText
 - getAllByPlaceholderText
 - queryAllByPlaceholderText
 - findByPlaceholderText
 - findAllByPlaceholderText

- **ByText** find by element text content
 - getByText
 - queryByText
 - getAllByText
 - queryAllByText
 - findByText
 - findAllByText
- **ByRole** find by aria role
 - getByRole
 - queryByRole
 - getAllByRole
 - queryAllByRole
 - findByRole
 - findAllByRole



'The Harvard architecture for micro-controllers added which additional bus?'

- ☐ Address'
- ☐ Data
- ☒ Instruction
- ☐ Control'

```
"answered": {\n  "1": "",\n  "2": "",\n  "3": "",\n  .\n}
```

'The Harvard architecture for micro-controllers added which additional bus?'

- ☐ Address'
- ☐ Data
- ☐ Instruction
- ☐ Control'

9/10

Submit