


```

function App() {
  return <div>
    <h1>Hello World</h1>
    <section>
      <button>Click</button>
    </section>
  </div>
}

```






```



function App() {
  let [name, setName] = useState("");
  let [age, setAge] = useState(18);
  function modify() {
    ..
  }
  return <Child name={name} modifyRef={modify} />
}


function Child({age, modifyRef}) {
  return <
    Age = {age} <br/>
    <button onClick={modifyRef}>Modify</button>
  </>
}

```









```
const initialState = { value: 0 }
```

```
const counterSlice = createSlice({
  name: 'counter',
  initialState,
  reducers: {
    increment: (state) => {
      state.value++
    },
    decrement: (state, action) => {
      state.value+= action.payload
    }
  },
})
```

```
export const { increment, decrement } = counterSlice.actions
export default counterSlice.reducer
```

dispatch (increment)

dispatch (decrement)

Root Reducer

Store

```
const initialState = { value: 0 }
```

```
const counterSlice = createSlice({  
  name: 'counter',  
  initialState,  
  reducers: {  
    increment: (state) => {  
      state.value++  
    },  
    decrement: (state, action) => {  
      state.value+= action.payload  
    }  
  },  
})
```

```
export const { increment, decrement } = counterSlice.actions  
export default counterSlice.reducer
```

