



SLF4J Project

[Introduction](#)[Download](#)[Documentation](#)[License](#)[News](#)

Support

[Mailing Lists](#)[Bug Reporting](#)[Source Repository](#)[Support offerings](#)[Training](#)

Native implementations

[Logback](#)

Wrapped implementations

[AVSL](#)[JDK14](#)[Log4j](#)[Simple](#)[Android](#)

Sub-projects

[slf4j-taglib](#)

build passing

Simple Logging Facade for Java (SLF4J)

简单的日志外观模式框架为各种日志框架提供了简单的外观或抽象

The Simple Logging Facade for Java (SLF4J) serves as a simple facade or abstraction for various logging frameworks (e.g. java.util.logging, logback, log4j) allowing the end user to plug in the desired logging framework at *deployment* time.

Before you start using SLF4J, we highly recommend that you read the two-page SLF4J user manual.

在开始使用之前，强烈推荐阅读“用户手册”

Note that SLF4J-enabling your library implies the addition of only a single mandatory dependency, namely slf4j-api.jar. If no binding is found on the class path, then SLF4J will default to a no-operation implementation.

如果JAR没找到，则将默认为无操作执行

In case you wish to migrate your Java source files to SLF4J, consider our migrator tool which can migrate your project to use the SLF4J API in just a few minutes.

迁移工具

In case an externally-maintained component you depend on uses a logging API other than SLF4J, such as commons logging, log4j or java.util.logging, have a look at SLF4J's binary-support for legacy APIs.

Projects depending on SLF4J

Here is a non-exhaustive list of projects known to depend on SLF4J, in alphabetical order:

- [Apache ActiveMQ](#)
- [Apache Archiva](#)
- [Apache Camel](#)
- [Apache Directory](#)
- [Apache FTPServer](#)
- [Apache Geronimo](#)
- [Apache Graffiti](#)
- [Apache Jackrabbit](#)
- [Apache Sling](#)
- [Apache Solr](#)
- [Apache Tapestry](#)
- [Apache Wicket](#)
- [Aperture](#)
- [Apogee](#)
- [Artifactory](#)
- [AsyncWeb](#)
- [Bitronix](#)
- [DbUnit](#)
- [Display tag](#)
- [Ehcache](#)
- [GMaven](#)
- [Gradle](#)
- [GreenMail](#)
- [GumTree](#)
- [H2 Database](#)
- [HA-JDBC](#)
- [Hibernate](#)
- [Igenko](#)
- [Jabsorb](#)
- [Jetty v6](#)

- [Apache Mina](#)
- [Apache Qpid](#)
- [Apache ServiceMix](#)

- | | | |
|--------------------------------|------------------------------------|-------------------------------------------|
| • jLynx | • Mindquarry | • QuickFIX/J |
| • JMesa | • Mugshot | • Sonar |
| • JODConverter | • Mule | • SMSJ |
| • JTrac | • Nexus | • Spring-OSGi |
| • JWebUnit 2.x | • Novocode | • SpringSource dm Server™ |
| • JQuantLib | • NetCDF | • StreamBase |
| • LIFERAY | • OpenMeetings | • TimeFinder |
| • Lift | • OpenRDF | • WTFIGO |
| • log4jdbc | • Penrose | • YASL |
| • Magnolia | • PZFileReader | • Xoactory |
| • MRCP4J | • Quartz Scheduler | • XWiki |

Copyright © 2004-2015 [QOS.ch](#)

We are actively looking for volunteers to proofread the documentation. Please send your corrections or suggestions for improvement to "corrections@qos.ch". See also the [instructions for contributors](#).