

UCD1+ controlled vocabulary Version 1.4

Proposed Endorsed Note 2020-02-12

Working group

Semantics

This version

http://www.ivoa.net/documents/UCDlist/20200212

Latest version

http://www.ivoa.net/documents/UCDlist

Previous versions

The UCD1+ controlled vocabulary 1.3

Author(s)

Andrea Preite Martinez, Mireille Louys, Baptiste Cecconi, Sébastien Derrière, François Ochsenbein, Stéphane Erard

Editor(s)

Baptiste Cecconi

Abstract

This document describes the list of controlled terms used to build the Unified Content Descriptors, Version 1+ (UCD1+). The document describing the UCD1+ can be found at the URL: http://www.ivoa.net/Documents/latest/UCD.html. This document reviews the structure of the UCD1+ and presents the current vocabulary.

This version contains new UCD words discussed and accepted by the Semantics Working Group during the UCD list v1.3~RFM.

Status of this document

This is an IVOA Proposed Endorsed Note for review by IVOA members and other interested parties. It is appropriate to reference this document only as a Proposed Endorsed Note that is under review and may change before it is endorsed or may not be endorsed.

A list of current IVOA Recommendations and other technical documents can be found at http://www.ivoa.net/documents/.

Contents

1	Definition of atoms and words	2
	1.1 Definition of atoms	3
	1.2 Definition of words	3
2	The structure of the UCD1 $+$ tree	3
3	Combining UCD words	4
	3.1 Goal	4
	3.2 Remarks on combination rules	5
A	Current questions about combinations of UCDs	5
	A.1 How do UCDs differ from structured descriptions?	5
	A.2 P or S syntax code: Which is the most pertinent position for a UCD word?	5
В	List of valid words	6
\mathbf{C}	Changes from previous versions	16
	C.1 Changes from REC v1.3 following RFM	16
	C.2 Changes from PR v1.3-2018 following TCG comments	17
	C.3 Changes from WD v1.3-20160719	17
	C.4 Changes from WD v1.23-20160719	17
	C.5 Changes from WD v1.23-20150608	18
	C.6 Changes from PR v1.22	19
	C.7 Changes from PR v1.21	19
	C.8 Changes from PR v1.2	19
	C.9 Changes from REC v1.11 (Rec20051231)	19
	C.10 Changes from v1.10	20
	C.11 Changes from v1.0	20
	C.12 Changes from v1.01	21
	C.13 Changes from v1.00	21
	C.14 Changes from v0.2	22
	C.15 Changes from v0.1	23

1 Definition of atoms and words

A UCD is a string which contains textual tokens called 'words', separated by semicolons(;). A word is composed of 'atoms', separated by periods(.). The hierarchy is as follows:

atoms \rightarrow words \rightarrow composed words

UCD1+ are either single words, or a composition of several words.

UCDs are "controlled" through a process defined in the IVOA. See Derriere and Gray et al. (2004) and section 1.2 below. Control is exercised at the level of words (UCD1+) and at the level of the vocabulary (atoms) used to form words. A consistent list of atoms will be maintained, making sure that the same atom always means the same thing, even if used in combination with different other atoms.

1.1 Definition of atoms

Atoms are defined following these guidelines:

- 1. Abbreviations are used in contexts where their meaning is unambiguous. (ra, dec are acceptable, but t is ambiguous: time and temperature are used instead.)
- 2. Atoms are not hyphenated. The separation is marked by a capital letter to help readability (position angle = **posAng**) unless the composed word has a well- known acronym (signal to noise ratio = **snr**) or short form (standard deviation = **stdev**). There are only two exceptions to this rule: (i) the X-ray band (**em.X-ray**) and (ii) the frequency / wavelength intervals defining regions of the e.m. spectrum (e.g., **em.radio.3-6GHz**).

1.2 Definition of words

The list of UCD1+ words presented in this document was initially generated applying the rules and recommendations of PR-UCD-20040823 to catalogues/tables in VizieR. The original motivation was to transform old UCD1 into an improved version, trying to build a list of combinations of new words that could describe all the existing UCD1 terms.

The list of UCD1+ words is maintained by the UCD Scientific Board, following the procedure defined in the UCD Recommendation document (Derriere and Gray et al., 2004) and described in detail in Genova and Louys et al. (2019)¹.

2 The structure of the UCD1+ tree

All existing UCD1+ words are grouped into 12 main categories. These categories are expressed by the first atom of the word, whose possible values are:

1. **arith** (arithmetics)

This section includes concepts involving or indicating some mathematical operation performed on the primary 'concept' or just the presence of an arithmetic factor or operator.

2. **em** (electromagnetic spectrum)

This section describes the electromagnetic spectrum, either in a monochromatic way or in predefined intervals. The complete list of proposed bands (in seven classical regions of the electromagnetic spectrum: radio, millimetre, infrared, optical, ultraviolet, x-ray and gamma-ray), can be found in the document https://wiki.ivoa.net/internal/IVOA/IvoaUCD/NoteEMSpectrum-20040520.html

3. **instr** (instrument)

This section includes all quantities related to astronomical instrumentation, e.g. detectors (plates, CCDs, etc.), spectrographs, and telescopes (including observatories or missions), etc.

4. **meta** (metadata)

This section includes all the information that is not coming directly from a measurement, and information that could not be included in other sections.

¹An earlier draft on UCD building, still at http://www.ivoa.net/documents/PR/UCD/UCD-20040823.html includes more details about the process of the change from the earlier "UCD1" standard, and may be of historical interest, or provide more rationale.

5. **obs** (observation)

In principle under this section should go all words describing an observation (the name of the observer or PI, the observing conditions, the name of the field). In practice, this section helps to identify concepts related to an observation process.

6. **phot** (photometry)

All the words describing photometric measures are included in this section. The definitions distinguish between a flux density (flux per unit frequency interval), a flux density integrated over a given electromagnetic spectrum interval (flux if expressed linearly, mag if expressed by a log), or a flux expressed in counts/s (if the setup of the detector is photon counting observing mode). 'Colors', which are differences of magnitudes (i.e. ratios of fluxes) measured in different bandpasses, are also included.

7. **phys** (physics)

This section includes atomic and molecular data (mainly used for spectroscopy) and basic physical quantities (temperature, mass, gravity, luminosity, etc.)

8. **pos** (positional data)

This section describes all quantities related to the position of an object on the sky:

- Angular coordinates, and projections from spherical to rectangular systems.
- Angular measurements in general (the angular size of an object is in this section, its linear size is in the **phys** section).
- The World Coordinate System FITS keywords.

9. **spect** (spectral data)

For historical reasons, photometric data taken in narrow spectral bands with instruments called spectrographs are classified as spectroscopic data. These definitions should not be confused with those in the **em** category. **em** represents the independent variable, or dispersion axis, and **phot** and **spect** describe the dependent measures like a flux under the **phot** branch, and spectral measures spectral line physical features one can measure on a spectrum, for instance, under the **spect** branch.

10. **src** (source)

This is a rather generic section, mainly devoted to source classifications. Variability, orbital, and velocity data are also included in this section.

11. **stat** (statistics)

This section includes statistical information on measurements.

12. **time** (time)

Quantities related to time (age, date, period, etc.) are described in this section.

3 Combining UCD words

3.1 Goal

Since their definition UCDs have been used in major catalogue archives, in the definition of various VO protocols (SSA, SIAv2, SLAP, TAP ObsTAP, EPN-TAP, etc.) and used with success to provide semantic annotation for a huge collection of table columns distributed in the astronomical community.

The list of terms has increased and the usage of UCD combination has become very common. This leads to a richer set of rules in the assigning and checking tools developed at CDS with VO partners.

In order to keep the consistency in the UCD thesaurus, each rule is adjusted and weighted considering the physical usage of the quantities represented in table columns, so the pertinence increases with the context. Initially used for source catalogues (Vizier, Heasarc archives, etc.) in the first place, they are now also used in VOTable documents for planetary data (Erard and Cecconi et al., 2019, 2018) and all sorts of metadata.

3.2 Remarks on combination rules

The combination rules have been defined in the first IVOA documents defining UCD concept (Derriere and Gray et al., 2004). They are exposed with a syntax tag given as a property of each UCD word and included in the list of UCD words. See Appendix B with the tags definitions on top.

They correspond to real usage of the terms in science publications and are attached to the description of catalogues' column by experimented data scientists. UCD combination also reflects the catalogues build-up strategy. Errors and statistics, for instance, are provided with measurement values; measures and model comparison are evaluated with error fits, precision, etc. All the scientific knowledge helps to define appropriate UCD words combination.

The assigning tool proposed at http://cds.u-strasbg.fr/UCD/cgi-bin/descr2ucd is based on the pragmatic encoding of physical quantities found in science papers and data attached to publications.

A Current questions about combinations of UCDs

A.1 How do UCDs differ from structured descriptions?

UCDs do not provide a structured representation of table content but the meaning or relative class concept known at the time for the astronomical speciality. Therefore, the structure of words and their rules for combination do not follow any object oriented paradigm, in contradiction to any reference to a data model item (Utype, VO-DML type /role definition), which are dependent of a defined and endorsed IVOA data model specification.

A.2 P or S syntax code: Which is the most pertinent position for a UCD word?

P, S and Q are the labels expressing in which position of a UCD expression a term can be used, P in first place, S as suffix, and Q in both allowed position: head and tail. The UCD list defines the recommended position for each word with some flexibility.

P is always what matters the most to describe a quantity, i.e., the kind of property that should be searched for in primary order, and the most relevant UCD words to represent a quantity.

S is the code for the qualifying part of the UCD, the secondary information appended to specify the first UCD term.

Examples:

• Give me all columns / all catalogues with a column having a magnitude in R: magnitude is the primary concept and band R is the secondary concept, so the ucd to search for is phot.mag; em.opt.R.

• Give me all columns with an error on magnitude B: here we shall use a query with ucd equals to stat.error; phot.mag; em.opt.B. Here the main concept attached to the column value is error, qualified by phot.mag, itself qualified by em.opt.B.

Concatenation can apply more than one time, depending on ordering rules. See Derriere and Gray et al. (2004), section 3.3, for other details.

B List of valid words

All words are preceded by a 'syntax' code that can help in the process of building composed UCD1+.

- 1. "P" means that the word can only be used as "primary" or first word;
- 2. "S" stands for only secondary: the word cannot be used as the first word to describe a single quantity;
- 3. "Q" means that the word can be used indifferently as first or secondary word;

 The following cases behave as Q prefix and can be combined as primary or secondary. They specialize the combination rules:
 - 3.1. "E" means a photometric quantity, and can be followed by a word describing a part of the electromagnetic spectrum;
 - 3.2. "C" is a colour index, and can be followed by two successive word describing a part of the electromagnetic spectrum;
 - 3.3. "V" stands for vector. Such a word can be followed by another describing the axis or reference frame in which the measurement is done.

	CD word	Description
Q	arith	Arithmetic quantities
S	arith.diff	Difference between two quantities described by the same UCD
P	arith.factor	Numerical factor
P	arith.grad	Gradient
Р	arith.rate	Rate (per time unit)
\mathbf{S}	arith.ratio	Ratio between two quantities described by the same UCD
S	arith.squared	Squared quantity
S	arith.sum	Summed or integrated quantity
S	arith.variation	Generic variation of a quantity
\mathcal{Q}	arith.zp	Zero point
S	em	Electromagnetic spectrum
\mathbf{S}	em.IR	Infrared part of the spectrum
S	em.IR.J	Infrared between 1.0 and 1.5 micron
S	em.IR.H	Infrared between 1.5 and 2 micron
\mathbf{S}	em.IR.K	Infrared between 2 and 3 micron
S	em.IR.3-4um	Infrared between 3 and 4 micron
S	em.IR.4-8um	Infrared between 4 and 8 micron
\dot{s}	em.IR.8-15um	Infrared between 8 and 15 micron
$^{\circ}$	em.IR.15-30um	Infrared between 15 and 30 micron
S	em.IR.30-60um	Infrared between 30 and 60 micron
S	em.IR.60-100um	Infrared between 60 and 100 micron
S	em.IR.NIR	Near-Infrared, 1-5 microns
S	em.IR.NIR em.IR.MIR	Medium-Infrared, 5-30 microns
S	em.IR.FIR	Far-Infrared, 30-100 microns
S	em.UV	Ultraviolet part of the spectrum
S	em.UV.10-50nm	Ultraviolet between 10 and 50 nm EUV extreme UV
		Ultraviolet between 50 and 100 nm
S	em.UV.50-100nm	
S	em.UV.100-200nm	Ultraviolet between 100 and 200 nm FUV Far UV
S	em.UV.200-300nm	Ultraviolet between 200 and 300 nm NUV near UV
S	em.X-ray	X-ray part of the spectrum
S	em.X-ray.soft	Soft X-ray (0.12 - 2 keV)
S	em.X-ray.medium	Medium X-ray (2 - 12 keV)
S	em.X-ray.hard	Hard X-ray (12 - 120 keV)
\mathcal{Q}	em.bin	Channel / instrumental spectral bin coordinate (bin number)
Q	em.energy	Energy value in the em frame
Q	em.freq	Frequency value in the em frame
\mathcal{Q}	em.freq.cutoff	cutoff frequency
\mathcal{Q}	em.freq.resonance	resonance frequency
S	em.gamma	Gamma rays part of the spectrum
S	em.gamma.soft	Soft gamma ray (120 - 500 keV)
S	em.gamma.hard	Hard gamma ray (>500 keV)
S	em.line	Designation of major atomic lines
S	em.line.HI	21cm hydrogen line
S	em.line.Lyalpha	H-Lyalpha line
S	em.line.Halpha	H-alpha line
S	em.line.Hbeta	H-beta line
S	em.line.Hgamma	H-gamma line
\mathbf{S}	em.line.Hdelta	H-delta line
S	em.line.Brgamma	Bracket gamma line
\mathbf{S}	em.line.OIII	[OIII] line whose rest wl is 500.7 nm
S	em.line.CO	CO radio line, e.g 12CO(1-0) at 115GHz
S	em.mm	Millimetric/submillimetric part of the spectrum
S	em.mm.30-50GHz	Millimetric between 30 and 50 GHz
S	em.mm.50-100GHz	Millimetric between 50 and 100 GHz
S	em.mm.100-200GHz	Millimetric between 100 and 200 GHz
\dot{s}	em.mm.200-400GHz	Millimetric between 200 and 400 GHz
S	em.mm.400-750GHz	Millimetric between 400 and 750 GHz
S	em.mm.750-1500GHz	Millimetric between 750 and 1500 GHz
<i>3</i> 3	em.mm.1500-3000GHz	Millimetric between 750 and 3000 GHz
,	Cm.mm. 1000-0000GHZ	minimicule between 1000 and 0000 GHz

\mathbf{S}	em.opt	Optical part of the spectrum
\mathbf{S}	em.opt.U	Optical band between 300 and 400 nm
\mathbf{S}	em.opt.B	Optical band between 400 and 500 nm
\mathbf{S}	em.opt.V	Optical band between 500 and 600 nm
\mathbf{S}	em.opt.R	Optical band between 600 and 750 nm
\mathbf{S}	em.opt.I	Optical band between 750 and 1000 nm
\mathbf{S}	em.pw	Plasma waves (trapped in local medium)
\mathbf{S}	em.radio	Radio part of the spectrum
\mathbf{S}	em.radio.20MHz	Radio below 20 MHz
\mathbf{S}	em.radio.20-100MHz	Radio between 20 and 100 MHz
\mathbf{S}	em.radio.100-200MHz	Radio between 100 and 200 MHz
\mathbf{S}	em.radio.200-400MHz	Radio between 200 and 400 MHz
\mathbf{S}	em.radio.400-750MHz	Radio between 400 and 750 MHz
\mathbf{S}	em.radio.750-1500MHz	Radio between 750 and 1500 MHz
\mathbf{S}	em.radio.1500-3000MHz	Radio between 1500 and 3000 MHz
\mathbf{S}	em.radio.3-6GHz	Radio between 3 and 6 GHz
\mathbf{S}	em.radio.6-12GHz	Radio between 6 and 12 GHz
\mathbf{S}	em.radio.12-30GHz	Radio between 12 and 30 GHz
Q	em.wavenumber	Wavenumber value in the em frame
Q	em.wl	Wavelength value in the em frame
Q	em.wl.central	Central wavelength
Q	em.wl.effective	Effective wavelength
Q	instr	Instrument
É	instr.background	Instrumental background
Q	instr.bandpass	Bandpass (e.g.: band name) of instrument
Q	instr.bandwidth	Bandwidth of the instrument
Q	instr.baseline	Baseline for interferometry
\dot{s}	instr.beam	Beam
Q	instr.calib	Calibration parameter
\dot{s}	instr.det	Detector
Q	instr.det.noise	Instrument noise
Q	instr.det.psf	Point Spread Function
Q	instr.det.qe	Quantum efficiency
Q	instr.dispersion	Dispersion of a spectrograph
Q	instr.experiment	Experiment or group of instruments
$\dot{\mathrm{S}}$	instr.filter	Filter
\mathbf{S}	instr.fov	Field of view
\mathbf{S}	instr.obsty	Observatory, satellite, mission
Q	instr.obsty.seeing	Seeing
Q	instr.offset	Offset angle respect to main direction of observation
Q	instr.order	Spectral order in a spectrograph
Q	instr.param	Various instrumental parameters
\mathbf{S}	instr.pixel	Pixel (default size: angular)
\mathbf{S}	instr.plate	Photographic plate
Q	instr.plate.emulsion	Plate emulsion
Q	instr.precision	Instrument precision
Q	instr.rmsf	Rotation Measure Spread Function
Q	instr.saturation	Instrument saturation threshold
Q	instr.scale	Instrument scale (for CCD, plate, image)
Q	instr.sensitivity	Instrument sensitivity, detection threshold
Q	instr.setup	Instrument configuration or setup
Q	instr.skyLevel	Sky level
Q	instr.skyTemp	Sky temperature
Q	instr.tel	Telescope
Q	instr.tel.focalLength	Telescope focal length
\mathbf{S}	instr.voxel	Related to a voxel (n-D volume element with n>2)
Ρ	meta	Metadata
Ρ	meta.abstract	Abstract (of paper, proposal, etc.)
P	meta.bib	Bibliographic reference
Ρ	meta.bib.author	Author name
Р	meta.bib.bibcode	Bibcode
Р	meta.bib.fig	Figure in a paper

Pmeta.bib.journalJournal namePmeta.bib.pagePage numberPmeta.bib.volumeVolume number

Q meta.calibLevel
 Q meta.checksum
 Processing/calibration level
 Numerical signature of digital data

P meta.code Code or flag
P meta.code.class Classification code

P | meta.code.error | Limit uncertainty error flag

 $egin{array}{ccccc} P & {\tt meta.code.member} \ P & {\tt meta.code.mime} \ \end{array} & {\tt Membership code} \ {\tt MIME type} \ \end{array}$

P | meta.code.multip | Multiplicity or binarity flag

P | meta.code.qual | Quality, precision, reliability flag or code

P meta.code.status
P meta.cryptic
Unknown or impossible to understand quantity
P meta.curation
Status code (e.g.: status of a proposal/observation)
Unknown or impossible to understand quantity
Identity of man/organization responsible for the data

Q meta.dataset Dataset

Q meta.email Curation/contact e-mail

S meta.file File

S meta.fits FITS standard

P meta.id Identifier, name or designation
P meta.id.assoc Identifier of associated counterpart

P meta.id.CoI Name of Co-Investigator P meta.id.cross Cross identification

P meta.id.parent Identification of parent source

P meta.id.part Part of identifier, suffix or sub-component Name of Principal Investigator or Co-PI

S meta.main Main value of something

S | meta.modelled | Quantity was produced by a model

P meta.note Note or remark (longer than a code or flag)
P meta.number Number (of things; e.g. nb of object in an image)
S meta.preview Related to a preview operation for a dataset

P meta.record Record number
P meta.ref Reference or origin

P meta.ref.doi DOI identifier (dereferenceable)

Q | meta.ref.ivoid | Identifier as recommended in the IVOA (dereferenceable)

P | meta.ref.ivorn | Identifier defined as IVORN, VO Resource Name (ivo://) (deprecated)

P meta.ref.url URL, web address

S | meta.software | Software used in generating data

 $\begin{array}{c|cccc} S & \texttt{meta.table} & & & Table \ or \ catalogue \\ P & \texttt{meta.title} & & Title \ or \ explanation \end{array}$

 $\begin{array}{c|cccc} Q & \texttt{meta.ucd} & & UCD \\ P & \texttt{meta.unit} & & Unit \\ P & \texttt{meta.version} & & Version \\ S & \texttt{obs} & & Observation \\ Q & \texttt{obs.airMass} & & Airmass \end{array}$

S obs.atmos Atmosphere, atmospheric phenomena affecting an observation

Q obs.atmos.extinction Atmospheric extinction
Q obs.atmos.refractAngle Atmospheric refraction angle
S obs.calib Calibration observation

S obs.calib.flat Related to flat-field calibration observation (dome, sky, ..)

S obs.calib.dark Related to dark current calibration

S obs.exposure Exposure

S | obs.field | Region covered by the observation

S obs.image Image

Q obs.observer Observer, discoverer

S | obs.occult | Observation of occultation phenomenon by solar system objects

S obs.transit Observation of transit phenomenon : exo-planets Q obs.param Various observation or reduction parameter

S obs.proposal Observation proposal Q obs.proposal.cycle Proposal cycle

c l	oha angunnan	Cognopos of observations, exposures or events
S E	obs.sequence	Sequence of observations, exposures or events Photometry
	phot	Antenna temperature
Е	phot.antennaTemp	Photometric calibration
Q	phot.calib phot.color	Color index or magnitude difference
С	phot.color.excess	Color excess
Q	phot.color.reddFree	Dereddened color
Q E	phot.count	Flux expressed in counts
E	phot.fluence	Radiant photon energy received by a surface per unit area or irradiance of a
ъ	pnot.11dence	surface integrated over time of irradiation
E	phot.flux	Photon flux or irradiance
Q	phot.flux.bol	Bolometric flux
E	phot.flux.density	Flux density (per wl/freq/energy interval)
E	phot.flux.density.sb	Flux density surface brightness
E	phot.flux.sb	Flux surface brightness
E	phot.limbDark	Limb-darkening coefficients
$^{-}$	phot.mag	Photometric magnitude
\mathbf{E}	phot.mag.bc	Bolometric correction
Q	phot.mag.bol	Bolometric magnitude
Q	phot.mag.distMod	Distance modulus
É	phot.mag.reddFree	Dereddened magnitude
\mathbf{E}	phot.mag.sb	Surface brightness in magnitude units
$_{\rm E}$	phot.radiance	Radiance as energy flux per solid angle
Q	phys	Physical quantities
Q	phys.SFR	Star formation rate
\mathbf{E}	phys.absorption	Extinction or absorption along the line of sight
Q	phys.absorption.coeff	Absorption coefficient (e.g. in a spectral line)
Q	phys.absorption.gal	Galactic extinction
Q	phys.absorption	Optical depth
	opticalDepth	
Q	phys.abund	Abundance
Q	phys.abund.Fe	Fe/H abundance
Q	phys.abund.X	Hydrogen abundance
Q	phys.abund.Y	Helium abundance
Q	phys.abund.Z	Metallicity abundance
Q	phys.acceleration	Acceleration
S	phys.aerosol	Relative to aerosol
Q	phys.albedo	Albedo or reflectance
Q	phys.angArea	Angular area
Q	phys.angMomentum	Angular momentum
E	phys.angSize	Angular size width diameter dimension extension major minor axis extraction
E	uhan au aGéan ann é Améa	radius
Е	phys.angSize.smajAxis	Angular size extent or extension of semi-major axis
Е	phys.angSize.sminAxis	Angular size extent or extension of semi-minor axis Area (in surface, not angular units)
$_{ m S}^{ m Q}$	phys.area phys.atmol	Atomic and molecular physics (shared properties)
Q	phys.atmol	Branching ratio
Q	branchingRatio	Dranching ratio
\mathbf{S}	phys.atmol.collisional	Related to collisions
Q	phys.atmol.collStrength	Collisional strength
Q	phys.atmol.configuration	Configuration
Q	phys.atmol.crossSection	Atomic / molecular cross-section
Q	phys.atmol.element	Element
$\tilde{ ext{Q}}$	phys.atmol.excitation	Atomic molecular excitation parameter
$\tilde{ ext{Q}}$	phys.atmol.final	Quantity refers to atomic/molecular final/ground state, level, etc.
$\tilde{ m Q}$	phys.atmol.initial	Quantity refers to atomic/molecular initial state, level, etc.
$\tilde{ ext{Q}}$	phys.atmol.ionStage	Ion, ionization stage
S	phys.atmol.ionization	Related to ionization
Q	phys.atmol.lande	Lande factor
S	phys.atmol.level	Atomic level
Q	phys.atmol.lifetime	Lifetime of a level
Q	phys.atmol.lineShift	Line shifting coefficient
. 1	'	

Q	phys.atmol.number	Atomic number Z
Q	phys.atmol.number phys.atmol.oscStrength	Oscillator strength
Q	phys.atmol.parity	Parity
$\tilde{ ext{Q}}$	phys.atmol.qn	Quantum number
$\tilde{ ext{Q}}$	phys.atmol.radiationType	Type of radiation characterizing atomic lines (electric dipole/quadrupole,
9	phys.acmor.radiasionrype	magnetic dipole)
Q	phys.atmol.symmetry	Type of nuclear spin symmetry
$\tilde{ ext{Q}}$	phys.atmol.sWeight	Statistical weight
$\tilde{ m Q}$	phys.atmol.sWeight	Statistical weight for nuclear spin states
-	nuclear	or and the state of the state o
Q	phys.atmol.term	Atomic term
S	phys.atmol.transition	Transition between states
Q	phys.atmol.transProb	Transition probability, Einstein A coefficient
Q	phys.atmol.wOscStrength	Weighted oscillator strength
Q	phys.atmol.weight	Atomic weight
Q	phys.columnDensity	Column density
\mathbf{S}	phys.composition	Quantities related to composition of objects
Q	phys.composition	Mass to light ratio
_	\dots massLightRatio	
Q	phys.composition.yield	Mass yield
S	phys.cosmology	Related to cosmology
Q	phys.current	Electric current
Q	phys.current.density	Electric current density
Q	phys.damping	Generic damping quantities
Q	phys.density	Density (of mass, electron,)
Q	phys.density.phaseSpace	Density in the phase space
Q	phys.dielectric	Complex dielectric function Dispersion measure
Q S	phys.dispMeasure phys.dust	Relative to dust
Q	phys.electCharge	Electric charge
V	phys.electField	Electric field
s	phys.electron	Electron
$\tilde{ ext{Q}}$	phys.electron.degen	Electron degeneracy parameter
$\tilde{ ext{Q}}$	phys.emissMeasure	Emission measure
$\tilde{ m Q}$	phys.emissivity	Emissivity
Q	phys.energy	Energy
Q	phys.energy.Gibbs	Gibbs (free) energy or free enthalpy [G=H -TS]
Q	phys.energy.Helmholtz	Helmholtz free energy [A=U-TS]
Q	phys.energy.density	Energy density
Q	phys.enthalpy	Enthalpy [H=U+pv]
Q	phys.entropy	Entropy
Q	phys.eos	Equation of state
Q	${ t phys.excitParam}$	Excitation parameter U
E	phys.fluence	Particle energy received by a surface per unit area and integrated over time
Q	phys.flux	Flux or flow of particle, energy, etc.
Q	phys.flux.energy	Energy flux, heat flux
Q	phys.gauntFactor	Gaunt factor/correction
Q	phys.gravity	Gravity
Q	phys.ionizParam	Ionization parameter Collisional ionization
Q Q	<pre>phys.ionizParam.coll phys.ionizParam.rad</pre>	Radiative ionization
E	phys.luminosity	Luminosity
Q	phys.luminosity.fun	Luminosity function
E	phys.magAbs	Absolute magnitude
Q	phys.magAbs.bol	Bolometric absolute magnitude
V	phys.magField	Magnetic field
Q	phys.mass	Mass
$\tilde{ ext{Q}}$	phys.mass	Momentum of inertia or rotational inertia
ŭ	inertiaMomentum	
Q	phys.mass.loss	Mass loss
Q	phys.mol	Molecular data
Q	phys.mol.dipole	Molecular dipole

```
Molecular electric dipole moment
    phys.mol.dipole.electric
Q
    phys.mol.dipole.magnetic
                                  Molecular magnetic dipole moment
Q
                                  Molecular dissociation
    phys.mol.dissociation
Q
    phys.mol.formationHeat
                                  Formation heat for molecules
Q
                                  Molecular quadrupole
    phys.mol.quadrupole
                                  Molecular electric quadrupole moment
    phys.mol.quadrupole...
     ...electric
\mathbf{S}
    phys.mol.rotation
                                  Molecular rotation
S
    phys.mol.vibration
                                  Molecular vibration
S
                                  Related to physical particles
    phys.particle
S
                                  Related to neutrino
    phys.particle.neutrino
S
    phys.particle.neutron
                                  Related to neutron
\mathbf{S}
    phys.particle.proton
                                  Related to proton
S
    phys.particle.alpha
                                  Related to alpha particle
S
                                  Related to phase space
    phys.phaseSpace
\mathbf{E}
                                  Polarization degree (or percentage)
    phys.polarization
Q
    phys.polarization...
                                  Circular polarization
     ...circular
Q
    phys.polarization...
                                  Matrix of the correlation between components of an electromagnetic wave
     ...coherency
Q
    phys.polarization.linear
                                  Linear polarization
Q
    phys.polarization...
                                  Rotation measure polarization
     ...rotMeasure
Q
    phys.polarization.stokes
                                  Stokes polarization
                                  Stokes polarization coefficient I
Q
    phys.polarization...
     ...stokes.I
Q
                                  Stokes polarization coefficient Q
    phys.polarization...
     ...stokes.Q
Q
                                  Stokes polarization coefficient U
    phys.polarization...
    ...stokes.U
    phys.polarization...
                                  Stokes polarization coefficient V
Q
    ...stokes.V
Q
    phys.potential
                                  Potential (electric, gravitational, etc.)
Q
    phys.pressure
                                  Pressure
Q
    phys.recombination.coeff
                                  Recombination coefficient
Q
    phys.reflectance
                                  Radiance factor (received radiance divided by input radiance)
Q
                                  Bidirectional reflectance
    phys.reflectance...
     ...bidirectional
Q
    phys.reflectance...
                                  Bidirectional reflectance distribution function
    ...bidirectional.df
Q
    phys.reflectance.factor
                                  Reflectance normalized per direction cosine of incidence angle
Q
                                  Refraction index
    phys.refractIndex
Q
Q
                                  Linear size, length (not angular)
    phys.size
    phys.size.axisRatio
                                  Axis ratio (a/b) or (b/a)
\dot{\mathbf{Q}}
    phys.size.diameter
                                  Diameter
\dot{\mathbf{Q}}
                                  Radius
    phys.size.radius
Q
                                  Linear semi major axis
    phys.size.smajAxis
\dot{\mathbf{Q}}
    phys.size.sminAxis
                                  Linear semi minor axis
Q
                                  Linear semi median axis for 3D ellipsoids
    phys.size.smedAxis
                                  Temperature
    phys.temperature
    phys.temperature...
                                  Effective temperature
    ...effective
                                  Electron temperature
    phys.temperature...
    ...electron
                                  Transmission (of filter, instrument, ...)
    phys.transmission
v
    phys.veloc
                                  Space velocity
Q
                                  Angular velocity
    phys.veloc.ang
Q
                                  Velocity dispersion
    phys.veloc.dispersion
Q
    phys.veloc.escape
                                  Escape velocity
Q
    phys.veloc.expansion
                                  Expansion velocity
    phys.veloc.microTurb
                                  Microturbulence velocity
    phys.veloc.orbital
                                  Orbital velocity
```

phys.veloc.pulsat Pulsational velocity Q phys.veloc.rotat Rotational velocity Q Transverse / tangential velocity phys.veloc.transverse S Related to virial quantities (mass, radius, ..) phys.virial Q Volume (in cubic units) phys.volume $\dot{\mathbf{Q}}$ Position and coordinates pos Q Q pos.angDistance Angular distance, elongation pos.angResolution Angular resolution Q pos.az Position in alt-azimutal frame Q Q Alt-azimutal altitude pos.az.alt pos.az.azi Alt-azimutal azimut pos.az.zd Alt-azimutal zenith distance Q Azimuthal angle in a generic reference plane pos.azimuth S pos.barycenter Barycenter \mathbf{S} Body-centric related coordinate pos.bodycentric S pos.bodygraphic Body-graphic related coordinate \mathbf{S} Body related coordinates pos.bodyrc Q pos.bodyrc.alt Body related coordinate (altitude on the body) Q pos.bodyrc.lat Body related coordinate (latitude on the body) Q S pos.bodyrc.lon Body related coordinate (longitude on the body) pos.cartesian Cartesian (rectangular) coordinates Q pos.cartesian.x Cartesian coordinate along the x-axis pos.cartesian.y Cartesian coordinate along the y-axis Q Cartesian coordinate along the z-axis pos.cartesian.z S Related to centroid position pos.centroid \mathbf{S} Cosmic Microwave Background reference frame pos.cmb S Related to cylindrical coordinates pos.cylindrical Q Azimuthal angle around z-axis (cylindrical coordinates) pos.cylindrical.azi Q pos.cylindrical.r Radial distance from z-axis (cylindrical coordinates) Q pos.cylindrical.z Height or altitude from reference plane (cylindrical coordinates) Q Direction cosine pos.dirCos V pos.distance Linear distance \mathbf{S} pos.earth Coordinates related to Earth Q pos.earth.altitude Altitude, height on Earth above sea level Q pos.earth.lat Latitude on Earth Q pos.earth.lon Longitude on Earth S Ecliptic coordinates pos.ecliptic Q pos.ecliptic.lat Ecliptic latitude Q Ecliptic longitude pos.ecliptic.lon Q pos.emergenceAng Emergence angle of optical ray on an interface Earth orientation parameters pos.eop Ephemeris pos.ephem \vec{Q} Equatorial coordinates pos.eq pos.eq.dec Declination in equatorial coordinates pos.eq.ha Hour-angle Right ascension in equatorial coordinates pos.eq.ra South polar distance in equatorial coordinates pos.eq.spd pos.errorEllipse Positional error ellipse Q Reference frame used for positions pos.frame pos.galactic Galactic coordinates Latitude in galactic coordinates pos.galactic.lat pos.galactic.lon Longitude in galactic coordinates \mathbf{S} pos.galactocentric Galactocentric coordinate system S pos.geocentric Geocentric coordinate system Q Hierarchical Equal Area IsoLatitude Pixelization pos.healpix S pos.heliocentric Heliocentric position coordinate (solar system bodies) Q Hierarchical Triangular Mesh mos.HTM Q pos.incidenceAng Incidence angle of optical ray on an interface S pos.lambert Lambert projection S pos.lg Local Group reference frame

Lunar coordinates

Local Standard of Rest reference frame

pos.lsr

pos.lunar

pos.lunar.occult Occultation by lunar limb Q pos.nutation Nutation (of a body) Q Set of points outlining a region (contour) pos.outline $\dot{\mathbf{Q}}$ Parallax pos.parallax Q pos.parallax.dyn Dynamical parallax $\dot{\mathbf{Q}}$ Photometric parallaxes pos.parallax.phot Q pos.parallax.spect Spectroscopic parallax Q pos.parallax.trig Trigonometric parallax Q V pos.phaseAng Phase angle, e.g. elongation of earth from sun as seen from a third cel. object pos.pm Proper motion Position angle of a given vector pos.posAng v pos.precess Precession (in equatorial coordinates) Q pos.resolution Spatial linear resolution (not angular) S Related to spherical coordinates pos.spherical Q Azimuthal angle (spherical coordinates) pos.spherical.azi Q Polar or Colatitude angle (spherical coordinates) pos.spherical.colat Q Radial distance or radius (spherical coordinates) pos.spherical.r \mathbf{S} Supergalactic coordinates pos.supergalactic Q pos.supergalactic.lat Latitude in supergalactic coordinates Longitude in supergalactic coordinates Q pos.supergalactic.lon Ρ pos.wcs WCS keywords Ρ pos.wcs.cdmatrix WCS CDMATRIX Ρ pos.wcs.crpix WCS CRPIX Ρ WCS CRVAL pos.wcs.crval Ρ WCS CTYPE pos.wcs.ctype Ρ WCS NAXES pos.wcs.naxes Ρ WCS NAXIS pos.wcs.naxis Ρ WCS scale or scale of an image pos.wcs.scale Q Spectroscopy spect Q spect.binSize Spectral bin size S spect.continuum Continuum spectrum Q Doppler parameter b spect.dopplerParam \mathbf{E} spect.dopplerVeloc Radial velocity, derived from the shift of some spectral feature Ε spect.dopplerVeloc.opt Radial velocity derived from a wavelength shift using the optical convention \mathbf{E} spect.dopplerVeloc.radio Radial velocity derived from a frequency shift using the radio convention Е Spectral index spect.index \mathbf{S} Spectral line spect.line Е Line asymmetry spect.line.asymmetry \mathbf{E} spect.line.broad Spectral line broadening Q spect.line.broad.Stark Stark line broadening coefficient \mathbf{E} Zeeman broadening spect.line.broad.Zeeman \mathbf{E} Line equivalent width spect.line.eqWidth \mathbf{E} spect.line.intensity Line intensity \mathbf{E} spect.line.profile Line profile Q Spectral line strength S spect.line.strength \mathbf{E} Spectral line full width half maximum spect.line.width Q Spectral (or velocity) resolution spect.resolution S Observed source viewed on the sky src \mathbf{S} Calibration source src.calib \mathbf{S} src.calib.guideStar Guide star Q Source classification (star, galaxy, cluster, comet, asteroid) src.class Q Color classification src.class.color Q Distance class e.g. Abell src.class.distance Q src.class.luminosity Luminosity class Q src.class.richness Richness class e.g. Abell Q Star/galaxy discriminator, stellarity index src.class.starGalaxy $\dot{\mathbf{Q}}$ Structure classification e.g. Bautz-Morgan src.class.struct $\dot{\mathbf{Q}}$ Density of sources src.density Q src.ellipticity Source ellipticity Q src.impactParam Impact parameter src.morph Morphology structure

Morphological parameter

src.morph.param

src.morph.scLength Scale length for a galactic component (disc or bulge) Q Q src.morph.type Hubble morphological type (galaxies) S Qualifier indicating that a quantity (e.g. flux) is background subtracted rather src.net than total Q Orbital parameters src.orbital Q Orbit eccentricity src.orbital.eccentricity Q src.orbital.inclination Orbit inclination Q src.orbital.meanAnomaly Orbit mean anomaly Q src.orbital.meanMotion Mean motion Q src.orbital.node Ascending node Q src.orbital.periastron Periastron Q src.orbital.Tisserand Tisserand parameter (generic) Q src.orbital.TissJ Tisserand parameter with respect to Jupiter Q src.redshift Redshift Q Photometric redshift src.redshift.phot $\dot{\mathbf{Q}}$ Sample src.sample Q Spectral type MK src.spType Q Variability of source src.var \mathbf{E} Amplitude of variation src.var.amplitude Q src.var.index Variability index Q src.var.pulse Pulse Q stat Statistical parameters Q stat.asymmetry Measure of asymmetry P stat.correlation Correlation between two parameters Ρ stat.covariance Covariance between two parameters Ρ Statistical error stat.error Ρ Systematic error stat.error.sys Q Filling factor (volume, time, ..) stat.filling Q Fit stat.fit Ρ stat.fit.chi2 Chi2 Ρ stat.fit.dof Degrees of freedom Ρ Goodness or significance of fit stat.fit.goodness \mathbf{S} stat.fit.omc Observed minus computed Q stat.fit.param Parameter of fit P stat.fit.residual Residual fit Q stat.Fourier Fourier coefficient Amplitude of Fourier coefficient Q stat.Fourier.amplitude S stat.fwhm Full width at half maximum S Generic interval between two limits (defined as a pair of values) stat.interval Ρ stat.likelihood Likelihood S stat.max Maximum or upper limit Sstat.mean Mean, average value \mathbf{S} stat.median Median value \mathbf{S} stat.min Minimum or lowest limit Q stat.param Parameter Q stat.probability Probability Ρ Rank or order in list of sorted values stat.rank Р Root mean square as square root of sum of squared values or quadratic mean stat.rms Ρ Signal to noise ratio stat.snr Ρ Standard deviation as the square root of the variance stat.stdev \mathbf{S} stat.uncalib Qualifier of a generic uncalibrated quantity Miscellaneous value Q stat.value Ρ Variance stat.variance Ρ Statistical weight stat.weight Q Time, generic quantity in units of time or date time Q time.age Q Creation time/date (of dataset, file, catalogue,...) time.creation $\dot{\mathbf{Q}}$ Crossing time time.crossing Q Interval of time describing the duration of a generic event or phenomenon time.duration Q time.end End time/date of a generic event time.epoch Instant of time related to a generic event (epoch, date, Julian date, time stamp/tag,...)

Q	time.equinox	Equinox
Q	time.interval	Time interval, time-bin, time elapsed between two events, not the duration of
		an event
Q	time.lifetime	Lifetime
Q	time.period	Period, interval of time between the recurrence of phases in a periodic
		phenomenon
Q	time.period.revolution	Period of revolution of a body around a primary one (similar to year)
Q	time.period.rotation	Period of rotation of a body around its axis (similar to day)
Q	time.phase	Phase, position within a period
Q	time.processing	A time/date associated with the processing of data
Q	time.publiYear	Publication year
Q	time.relax	Relaxation time
Q	time.release	The time/date data is available to the public
Q	time.resolution	Time resolution
Q	time.scale	Timescale
Q	time.start	Start time/date of generic event

C Changes from previous versions

C.1 Changes from REC v1.3 following RFM

The modifications decided during the UCD1+ list v1.3 ${\rm RFM^2}$ process are presented below.

Additions

Q	phys.electCharge	Electric charge
Q	phys.current	Electric current
Q	phys.current.density	Electric current density
Q	pos.incidenceAng	Incidence angle of optical ray on an interface
Q	pos.emergenceAng	Emergence angle of optical ray on an interface
Q	pos.azimuth	azimuthal angle in a generic reference plane
Q	phys.reflectance	Radiance factor (received radiance divided by
		input radiance)
Q	phys.reflectance.bidirectional	Bidirectional reflectance
Q	phys.reflectance.bidirectional.df	Bidirectional reflectance distribution function
Q	phys.reflectance.factor	Reflectance normalized per direction cosine of
		incidence angle
\mathbf{S}	pos.cylindrical	Related to cylindrical coordinates
Q	pos.cylindrical.r	Radial distance from z-axis (cylindrical
		coordinates)
Q	pos.cylindrical.azi	Azimuthal angle around z-axis (cylindrical
		coordinates)
Q	pos.cylindrical.z	Height or altitude from reference plane
		(cylindrical coordinates)
\mathbf{S}	pos.spherical	Related to spherical coordinates
Q	pos.spherical.r	Radial distance or radius (spherical coordinates)
Q	pos.spherical.colat	Polar or Colatitude angle (spherical coordinates)
Q	pos.spherical.azi	Azimuthal angle (spherical coordinates)
Q	pos.resolution	Spatial linear resolution (not angular)
\mathbf{S}	pos.bodycentric	Body-centric related coordinate
\mathbf{S}	pos.bodygraphic	Body-graphic related coordinate
Q	meta.checksum	Numerical signature of digital data
Q	phys.polarization.coherency	Matrix of the correlation between components of
	_	an electromagnetic wave

 $^{^2 \}verb|https://wiki.ivoa.net/twiki/bin/view/IVOA/UCDList_1-3_RFM|$

Clarification

Clarified position rules for syntax code E, C, V in Appendix B.

C.2 Changes from PR v1.3-2018 following TCG comments

Update of definitions

Q	meta.query	A query posed to an information system or
		database or a property of it

Changes of position indicator

Was

Q	phys.atmol.collisional	Related to collisions
Q	phys.virial	Related to virial quantities (mass, radius,)

Changed to S to conform to the "Related to" definition and the usage of this UCD, mostly appearing as suffix.

S	phys.atmol.collisional	Related to collisions
\mathbf{S}	phys.virial	Related to virial quantities (mass, radius,)

C.3 Changes from WD v1.3-20160719

Added section 3 Remarks on combination rules for UCD words.

New terms

P meta.ref.doi DOI identifier (dereferenceable)

C.4 Changes from WD v1.23-20160719

Additions

\mathbf{S}	arith.squared	Squared quantity
\mathbf{S}	arith.sum	Summed or integrated quantity
\mathbf{S}	arith.variation	Generic variation of a quantity
\mathbf{S}	instr.voxel	Related to a voxel (n-D volume element with
		n>2
Q	pos.outline	Set of points outlining a region (contour)
Q	stat.asymmetry	Measure of asymmetry
Q	phys.polarization.stokes.I	Stokes polarization coefficient I
Q	phys.polarization.stokes.Q	Stokes polarization coefficient Q
Q	phys.polarization.stokes.U	Stokes polarization coefficient U
Q	phys.polarization.stokes.V	Stokes polarization coefficient V
Q	stat.asymmetry	Measure of asymmetry
\mathbf{S}	stat.fwhm	Full width at half maximum
\mathbf{S}	stat.interval	Generic interval between two limits (defined as a
		pair of values)
Ρ	stat.rank	Rank or order in list of sorted value
Ρ	stat.rms	Root mean square Square root of sum of squared
		values or quadratic mean

Amendments/clarifications

Definition for

- phys.area Area (in surface, not angular units)
- stat.stdev Standard deviation as the square root of the variance

C.5 Changes from WD v1.23-20150608

Text of Abstract, last two lines. Added reference to Cecconi and Erard et al. (2014).

Section 1.1 Definition: "Abbreviations are used in contexts where their meaning is unambiguous" instead of "kept to a minimum..."

Amendments/clarifications

 $\label{lem:condition} Description \ changed \ in \ words: \ {\tt em.UV.10-50nm}, \ {\tt em.UV.100-200nm}, \ {\tt em.UV.200-300nm}, \ {\tt meta.id.PI}, \ {\tt phot.flux}, \ {\tt phot.fluence}, \ {\tt src.class}.$

Additions

-		
Q	em.freq.cutoff	Cutoff frequency
Q	em.freq.resonance	Resonance frequency
\mathbf{S}	em.pw	Plasma waves (trapped in local medium)
\mathbf{S}	em.radio.20MHz	Radio below 20 MHz
Q	instr.experiment	Experiment or group of instruments
Q	meta.calibLevel	Processing/calibration level
\mathbf{S}	meta.preview	Related to a preview operation (for a dataset)
Q	meta.query	Related to query posed to an information system
		or database
Q	meta.ref.ivoid	An identifier following the IVOA Identifiers
		recommendation
\mathbf{S}	obs.calib.dark	Related to dark current calibration
\mathbf{S}	obs.occult	Observation of occultation phenomenon by solar
		system objects
\mathbf{S}	obs.transit	Observation of transit phenomenon: exo-planets
\mathbf{E}	phot.radiance	Radiance as energy flux per solid angle
\mathbf{S}	phys.aerosol	Relative to aerosol
Q	phys.density.phaseSpace	Density in the phase space
\mathbf{S}	phys.dust	Relative to dust
\mathbf{E}	phys.fluence	Radiant photon energy received by a surface per
		unit area, or irradiance of a surface integrated
		over time of irradiation
Q	phys.flux	Flux or flow of particle, energy, etc.
Q	phys.flux.energy	Energy flux, heat flux
Q	phys.mass.inertiaMomentum	Momentum of inertia or rotational inertia
\mathbf{S}	phys.particle	Related to physical particles
\mathbf{S}	phys.particle.neutron	Related to neutron
\mathbf{S}	phys.particle.proton	Related to proton
\mathbf{S}	phys.particle.alpha	Related to alpha particle
\mathbf{S}	phys.phaseSpace	Related to phase space
Q	phys.potential	Potential (electric, gravitational, etc.)
Q	phys.size.smedAxis	Linear semi median axis for 3D ellipsoids
Q	phys.volume	Volume (in cubic units)
Q	pos.outline	Set of points outlining a region (contour)
Q	src.orbital.Tisserand	Tisserand parameter (generic)
Q	src.orbital.TissJ	Tisserand parameter with respect to Jupiter
Q	time.period.revolution	Period of revolution of a body around a primary
		one (similar to year)
Q	time.period.rotation	Period of rotation of a body around its axis
		(similar to day)
		•

Deletions/replacements

- deleted: em.UV.FUV
- deleted: phys.mol.qn; replaced by: phys.atmol.qn
- deleted: pos.bodyrc.long; replaced by: pos.bodyrc.lon
- deleted: pos.eop.nutation; replaced by: pos.nutation

Deprecated

• meta.ref.ivorn: The term IVORN should not be used any more for IVOA Identifiers (IVOIDs). In UCDs, meta.ref.ivoid should be used instead.

C.6 Changes from PR v1.22

Text of pararagraph 1.1 (2), last three lines; List of em bands reordered according to wavelength/frequencies.

Amendments/clarifications

Description changed in words: phys.atmol.qn

Additions

em.line.Hdelta, em.line.Lyalpha, em.line.CO.

Deletions/replacements

• deleted: phys.mol.qn; replaced by: phys.atmol.qn

C.7 Changes from PR v1.21

Amendments/clarifications

- Syntax flag changed in words: phys.polarization
- Description changed in words: em.IR.FIR, em.IR.MIR, em.IR.NIR, em.line.OIII

C.8 Changes from PR v1.2

Additions

• spect.continuum

C.9 Changes from REC v1.11 (Rec20051231)

Amendments/clarifications

- Spelling: phys.atmol.sWeight
- Syntax flag changed in words: phys.atmol, spect.line
- Description changed in words: meta.dataset, obs.atmos, phot.color.reddFree, phys.size, phys.size.diameter, phys.size.radius, stat.param, stat.value, time, time.epoch, time.interval, time.period, time.phase.

Additions

em.bin, em.binSize, em.IR.FIR, em.IR.MIR, em.IR.NIR, em.UV.FUV, meta.abstract, meta.code.status, meta.email, meta.id.PI, meta.id.CoI, meta.ref.ivorn, meta.ref.uri, obs.calib.flat, obs.exposure, obs.proposal, obs.proposal.cycle, obs.sequence, phys.atmol.symmetry, phys.atmol.sWeight.nuclear, phys.cosmology, phys.damping, phys.entropy, phys.particle.neutrino, phys.virial, spect.line.strength, src.calib, src.calib.guideStar, src.net, stat.filling, stat.probability, stat.uncalib, time.creation, time.duration, time.end, time.processing, time.publiYear, time.release, time.star

Deletions/replacements

- deleted: phys.atmol.damping; replaced by: phys.damping with description: Atomic damping quantities (van der Waals)
- deleted: phys.atmol.qn.I; replaced by: phys.atmol.qn with description: Nuclear spin quantum number
- deleted: time.event; replaced by: time.duration with description: Duration of an event or phenomenon
- deleted: time.event.end; replaced by: time.end with description: End time of event or phenomenon
- deleted: time.event.start; replaced by: time.start with description: Start time of event or phenomenon
- deleted: time.expo; replaced by: time.duration; obs.exposure with description: Exposure on-time, duration
- deleted: time.expo.end; replaced by: time.end; obs.exposure with description: End time of exposure
- deleted: time.expo.start; replaced by: time.start; obs.exposure with description: Start time of exposure
- deleted: time.obs; replaced by: time.duration; obs with description: Observation on-time, duration
- deleted: time.obs.end; replaced by: time.end; obs with description: End time of observation
- deleted: time.obs.start; replaced by: time.start; obs with description: Start time of observation

C.10 Changes from v1.10

- 1. A few minor changes to the text have been done
- 2. All UCD words are now compliant with the UCD recommendation. The corresponding changes are described below
- 3. The following words have been deprecated:

Deprecated UCD	New corresponding UCD
phot.fluxDens	phot.flux.density
phot.fluxDens.sb	phot.flux.density.sb
phys.at*	phys.atmol*
phys.atmol.coll	phys.atmol.collisional
phys.atmol.ion	phys.atmol.ionStage
phys.atmol.trans	phys.atmol.transition
phys.energyDensity	phys.energy.density
phys.massToLight	phys.composition.massLightRatio
phys.massYield	phys.composition.yield
spect.doppler	spect.dopplerParam

- 4. The following word has been created: phys.composition
- 5. The section Changes from previous versions has been reformatted

C.11 Changes from v1.0

- 1. Descriptions have been changed for the following words: em.line, instr.pixel, phys.gravity, pos.earth.altitude
- 2. The syntax flags changed for words: instr.filter, phys.angSize
- 3. The following words have been deprecated:

Deprecated UCD	New corresponding UCD
instr.filter.transm phys.mass.light	<pre>phys.transm;instr.filter phys.massToLight</pre>
pos.resolution pos.satellite	pos.angResolution pos.bodyrc

4. The following words have been created: phys.polarization.circular, phys.polarization.linear, phys.size.axisRatio, pos.bodyrc.alt, pos.bodyrc.lat, pos.bodyrc.long, time.event, time.event.end, time.event.start.

C.12 Changes from v1.01

The following words have been restored to their previous spelling (v1.00):

 ${\tt phot.fluDensity, phys.energDensity, phys.mYield, phot.fluxDensity, phys.energyDensity, phys.massYield.}$

A note has been added to indicate that these words do not strictly comply with the UCD1+ Rec.

C.13 Changes from v1.00

- 1. Descriptions have been changed for the following words: em.IR.H, em.IR.J, em.IR.K, em.X-ray.hard, em.X-ray.medium, em.X-ray.soft, em.gamma.hard, em.gamma.soft, em.opt.B, em.opt.I, em.opt.R, em.opt.U, em.opt.V, instr.bandpass, phot.count, phys.density, phys.mol.dipole.electric, phys.mol.dipole.magnetic, phys.mol.quadrupole.electric, pos.angDistance, pos.precess, src, src.class.distance, src.class.richness, src.class.starGalaxy, src.class.struct, time.expo, time.expo.end, time.expo.start, time.interval
- 2. The following words have been deprecated:

Deprecated UCD	New corresponding UCD
instr.angRes	pos.resolution
instr.obsty.site	pos.earth.altitude;instr.obsty
instr.obsty.site.seeing	instr.obsty.seeing
instr.spect	instr
instr.spect.dispersion	instr.dispersion
instr.spect.order	instr.order
instr.spect.resolution	spect.resolution
instr.tel.focus	instr.tel.focalLength
meta.fits.software	meta.software
obs.air	obs.atmos
obs.air.extinction	obs.atmos.extinction
obs.air.mass	obs.airMass
phot.fluxDens	phot.fluDens
phot.fluxDens.sb	phot.fluDens.sb
phot.sb	phot.mag.sb
phys.at.branchingRatio	phys.atmol.branchingRatio
phys.at.crossSection	phys.atmol.crossSection
phys.at.lineShift	phys.atmol.lineShift
phys.at.moment	
phys.at.moment.electric	phys.at.radiationType
phys.at.moment.magnetic	phys.at.radiationType
phys.at.qn.S	phys.at.qn
phys.at.qn.L	phys.at.qn
phys.at.qn.J	phys.at.qn
phys.at.qn.F	phys.at.qn
phys.atmol.state.final	phys.atmol.final
phys.atmol.state.initial	phys.atmol.initial
phys.massYield	phys.mYield
phys.mol.quadrupole.magnetic	phys.at.radiationType
phys.refraction	phys.refractIndex
pos.az.ha	pos.eq.ha
pos.earth.nutation	pos.eop.nutation
spect.veloc	spect.dopplerVeloc
src.fwhm	phys.angSize;src
src.orbital.veloc	phys.veloc.orbital
src.veloc	phys.veloc
src.veloc.ang	phys.veloc.ang
src.veloc.cmb	phys.veloc;pos.cmb
src.veloc.dispersion	phys.veloc.dispersion
src.veloc.escape	phys.veloc.escape
src.veloc.expansion	phys.veloc.expansion

```
src.veloc.lgphys.veloc;pos.lgsrc.veloc.lsrphys.veloc;pos.lsrvsrc.veloc.microTurbphys.veloc.microTurbsrc.veloc.pulsatphys.veloc.pulsatsrc.veloc.rotatphys.veloc.rotat
```

- The syntax flags changed for words: instr.fov, instr.obsty, meta.file, phys.angSize, pos.cartesian, stat.fit.omc
- 4. The following words have been created: instr.dispersion, instr.order, instr.tel.focalLength, meta.curation, meta.software, meta.version, obs.atmos, obs.atmos.extinction, obs.airMass, obs.atmos.refractAngle, obs.calib, phys.at.radiationType, phys.atmol.branchingRatio, phys.atmol.crossSection, phys.atmol.lifetime, phys.atmol.lineShift, phys.energDensity, phys.refractIndex, phys.transmission, pos.eq.ha, pos.az.azi, pos.bodyrc, pos.cmb, pos.earth.altitude, pos.eop, pos.eop.nutation, pos.lg, pos.lsr, pos.phaseAng, pos.resolution, spect.resolution, spect.dopplerVeloc, spect.dopplerVeloc.radio, spect.dopplerVeloc.opt, src.orbital.meanMotion, phys.veloc, phys.veloc.ang, phys.veloc.dispersion, phys.veloc.escape, phys.veloc.expansion, phys.veloc.microTurb, phys.veloc.orbital, phys.veloc.pulsat, phys.veloc.rotat, phys.veloc.transverse, time.obs, time.obs.end, time.obs.start.

C.14 Changes from v0.2

- 1. Section 1.2 has been simplified
- 2. new syntax codes (E, C, V) have been introduced, and described in appendix A
- 3. The following words have been renamed

Deprecated UCD	New corresponding UCD
em.line.21cm	em.line.HI
instr.ang-res	instr.angRes
instr.sky-level	instr.skyLevel
instr.sky-temp	instr.skyTemp
instr.antenna-temp	phot.antennaTemp
phys.absorption.gf	phys.gauntFactor
phys.at.einstein	phys.at.transProb
phys.at.level	phys.atmol.level
phys.dispMeas	phys.dispMeasure
phys.distance	pos.distance
phys.polarization.rotMeas	phys.polarization.rotMeasure
phys.size.area	phys.area
pos.ang.separation	pos.angDistance
pos.ec	pos.ecliptic
pos.ec.lat	pos.ecliptic.lat
pos.ec.lon	pos.ecliptic.lon
pos.ee	pos.errorEllipse
pos.gal	pos.galactic
pos.gal.lat	pos.galactic.lat
pos.gal.lon	pos.galactic.lon
pos.sg	pos.supergalactic
pos.sg.lat	pos.supergalactic.lat
pos.sg.lon	pos.supergalactic.lon
src.class.star-galaxy	src.class.starGalaxy

4. The following words have been created: instr.beam, meta.code.error, meta.id.part, phot.flux.sb, phys.angArea, phys.angSize, phys.angSize.smajAxis, phys.angSize.sminAxis, phys.area, phys.at.damping, phys.at.weight, phys.atmol.excitation, phys.mol.dissociation, phys.recombination.coeff, phys.size.smajAxis, phys.size.sminAxis, pos.cartesian, pos.cartesian.x, pos.cartesian.y, pos.cartesian.z, pos.distance, pos.eq.spd, pos.galactocentric, pos.geocentric, pos.healpix, pos.heliocentric, pos.HTM, pos.lambert, pos.satellite, spect.line.broad.Stark, spect.veloc, src.redshift.phot, stat.correlation,

time.lifetime.

5. Some words have been removed. The following table summarizes, when relevant, the suggested replacement to be used.

Deprecated UCD	New corresponding UCD
instr.area	phys.area;instr
instr.beam-width	phys.angSize;instr.beam
meta.table.axis	phys.size;meta.table
phot.color.Cous	phot.color
phot.color.Gen	phot.color
phot.color.Gunn	phot.color
phot.color.JHN	phot.color
phot.color.STR	phot.color
phot.color.STR.c1	phot.color
<pre>phot.color.STR.b-y</pre>	phot.color
phot.color.STR.m1	phot.color
phys.at.lineBroad	spect.line.broad
phys.distance.compon	pos.distance; pos.cartesian.x (or y, z)
phys.distance.gc	pos.distance;pos.galactocentric
phys.electron.energy	phys.energy;phys.electron
phys.extension	phys.angSize or phys.size
phys.mass.fraction	phys.mass;arith.ratio
phys.polarization.posAng	pos.posAng;phys.polarization
pos.ang	
pos.det	pos.cartesian;instr.det
pos.eq.dec.arcsec	
pos.eq.ra.minutes	
pos.eq.ra.seconds	
pos.gal.compon	pos.cartesian;pos.galactic
pos.pm.dec	pos.pm;pos.eq.dec
pos.pm.ra	pos.pm;pos.eq.ra
pos.precess.dec	pos.precess;pos.eq.dec
pos.precess.ra	pos.precess;pos.eq.ra
pos.proj	
pos.sg.compon	pos.cartesian;pos.supergalactic
src.orbital.energy	phys.energy;src.orbital
src.orbital.separation	pos.angDistance;src.orbital
src.orbital.size	phys.size;src.orbital
src.separation	pos.angDistance;src
src.veloc.compon	src.veloc;pos.cartesian
src.veloc.gc	src.veloc;pos.galactocentric
src.veloc.geoc	src.veloc;pos.geocentric
src.veloc.hc	src.veloc;pos.heliocentric

C.15 Changes from v0.1

- $1. \ \ Descriptions \ of the words \ were \ improved.$
- 2. Designation of commonly used lines have been moved to em.line.*. As a consequence, terms like em.IR.K.Brgamma or spect.index.Hbeta have been removed.
- 3. phys.at and phys.mol have been completely reorganized to improve the overall description of this domain. A new branch phys.atmol has been introduced to group concepts shared between phys.at and phys.mol.
- 4. The phot.color section was significantly simplified.
- 5. Missing nodes of the tree were added (e.g. em.gamma, em.mm, pos.sg).
- 6. Creation of new words: em.wavenumber, meta.ucd, stat.error.sys.
- 7. Typos were corrected in em.opt.* units and a few other descriptions.

References

- Cecconi, B., Erard, S., André, N., Jacquey, C., Génot, V., Henry, F., Bonnin, X., Le Sidaner, P., Chauvin, C., Fuller, N., Braga, V. F., Aboudarham, J., Louys, M., Derrière, S., Preite Martinez, A. and Ochsenbein, F. (2014), 'Solar System UCDs: Assessment Study of Unified Content Descriptors (UCDs) for the Solar System Resources (Planetary sciences and Heliophysics)', IVOA Internal Technical Note. http://wiki.ivoa.net/internal/IVOA/PlanetaryUCD/SolarSystemUCD-V06.pdf
- Derriere, S., Gray, N., Mann, R., Preite Martinez, A., McDowell, J., McGlynn, T., Ochsenbein, F., Osuna, P., Rixon, G. and Williams, R. (2004), 'UCD (Unified Content Descriptor) moving to UCD1+', IVOA Recommendation.
 - http://www.ivoa.net/documents/latest/UCD.html
- Erard, S., Cecconi, B. and Le Sidaner, P. (2019), 'EPN-TAP: Publishing Solar System Data to the Virtual Observatory', IVOA Working Draft 2019 April 2.
- Erard, S., Cecconi, B., Le Sidaner, P., Rossi, A. P., Capria, M. T., Schmitt, B., Génot, V., André, N., Vandaele, A. C., Scherf, M., Hueso, R., Maatanen, A., Thuillot, W., Carry, B., Achilleos, N., Marmo, C., Santolík, O., Benson, K. M., Fernique, P., Beigbeder, L., Rousseau, B., Andrieu, F., Chauvin, C., Minin, M., Ivanovski, S. L., Longobardo, A., Albert, D., Gangloff, M., Jourdane, N., Bouchemit, M., Glorian, J.-M., Trompet, L., Al-Ubaidi, T., Juaristi, J., Desmars, J., Guio, P., Delaa, O., Lagain, A., Souček, J. and Pisa, D. (2018), 'VESPA: a community-driven Virtual Observatory in Planetary Science', *Planet. Space Sci.* 150, 65–68. http://doi.org/10.1016/j.pss.2017.05.013
- Genova, F., Louys, M., Preite Martinez, A., Cecconi, B., Derrière, S., Molinaro, M., Delmotte, N., Gray, N., Mann, R., McDowell, J., Mc Glynn, T., Ochsenbein, F., Osuna, P., Rixon, G., Williams, R. and the IVOA Semantics Working Group (2019), 'Maintenance of the list of UCD words', IVOA Recommendation. http://www.ivoa.net/documents/UCDlistMaintenance/