

Drixal Service Platform

Test Credentials and Flow Testing Guide

How to exercise every role-based flow with the seeded demo accounts

Version 1.0 — August 2026

Scope: This document lists the demo test credentials and explains, step by step, how to test the main workflows of the platform using each credential. It also covers the marketplace, service requests, service orders, scheduling, customer tracking, company approval, and role permissions.

1 Introduction

This guide is written for anyone who needs to verify the behaviour of the Drixal Service Platform manually: developers, QA engineers, and product owners running a demo.

The platform is a multi-tenant service-management application built with Nuxt 4, TypeScript, MongoDB and Mongoose. It connects public service discovery, customer requests, provider review and approval, order conversion, assignment, scheduling, and private customer tracking in one role-aware workflow.

Throughout this guide, the term **flow** means a complete user journey that starts with an action (for example, signing in or opening the marketplace) and ends with a verifiable outcome (for example, an order created, a company approved, or a service published).

2 Before You Start: Setup

1. **Install dependencies:** `npm install`
2. **Create the environment file:** copy `.env.example` to `.env` and set a MongoDB connection string:

```
# MongoDB connection string used by the server runtime
Nuxt_Mongoose_URI=mongodb://127.0.0.1:27017/drixal

# Runtime environment: development | production
NODE_ENV=development

# Public origin used for CSRF / origin checks
APP_ORIGIN=http://localhost:3000

# Demo password used by the seed script (must match .env if set)
DEMO_PASSWORD=DrixalDemo123!
```

3. **Seed the demo data:** `npm run seed`
4. **Start the development server:** `npm run dev`
5. **Open the application:** <http://localhost:3000>

The seeded demo accounts all use the password `DrixalDemo123!` unless `DEMO_PASSWORD` was changed *before* running `npm run seed`. If you changed it, replace the password everywhere below.

3 Test Credentials

The seed script creates six demo accounts. Their roles, memberships, and landing workspaces are described below.

Role / Workspace	Email	Password	Member of
Super Admin (Platform Administration)	admin@drixal.example	DrixalDemo123!	Platform only
Company Manager / Admin (Cool Air Services & TechFix)	manager@coolair.example	DrixalDemo123!	Cool Air Services (Manager), TechFix (Owner)

Role / Workspace	Email	Password	Member of
Company Technician (employee)	technician@coolair.example	DrixalDemo123!	Cool Air Services (Technician)
Company Viewer (read-only employee)	viewer@coolair.example	DrixalDemo123!	Cool Air Services (Viewer)
Customer (Personal workspace)	customer@drixal.example	DrixalDemo123!	None
Pending company owner	owner@nilehome.example	DrixalDemo123!	Nile Home Care (Owner, pending approval)

Workspace switching: a user with company memberships can switch between the *Personal* workspace, each *company* they belong to, and (for the Super Admin) the *Platform Administration* workspace. The switcher is available in the left navigation of every workspace screen.

3.1 Seeded demo companies

Company	Location	Status	Services
Cool Air Services	Alexandria, Sidi Gaber	Approved (rating 4.7)	AC Maintenance, AC Installation, Emergency AC Repair
TechFix	Alexandria, Smouha	Approved (rating 4.5)	Laptop Maintenance, Remote IT Support
Nile Home Care	Cairo, Nasr City	Pending approval	(none published yet)

4 Common Testing Notes

- **Login:** all protected flows start at /auth/login. After signing in you land on the workspace home of the selected context.
- **Public marketplace:** /marketplace works without any login. Only *published*, *active* services of *approved* companies appear.
- **Cross-tenant isolation:** while testing, verify that company-scoped data is never visible outside the selected company (for example, requests/orders belonging to Cool Air Services must not appear under TechFix).
- **Reset state:** re-run `npm run seed` to restore the demo database to its original state between test runs.
- **Responsive behaviour:** the interface is bilingual (Arabic RTL / English LTR) and responsive. Verify key flows at desktop and mobile widths, and switch the language with the preference control when present.

5 Flow: Customer Journey (Public + Personal)

This flow exercises the public marketplace, authentication, request submission, and private customer tracking.

Customer

Email: customer@drixal.example

Password: DrixalDemo123!

5.1 1. Browse the marketplace (no login)

1. Open <http://localhost:3000/marketplace>.
2. Verify the marketplace lists published services: AC Maintenance, AC Installation, Emergency AC Repair (Cool Air Services) and Laptop Maintenance, Remote IT Support (Tech-Fix).
3. Use the search box and filters (category, city, min price, max price). Verify the URL query string updates (e.g. `?search=ac&category=home-services&city=Alexandria`).
4. Confirm that *Nile Home Care* does not appear (it is pending approval).

5.2 2. Open a service detail page

1. Open a service, e.g. `/marketplace/companies/cool-air-services/services/ac-maintenance`.
2. Verify the price (500 EGP), duration (90 min), location type, scheduling requirement, category badge, and provider profile card are displayed.
3. The request form is visible; submitting requires login.

5.3 3. Sign in as the customer

1. Choose *Sign in* from the service detail page, or go to `/auth/login`.
2. Sign in with `customer@drixal.example` / `DrixalDemo123!`.
3. You land in the *Personal* workspace (`/customer`).

5.4 4. Submit a service request

1. Return to the AC Maintenance service detail page.
2. Fill in the request form: name, phone, optional email/city, preferred date, and a short message.
3. Submit the request and verify the success confirmation appears.

5.5 5. Track the request privately

1. Go to `/customer/requests` (Personal workspace → Requests).
2. Verify the newly submitted request appears with status `NEW` (or the current seeded status) and shows the provider name.

5.6 6. Track orders (after provider action)

1. Go to `/customer/orders` and `/customer/orders/$id`.
2. Verify the seeded order S0-1001 (AC Maintenance, IN_PROGRESS) and S0-1002 (AC Installation, SCHEDULED) are visible with their service lines and summary.
3. Confirm the customer can see the provider name, scheduled date, assigned technician, and priority, but not internal costs or notes.

6 Flow: Company Manager (Provider Operations)

This is the most comprehensive flow. It covers service management, the request inbox, order conversion, service lines, scheduling, customers, and company profile.

Company Manager

Email: manager@coolair.example

Password: DrixalDemo123!

6.1 1. Sign in and select the company

1. Sign in at `/auth/login`.
2. Use the workspace switcher to select **Cool Air Services**.
3. You land in the Company Admin workspace (`/company-admin`).

6.2 2. Dashboard overview

1. Verify the metrics (services, open requests, active orders, customers) reflect the seeded data.
2. Verify the work-queue table lists active orders and the demand-pipeline panel shows request statuses.

6.3 3. Service catalog management

1. Open `/company-admin/services`.
2. Create a new service (`/company-admin/services/new`): name, description, category, location type, pricing type/amount, duration, scheduling requirement.
3. Verify the new service appears with status DRAFT.
4. Edit the service (`/company-admin/services/$id/edit`) and save the changes.
5. **Publish** the service and verify its status becomes PUBLISHED.
6. Confirm the published service now appears in the public marketplace.
7. **Unpublish** the service and confirm it disappears from the marketplace.
8. Use search and the publication-status filter in the list.

6.4 4. Request inbox (approve / reject / convert)

1. Open `/company-admin/requests`.
2. The seeded approved request (from the customer flow) is listed; filter by status using the selector.
3. **Approve** a NEW request, verify it becomes APPROVED.
4. **Reject** a request, verify the confirmation dialog and the status change to REJECTED.
5. **Convert** an APPROVED request into a service order; verify the request becomes CONVERTED and a new order is created.

6.5 5. Service orders

1. Open `/company-admin/orders`.
2. Verify seeded orders S0-1001 and S0-1002 with statuses, priorities, assignments, and scheduled dates.
3. Open the order detail (`/company-admin/orders/$id`).
4. Verify the overview, the service-lines table, and the summary panel.
5. **Add a service line** (title, quantity, assignee, cost).
6. **Update a line assignment** and status via the inline controls.
7. **Assign the order** to a company member from the summary panel.

6.6 6. Schedule

1. Open `/company-admin/schedule`.
2. Verify scheduled orders are grouped by date with customer, service, assignee, and status.

6.7 7. Customers directory

1. Open `/company-admin/customers`.
2. Verify the seeded customers (Demo Customer, Delta Co.) appear with contact details.
3. Use the search box; verify pagination and the empty/error states when applicable.

6.8 8. Company profile

1. Open `/company-admin/company`.
2. Verify the company name, slug, status badge (APPROVED), location, and description.

6.9 9. Multi-company membership

1. Switch to **TechFix** via the workspace switcher.
2. Verify TechFix shows its own services (Laptop Maintenance, Remote IT Support) and an empty request/order queue, proving tenant isolation.

7 Flow: Company Employee (Technician)

Company Technician

Email: technician@coolair.example

Password: DrixalDemo123!

7.1 1. Sign in and select the company

1. Sign in at /auth/login; select **Cool Air Services**.
2. You land in the Employee workspace (/employee).

7.2 2. Review assigned work

1. Verify the dashboard shows active orders and scheduled work metrics.
2. Open /employee/orders; verify the list of active orders.
3. Open an order detail (/employee/orders/\$id).
4. As a TECHNICIAN, the page is read-only: verify there are no edit/assign controls and the read-only indicator appears where actions would otherwise be shown.

7.3 3. Schedule view

1. Open /employee/schedule; verify assigned and scheduled work with dates.

8 Flow: Company Employee (Viewer)

Company Viewer

Email: viewer@coolair.example

Password: DrixalDemo123!

1. Sign in and select **Cool Air Services**; you land in the Employee workspace.
2. Verify the viewer can read services, requests, customers, and orders lists.
3. Verify read-only indicators on actions; the viewer must not be able to publish services, manage orders, or decide requests.

9 Flow: Super Admin (Platform Administration)

Super Admin

Email: admin@drixal.example

Password: DrixalDemo123!

9.1 1. Sign in and enter Platform Administration

1. Sign in at /auth/login.

2. Select **Platform Administration** from the workspace switcher.
3. You land in the Super Admin workspace (/super-admin).

9.2 2. Dashboard

1. Verify the platform metrics (total, pending, approved, suspended companies) and the review queue table.

9.3 3. Company review and approval

1. Open /super-admin/companies.
2. Verify the list includes Cool Air Services (APPROVED), TechFix (APPROVED), and Nile Home Care (PENDING).
3. Filter by status and use search.
4. **Approve** Nile Home Care; verify its status becomes APPROVED and the marketplace now shows it.
5. **Reject** a company (confirmation dialog) and verify the status change.
6. **Suspend** an approved company and **reactivate** it; verify its services disappear from / reappear in the marketplace while suspended/approved.
7. Verify invalid transitions are rejected (for example, approving an already approved company should be a no-op or handled gracefully).

10 Flow: Pending Company Owner

Pending Owner

Email: owner@nilehome.example

Password: DrixalDemo123!

1. Sign in and select **Nile Home Care**.
2. Open the company profile (/company-admin/company); verify the status badge is PENDING and the guidance explains that the company cannot publish until approved.
3. Verify Nile Home Care does not appear in the public marketplace.
4. Return to the Personal workspace and confirm the customer pages remain accessible.

11 Flow: Registration and Company Onboarding

New account (created during the flow)

Email: your-email@example.com

Password: choose-a-strong-password

11.1 1. Register an account

1. Open `/auth/register`.
2. Create an account with name, email, and password (min. 8 characters; confirm password).
3. You land in the Personal workspace.

11.2 2. Submit a provider application

1. Open `/register/company`.
2. Enter company name, slug, city, area, and description; submit.
3. Verify the success screen with a PENDING badge and the "next steps" guidance.
4. Sign out and sign in as the Super Admin (`admin@drixal.example`); approve the new company from `/super-admin/companies`.
5. Sign back in as the new owner; verify the company status is now APPROVED and the company can publish services.

12 Role Permissions Checklist

Capability	Allowed for	Denied for
Manage / publish services	OWNER, ADMIN, MANAGER	TECHNICIAN, VIEWER
Read services	All company roles	—
Decide requests (approve/reject)	OWNER, ADMIN, MANAGER	TECHNICIAN, VIEWER
Convert requests to orders	OWNER, ADMIN, MANAGER	TECHNICIAN, VIEWER
Manage orders & service lines	OWNER, ADMIN, MANAGER	TECHNICIAN, VIEWER
Read orders	All company roles	—
Manage / read customers	All company roles	—
Review companies	SUPER_ADMIN	All others
Platform workspace	SUPER_ADMIN	All others

13 Acceptance Checklist

Use this checklist to sign off a test run.

1. Public marketplace works without login and lists only eligible services.
2. Sign in, sign out, and workspace switching work for all roles.
3. The customer can submit a request and track requests and orders privately.
4. The manager can create/edit/publish/unpublish services and see the marketplace change.
5. The manager can approve, reject, and convert requests.
6. Orders support service lines, assignments, and scheduling.

7. The technician sees only read-only operational views.
8. The viewer has read-only access everywhere.
9. The super admin can approve, reject, suspend, and reactivate companies, and the marketplace reacts accordingly.
10. A new company starts PENDING and cannot publish until approved.
11. Tenant isolation holds: no cross-company data leaks.
12. All pages show loading, error, and empty states appropriately.
13. The UI is usable in English LTR and Arabic RTL, and at desktop and mobile widths.
14. Re-running `npm run seed` restores the demo database.

14 Useful API Endpoints (for automated checks)

Endpoint	Purpose
POST /api/auth/login	Sign in (returns session cookie)
POST /api/auth/register	Create a user account
POST /api/auth/logout	Sign out
GET /api/auth/session	Current session DTO (workspace, role, permissions)
POST /api/auth/workspace	Switch Personal / Company / Platform workspace
GET /api/marketplace/services	Public, filterable service listing
GET /api/marketplace/cities	City facet list
GET /api/categories	Service categories
GET /api/services	Company service list (tenant-scoped)
POST /api/services	Create a service
PATCH /api/services/:id	Edit a service
POST /api/services/:id/publish	Publish a service
POST /api/services/:id/unpublish	Unpublish a service
GET /api/service-requests	Company request inbox (tenant-scoped)
POST /api/service-requests/:id/approve	Approve a request
POST /api/service-requests/:id/reject	Reject a request
POST /api/service-requests/:id/convert	Convert an approved request to an order
GET /api/service-orders	Company order list (tenant-scoped)
POST /api/service-orders	Create a service order
GET /api/service-orders/:id	Order detail with lines
PATCH /api/service-orders/:id	Update order (assignment, status)
POST /api/service-orders/:id/lines	Add a service line
PATCH /api/service-orders/:id/lines/:lineId	Update a line (assignment, status)
GET /api/customers	Company customer directory (tenant-scoped)
GET /api/customer/requests	Customer's own requests (Personal)
GET /api/customer/orders	Customer's own orders (Personal)

Endpoint	Purpose
GET /api/admin/companies	Super Admin company list
PATCH /api/admin/companies/:id	Approve / reject / suspend / reactivate
POST /api/companies/register	Submit a provider application
GET /api/companies/current	Current company profile
GET /api/company/members	Company members (for assignment)