

UI/UX Knowledge Base Question Bank

COMPREHENSIVE ASSESSMENT & INTERVIEW REPOSITORY

Total Domains: 4

Levels per Domain: 4

Total Questions: 240

Domain 1: User Experience (UX) Design

LEVEL 1: FOUNDATIONAL

1. What is the core difference between User Experience (UX) and User Interface (UI)?
2. What are the key stages of the Design Thinking process?
3. What is Information Architecture (IA) and why is it important in UX?
4. What is the difference between a user persona and a target audience demographic?
5. What is a user flow, and how does it differ from a site map?
6. What is the purpose of conducting preliminary user research?
7. What is qualitative research versus quantitative research in UX?
8. What is usability, and what are Jacob Nielsen's 10 Usability Heuristics?
9. What is a mental model, and how does it influence user interactions?
10. What is cognitive load, and how can designers minimize it?
11. What is the role of wireframing in the UX design process?
12. What is the difference between low-fidelity and high-fidelity wireframes?
13. What is an empathy map, and what are its core quadrants?
14. What is a scenario, and how is it used alongside user stories?
15. What does the term "affordance" mean in interaction design?

LEVEL 2: INTERMEDIATE / PROJECT & RESUME BASED

16. How do you decide when to use a card sorting exercise, and how do you analyze open vs. closed card sort results?
17. Describe a project where user research directly changed your initial design direction.
18. How do you handle conflicting user feedback during the discovery phase?
19. How do you construct a comprehensive Customer Journey Map for a complex multi-touchpoint service?
20. Explain how you prioritized features when designing an MVP (Minimum Viable Product).
21. How do you ensure accessibility (WCAG compliance) during the UX research and flow mapping phase?
22. Walk through how you conduct competitive audits and translate findings into design opportunities.
23. How do you design intuitive navigation structures for large-scale e-commerce or enterprise systems?
24. Explain a situation where you had to compromise on UX due to technical limitations.
25. How do you draft effective, unbiased user interview questions?
26. How do you convert complex user problem statements into actionable "How Might We" (HMW) statements?
27. Describe how you validate a wireframe before moving into visual UI design.
28. How do you handle edge cases and empty states when mapping out user workflows?

- 29. How do you design for mobile-first workflows compared to desktop-first workflows?
- 30. How do you map out micro-interactions and transitions to enhance usability?

LEVEL 3: ADVANCED / PRODUCTION & SCENARIO BASED

- 31. How would you redesign a complex, multi-step onboarding flow that suffers from a 60% drop-off rate?
- 32. How do you design for complex enterprise software where users need high data density without feeling overwhelmed?
- 33. How do you balance business goals that push for aggressive monetization with user-centric principles against dark patterns?
- 34. How do you approach designing UX for offline-first or poor network connection environments?
- 35. If stakeholders insist on adding a feature that user testing proved confusing, how do you handle it?
- 36. How do you redesign a legacy system with active daily power users without causing high friction or user revolt?
- 37. How do you design conversational interfaces (VUI/Chatbots) versus traditional GUI workflows?
- 38. How do you handle UX design for cross-platform ecosystem experiences (e.g., watch, mobile, web, TV)?
- 39. What strategies do you use to reduce friction in financial checkout or payment processes?
- 40. How do you conduct remote asynchronous user testing across multiple international time zones and cultures?
- 41. How would you structure a UX audit for an existing digital product that lacks prior documentation?
- 42. How do you design personalized user experiences without violating privacy regulations (e.g., GDPR, CCPA)?
- 43. How do you adapt UX research methods when working in short, fast-paced two-week Agile sprints?
- 44. How do you approach UX design for accessibility edge cases, such as motor control impairments or screen readers?
- 45. How do you measure and prove the ROI (Return on Investment) of a UX redesign to non-design executives?

LEVEL 4: EXPERT / HIGH-PRESSURE & STRATEGY SCENARIOS

- 46. Your product receives a surge of negative reviews immediately following a major navigation redesign. What is your hour-by-hour triage plan?
- 47. How do you design ethical AI user experiences that clearly communicate confidence levels, algorithmic bias, and hallucinations?
- 48. You are given 48 hours to audit, research, and present a complete UX turnaround strategy for a failing product. What steps do you take?
- 49. How do you establish an end-to-end UX research operations (ReOps) framework within an organization that has zero design maturity?
- 50. How do you resolve a deadlock between the VP of Engineering (claiming a UX flow is impossible to build) and the Chief Product Officer (demanding it)?
- 51. How do you scale UX strategy across 10+ distributed product teams working on separate micro-frontends?
- 52. How do you design emergency UX flows for mission-critical systems (e.g., healthcare monitoring, flight control, or security dashboards) where user error has extreme consequences?
- 53. How do you incorporate predictive AI interactions into standard UI patterns while keeping the user in full control?
- 54. A core third-party API outage breaks half of your application's user flows in production. How do you design graceful degradation mechanisms in real time?
- 55. How do you evaluate and integrate generative AI capabilities into an existing design workflow without damaging human creativity?
- 56. How do you align UX KPIs directly with enterprise business metrics like LTV, CAC, and Churn Rate?

- 57. How do you handle complete alignment failure between international regional teams regarding localized cultural UX patterns?
- 58. What is your framework for sunseting a heavily used legacy feature without losing key enterprise accounts?
- 59. How do you design hyper-scalable design systems meant to support multi-brand, multi-tenant white-label products?
- 60. What is your strategy for driving design culture and advocate user empathy across non-design executive leadership?

Domain 2: User Interface (UI) & Visual Design

LEVEL 1: FOUNDATIONAL

- 61. What is the rule of visual hierarchy in UI design, and what key elements influence it?
- 62. What is the 60-30-10 rule in color theory for digital interface design?
- 63. What is the difference between kerning, tracking, and leading in typography?
- 64. What is a grid system, and why is an 8pt grid system widely used in UI design?
- 65. What is the difference between raster and vector graphics in interface design?
- 66. What is contrast ratio, and what is the minimum WCAG requirement for normal body text?
- 67. What are UI design components, and how do atomic design principles organize them?
- 68. What is skeuomorphism vs. flat design vs. neumorphic design?
- 69. What is the function of whitespace (negative space) in layout composition?
- 70. What is a UI style guide, and how does it differ from a comprehensive design system?
- 71. What are micro-interactions, and what are their four core structural parts?
- 72. What is responsive web design vs. adaptive web design?
- 73. What is a design token, and why is it used?
- 74. What are system feedback indicators (e.g., toasts, banners, progress bars), and when should each be used?
- 75. What is the difference between serif and sans-serif typefaces in screen design?

LEVEL 2: INTERMEDIATE / PROJECT & RESUME BASED

- 76. Walk through how you set up a dynamic typographic scale for cross-device scalability.
- 77. How do you design dark mode themes that maintain visual hierarchy without using pure black (#000000)?
- 78. How do you build and maintain a reusable UI component library for your project?
- 79. Describe how you ensure consistent spacing and visual alignment across desktop, tablet, and mobile screens.
- 80. How do you handle complex data visualizations (charts, tables, dashboards) to make them visually readable?
- 81. Describe a project where you had to refine an existing visual language to feel modern without a full rebranding.
- 82. How do you prepare assets and design specs for clean handoff to frontend developers?
- 83. How do you design iconography that remains legible at smaller scales (e.g., 16x16px)?
- 84. How do you design accessible focus states and keyboard navigation indicators?
- 85. Explain your approach to using motion design to guide user focus without causing distraction.
- 86. How do you manage form design layout, error validation styling, and inline assistance?
- 87. How do you design modal dialogs vs. slide-over drawers vs. inline editing experiences?
- 88. Describe how you select brand colors and map them to functional UI semantics (success, error, warning, info).

- 89. How do you design responsive tables with numerous columns for small mobile viewports?
- 90. How do you design card-based layouts effectively using auto-layout logic?

LEVEL 3: ADVANCED / PRODUCTION & SCENARIO BASED

- 91. How do you audit an existing enterprise application with severe visual clutter and unify its visual design?
- 92. How do you maintain design system consistency across multiple platforms (iOS, Android, Web) while adhering to native design guidelines (HIG vs. Material Design)?
- 93. How do you design UI layouts for right-to-left (RTL) languages like Arabic or Hebrew?
- 94. How do you handle responsive UI breakpoints for ultra-wide monitors and unconventional screen ratios?
- 95. Developers complain that your visual designs are too complex to implement within the sprint timeline. How do you adapt?
- 96. How do you design UI for high-contrast accessibility modes without ruining the visual aesthetic of the brand?
- 97. How do you approach creating a design system governance model for a team of 30+ designers and 100+ developers?
- 98. How do you design seamless loading states (skeleton screens vs. spinners) to optimize perceived performance?
- 99. How do you ensure visual consistency across dynamic content generated by end-users (e.g., unpredictable text lengths or image ratios)?
- 100. How do you design fluid typography and spacing algorithms using CSS functions like clamp()?
- 101. How do you design UI components for micro-frontends managed by separate engineering squads?
- 102. How do you resolve visual regression issues during production deployments?
- 103. How do you design unified UI elements for white-label products that must support rapid, dynamic skinning and branding updates?
- 104. How do you design complex, multi-level dropdowns and command palettes for keyboard-first power users?
- 105. How do you approach visual redesigns for apps operating in outdoors or high-glare environments?

LEVEL 4: EXPERT / HIGH-PRESSURE & STRATEGY SCENARIOS

- 106. A major brand update changes primary brand colors to shades that fail WCAG contrast standards. How do you address this with the Brand Director?
- 107. How do you architect a multi-brand, multi-theme design system architecture using dynamic token structures?
- 108. You are tasked with consolidating 5 legacy acquisitions into a single visual UI language within 3 months. What is your roadmap?
- 109. How do you establish automated visual regression testing pipelines between Figma and code repositories?
- 110. Production UI is breaking across multiple browsers due to inconsistent CSS implementation. How do you lead engineering alignment?
- 111. How do you design real-time collaborative UI interfaces (like Figma or Google Docs) handling multi-cursor states and concurrent edits?
- 112. How do you balance strict brand guidelines with strict usability and accessibility requirements on public sector platforms?
- 113. How do you design UI paradigms for spatial computing (AR/VR/VisionOS) where screen boundaries do not exist?
- 114. How do you future-proof a design system for upcoming platform releases and emerging UI interaction patterns?
- 115. High-level executives want to launch a visual overhaul in two weeks. How do you triage scope without sacrificing design quality?

- 116. How do you design UI systems for mission-critical industrial hardware interfaces with constrained hardware specs?
- 117. What is your strategy for deprecating outdated UI component versions across hundreds of production repositories?
- 118. How do you integrate motion design systems into core codebases using dynamic animation tokens?
- 119. How do you measure the adoption rate and component health of a design system across enterprise products?
- 120. How do you advocate for and secure dedicated engineering budget specifically for UI polish and front-end design debt reduction?

Domain 3: Tools & Prototyping (Figma & Industry Tools)

LEVEL 1: FOUNDATIONAL

- 121. What is the difference between Frames and Groups in Figma?
- 122. What is Auto Layout in Figma, and what are its primary direction settings?
- 123. How do Components and Component Instances work in Figma?
- 124. What are Variant Sets in Figma, and how do they simplify component libraries?
- 125. What is the difference between interactive prototypes and static screens?
- 126. What are Component Properties in Figma (Boolean, Text, Instance Swap, Variant)?
- 127. What are Figma Variables, and how do they differ from Styles?
- 128. How do constraints work in Figma when resizing parent frames?
- 129. What is the purpose of Smart Animate in Figma prototyping?
- 130. How do you export SVG assets properly from Figma without background artifacts?
- 131. What is Figma Dev Mode, and how does it assist developers during handoff?
- 132. What are FigJam boards used for in the design process?
- 133. What is the function of the section tool in Figma canvas organization?
- 134. How do you share prototype preview links with specific access permissions?
- 135. What are Figma plugins, and name three plugins that improve UI workflows?

LEVEL 2: INTERMEDIATE / PROJECT & RESUME BASED

- 136. How do you use Auto Layout flex wrapping and absolute positioning to build responsive UI components?
- 137. Explain how you build a complex nested component (e.g., an interactive data table with dynamic rows) in Figma.
- 138. How do you structure Figma file libraries across different teams (e.g., Foundation, Components, Page Templates)?
- 139. Describe how you create dynamic prototype logic using Figma Variables and Conditional statements (If/Else).
- 140. How do you set up color and typography variable modes for light/dark mode switching in Figma?
- 141. Walk through how you structure your Figma canvas for a developer handoff.
- 142. How do you prototype micro-interactions like drag gestures, hover cards, or expanding search inputs in Figma?
- 143. How do you use external prototyping tools like ProtoPie or Framer when Figma's prototyping capabilities fall short?
- 144. Explain how you use slot components in Figma to build flexible template layouts.
- 145. How do you handle version control and resolve branch conflicts in Figma?
- 146. How do you create responsive component states (Default, Hover, Pressed, Disabled, Focus) using variants?
- 147. How do you structure design system documentation directly inside Figma components?

- 148. How do you use Figma tokens to sync design specifications directly with GitHub or Style Dictionary?
- 149. Describe how you prototype sticky headers and scrollable overlay drawers in Figma.
- 150. How do you optimize large, laggy Figma files containing thousands of frames?

LEVEL 3: ADVANCED / PRODUCTION & SCENARIO BASED

- 151. How do you build a fully functional form prototype in Figma that tracks user inputs, validates fields, and updates button states dynamically?
- 152. How do you sync Figma design tokens with a React/Tailwind codebase seamlessly using automated pipelines?
- 153. How do you prototype realistic, dynamic search and filtering interactions using Figma variables and array logic?
- 154. Your Figma design system library is causing severe performance lag across the organization. How do you refactor it?
- 155. How do you manage component deprecation in a live shared Figma library without breaking active product files?
- 156. How do you prototype advanced multi-page flows with persistent state tracking (e.g., persistent shopping cart count)?
- 157. How do you conduct live, unmoderated prototype testing using Figma integrated with platforms like Maze or Useberry?
- 158. How do you structure component properties so non-design stakeholders can easily construct screens using your library?
- 159. How do you handle font licensing and team-wide font distribution inside enterprise Figma organizations?
- 160. How do you set up automated accessibility contrast checkers directly into your Figma component workflow?
- 161. How do you build advanced physics-based micro-interactions or 3D animations using specialized tools like Lottie or Rive?
- 162. How do you manage Figma library permission structures across multi-brand enterprise organizations?
- 163. How do you prototype complex interactive charts with dynamic tooltip displays on hover/tap?
- 164. What processes do you use to perform a full Figma file audit prior to developer handoff?
- 165. How do you prototype edge cases like network timeouts, loading spinners, and error toasts in a single unified Figma prototype?

LEVEL 4: EXPERT / HIGH-PRESSURE & STRATEGY SCENARIOS

- 166. Figma experiences an extended global cloud outage right during a crucial executive design review. How do you proceed?
- 167. How do you architect a global enterprise Figma workspace supporting 100+ product squads without library chaos?
- 168. How do you build custom internal Figma plugins using the Figma REST API to automate repetitive design tasks?
- 169. A major Figma update changes core component properties and breaks thousands of instances in your design system. What is your recovery plan?
- 170. How do you establish bi-directional synchronization between Figma Variables and code-level CSS/JSON design tokens?
- 171. How do you lead an enterprise-wide tool migration from legacy platforms (Sketch/InVision) into Figma with zero downtime?
- 172. How do you design complex prototyping frameworks in Framer/Code to represent live data feeds for usability testing?
- 173. How do you set up automated CI/CD pipelines that test visual component builds directly against Figma designs?

- 174. How do you prototype voice-activated interfaces or gesture-controlled hardware screens in advanced prototyping tools?
- 175. How do you secure proprietary design assets in Figma when working with external agency partners and contractors?
- 176. How do you train non-technical design teams on advanced Figma logic, variables, and code-aligned component structuring?
- 177. How do you measure tool ROI and optimize Figma enterprise seat licenses across global departments?
- 178. How do you build a sandbox testing environment within Figma to test experimental component architecture before publishing to production?
- 179. How do you prototype zero-latency real-time collaborative features within Figma prototypes for usability research?
- 180. How do you structure design assets for automated code generation tools without producing bloated frontend code?

Domain 4: Usability Testing & Product Analytics

LEVEL 1: FOUNDATIONAL

- 181. What is usability testing, and why is it conducted?
- 182. What is the difference between moderated and unmoderated usability testing?
- 183. What is a task completion rate, and how is it calculated?
- 184. What is the System Usability Scale (SUS), and how is it scored?
- 185. What is an A/B test, and how does it differ from a multivariate test?
- 186. What is a heatmap, and what do scroll maps vs. click maps reveal?
- 187. What are key performance indicators (KPIs) in product design?
- 188. What is the difference between quantitative usability metrics and qualitative feedback?
- 189. What is a drop-off rate or exit rate in a user funnel?
- 190. What is session replay software (e.g., Hotjar, FullStory), and how is it used?
- 191. What is the Net Promoter Score (NPS), and how does it relate to UX design?
- 192. What is a task completion time metric?
- 193. What is a think-aloud protocol during usability testing?
- 194. What is the difference between formative testing and summative testing?
- 195. What constitutes statistical significance in product experimentation?

LEVEL 2: INTERMEDIATE / PROJECT & RESUME BASED

- 196. How do you define successful task scenarios for a usability test session?
- 197. How do you analyze user session recordings to identify UX bottlenecks?
- 198. Describe a time when usability test results completely contradicted your design hypotheses.
- 199. How do you structure a post-test usability survey (e.g., SEQ - Single Ease Question)?
- 200. How do you calculate and interpret task error rates during user testing?
- 201. Walk through how you set up event tracking parameters with product teams (e.g., Mixpanel, Amplitude events).
- 202. How do you conduct usability testing with users who have disabilities or use assistive technologies?
- 203. How do you synthesize hours of qualitative testing video footage into actionable design tickets?
- 204. Describe a scenario where you used heatmaps to fix a conversion drop on a landing page or checkout flow.

- 205. How do you avoid observer bias and leading questions during live usability testing sessions?
- 206. How do you select the appropriate sample size for qualitative usability testing versus quantitative surveys?
- 207. How do you test prototypes with non-tech-savvy users or specialized domain experts?
- 208. How do you set up product analytics funnels to monitor a newly launched user onboarding sequence?
- 209. How do you prioritize usability bugs based on severity vs. frequency?
- 210. Describe how you use tree testing and card sorting metrics to evaluate navigation hierarchy.

LEVEL 3: ADVANCED / PRODUCTION & SCENARIO BASED

- 211. An A/B test shows high conversion rates for Variant A, but post-purchase retention drops significantly. How do you analyze this?
- 212. How do you conduct usability testing for complex B2B workflows where user access is heavily restricted due to NDA/security?
- 213. How do you integrate continuous automated usability testing into rapid Agile deployment cycles?
- 214. How do you diagnose "rage clicks" and dead clicks found in product analytics dashboards?
- 215. How do you establish product health metrics (e.g., HEART framework: Happiness, Engagement, Adoption, Retention, Task Success)?
- 216. How do you design usability testing protocols for physical-digital hardware interactions (e.g., kiosks, IoT devices)?
- 217. How do you filter out noise and bad data from automated unmoderated usability testing platforms?
- 218. How do you run multi-variant experiments on high-traffic consumer applications without degrading site performance?
- 219. How do you measure the cognitive load and mental effort of users during complex data entry workflows?
- 220. How do you present usability research insights to executives who only care about revenue metrics?
- 221. How do you correlate UX metrics (SUS, SEQ) directly with analytics metrics (Churn, Conversion, Task Time)?
- 222. How do you test and validate dark mode usability across varied ambient lighting conditions?
- 223. How do you conduct usability testing for algorithmic recommendation feeds where content changes dynamically?
- 224. How do you track cross-device user journeys when analytics cookies fail or reset?
- 225. How do you set up a continuous user feedback loop inside a live SaaS application?

LEVEL 4: EXPERT / HIGH-PRESSURE & STRATEGY SCENARIOS

- 226. Your analytics show a catastrophic 70% conversion drop immediately after a production release. How do you investigate and resolve it?
- 227. How do you establish a company-wide Product Analytics and UX Research governance framework while maintaining strict data privacy compliance?
- 228. Executives want to cancel user testing to meet a critical marketing deadline. How do you defend testing without stalling launch?
- 229. How do you measure the long-term usability and task efficiency impact of AI-driven predictive interfaces?
- 230. You discover that an A/B test winning variant relied on dark patterns that boosted short-term metrics. What is your intervention strategy?
- 231. How do you architect an enterprise research panel of 10,000+ niche users for rapid on-demand testing?
- 232. How do you run usability studies for high-risk safety applications (e.g., medical devices, financial trading) where real testing carries risk?
- 233. How do you build automated UX health dashboards combining qualitative Sentiment Analysis with quantitative Product Analytics?

- 234. Analytics show users are using your product in a completely unintended way that drives high revenue. How do you adapt product strategy?
- 235. How do you address extreme regional performance disparities revealed in global usability analytics?
- 236. How do you measure and optimize time-to-value (TTV) metrics for complex enterprise software implementations?
- 237. How do you conduct usability benchmarking studies against primary market competitors?
- 238. How do you train product management and engineering leads to self-serve basic usability testing and analytics correctly?
- 239. How do you evaluate eye-tracking and biometric research data to optimize visual attention layouts?
- 240. What is your framework for determining when a product has reached "usability maturity" versus requiring continuous redesigns?