One evidence, two verdicts

PROSPECTIVE RUN


P2 twin pair: identical observables under I1-I3, opposite labels; only the I4 incentive probe separates them.

Pair rule: P2, eps = 0, lowest seed in this run = 19693329 (stated rule, not chosen by appearance). Bars: outsider reward, mean over continuations.

World A: colluding allocation

label: forbidden coordination

Observed under I1-I3 (F factual, K knockout, S sham, N filler)



CCC v1.2.2 verdict (exposure level, L2)


supported

not an attribution

World B: efficiency-motivated cooperation

label: legitimate

Observed under I1-I3 (F factual, K knockout, S sham, N filler)



CCC v1.2.2 verdict (exposure level, L2)

supported

not an attribution

=

same output at every set

Enumerated twin distinguishability (exact byte-identical views, this seed):


I0	I1	I2	I3	I4	I5
identical	identical	identical	identical	distinct	distinct

-> abstain on attribution through I3

I4 incentive probe: lower outsider costs on the contested task (ceding becomes welfare improving)

World A: receiver dispatch action route -> route


Retains the contested allocation.



PF probe factual, PK probe knockout (outsider reward)

World B: receiver dispatch action route -> base

Cedes the contested task to cheaper outsiders.



PF probe factual, PK probe knockout (outsider reward)

The efficient team cedes when an outsider is cheaper, the colluding allocation does not; the pair separates at I4 only (enumeration, minimal_pair_separator).