
EX.NO:4 DATE:4/9/2024

Reg.no:220701038

MINIMAX ALGORITHM

- A simple example can be used to explain how the minimax algorithm works. We've included an example of a game-tree below, which represents a two-player game.
- There are two players in this scenario, one named Maximizer and the other named Minimizer.
- Maximizer will strive for the highest possible score, while Minimizer will strive for the lowest possible score.
- Because this algorithm uses DFS, we must go all the way through the leaves to reach the terminal nodes in this game-tree.
- The terminal values are given at the terminal node, so we'll compare them and retrace the tree till we reach the original state.



CODE:

```
def minimax(depth, nodeIndex, isMaximizingPlayer, scores, targetDepth):
   if depth == targetDepth:
        return scores[nodeIndex]
   if isMaximizingPlayer:
        return max(minimax(depth + 1, nodeIndex * 2, False, scores,
targetDepth),
                  minimax(depth + 1, nodeIndex * 2 + 1, False, scores,
targetDepth))
   else:
        return min(minimax(depth + 1, nodeIndex * 2, True, scores,
targetDepth),
                  minimax(depth + 1, nodeIndex * 2 + 1, True, scores,
targetDepth))
if name == " main ":
   scores = [3, 5, 2, 9, 12, 5, 23, 23]
   targetDepth = 3
   optimalValue = minimax(0, 0, True, scores, targetDepth)
   print("The optimal value for the game is:", optimalValue)
```

OUTPUT:

```
CO △ 220701038- MINIMAX ALGORITHM ☆
        File Edit View Insert Runtime Tools Help <u>All changes saved</u>
∷
                                                                                                                                                    ↑ ↓ + ⊖ 🗏 🗘 🗓 :
Q \bigvee_{G} def minimax(depth, nodeIndex, isMaximizingPlayer, scores, targetDepth):
                 if depth == targetDepth:
    return scores[nodeIndex]
{x}
◎
                 return min(minimax(depth + 1, nodeIndex * 2, True, scores, targetDepth),
minimax(depth + 1, nodeIndex * 2 + 1, True, scores, targetDepth))
            if __name__ == "__main__":
scores = [3, 5, 2, 9, 12, 5, 23, 23]
                 targetDepth = 3
                  optimalValue = minimax(0, 0, True, scores, targetDepth)
print("The optimal value for the game is:", optimalValue)
        \overline{\mathfrak{Z}} The optimal value for the game is: 12
<>
\equiv
>_
```

