# **Power Flame Incorporated**



# "C" BURNER PARTS LIST

### THE POWER TO MANAGE ENERGY

2001 South 21<sup>st</sup> Street, Parsons, KS 67357 Telephone: 620-421-0480 FAX: 620-421-0948 Website: <a href="www.powerflame.com">www.powerflame.com</a> e-mail: CSD@powerflame.com

### **ALPHABETICAL INDEX TO "C" BURNER PARTS LIST**

DESCRIPTION	PAGE NUMBER	ITEM NUMBER
Back Plate Assembly	2	9
Blast Tube	1	2
Blower Assemblies, Balanced	3	16.5
Blower Housings	1	1
Blower Wheels	3	16
Butterfly Assemblies	41	84
Cable Guide, Oil Ignition	30	32
Cables, Oil Direct Spark Ignition	30	32.1
Cad Cell	30	34.1
Choke & End Ring	1	3
Cocks and Handles, Gas	39	80
Cocks, Pilot Shutoff	45	93
Contactors	.14-15	18.8
Controls, Flame Safeguard/Circuit Boards	5-8	18.2-18.5
Controls, Operating & Limit	.12-13	18.6
Damper Axles	1	6
Damper Axle Bushing	2	7
Damper Blades	1	5
Damper Cylinder & Accessories	31	44-50
Damper Guards, Wire	46	102
Diffusers	1	4

DESCRIPTION	PAGE NUMBER	ITEM NUMBER
Electrode Clamp, Oil Ignition	30	31
Electrodes, Oil Ignition	26	26
Exploded View Burner Drawings	.47-53	N/A
Flame Rod and Cable	35	62
Fuses, Control Circuit 600 Volt	.20-21	18.19
Gauges, Gas Pressure	45	97
Gauge, Oil Pressure	25	22.7
Gun Assemblies, Gas	26	25.1
Gun Assemblies, Oil	26	25
Gun Mounting Plates, Oil	30	30
Labels, Engraved - Adhesive Back	21	18.22
Labels, Pressure Sensitive Preprinted	.21-22	18.23
Lights	18	18.13
Linkage Accessories	.32-33	57-57.10
Linkage Cross Straps	31	56
Meters	21	18.21
Motors	2-3	15
Motors, Modulating and Brackets	35	61
Motor Mounting Plates	2	8
Motor Starters	.15-17	18.9

DESCRIPTION	PAGE <u>NUMBER</u>	ITEM NUMBER
Nipples, Tapped	46	100
Nipples, Test Port	46	101
Oil Filters Elements and "O" Rings	24	21.7
Oil Nozzles	26-29	27
Oil Nozzle Adaptors	29	28
Oil Pumps	23	21
Oil Pump, Remote Parts	23	21.2-21.5
Panel Box Bodies	4	17.1
Panel Box Chassis Plates	4	17.2
Panel Box Doors	4	17.3
Panel Box Door Latch & Knob	5	18.1
Panel Box Hinged Tops	4	17
Panel Box Mounting Brackets	5	18
Photocell	30	33-34
Photocell Mounting Bracket	25	24
Pilot Assemblies, Gas	34	59
Pilot Ignition Electrodes & Cable	35	62
Pilot Mounting Plates	35	69
Pilot Orifices	35	63
Potentiometers	21	18.20
Pump Bushings	22	19.1

DESCRIPTION	PAGE NUMBE	ITEM R <u>Number</u>
Pump Coupling Adaptors	22	19
Pump Coupling Parts	22	20.1
Pump Couplings, Integrally Mounted	22	20
Regulators, Main Gas	44	91
Regulators, Pilot Gas	35	70
Relays	13-14	18.7
Scanners	30-31	34.2-34.3
Side Orifices	41-43	86.2
Side Orifice Springs	46	98
Sight Glass	45	94
Strainers, Gas Line and Baskets	39	79.5
Strainers, Oil, Simplex	24	21.8
Switches	19	18.15
Switches, Air Pressure	34	58
Switches, Control	18	18.14
Switches, Gas Pressure, High	43	89
Switches, Gas Pressure, Low	44	90
Switch, Micro	19	18.17
Switches, Oil Pressure	24	21.6
Terminal Strips	19	18.16
Transformers, Gas Ignition	36	78

DESCRIPTION	PAGE NUMBER	ITEM NUMBER
Transformers, Oil Ignition	25	23
Transformers, Stepdown	20	18.18
Valves, Ball	.39-40	80
Valve, Bleed	38	79.3
Valve Bodies, Gas	.37-38	79.1
Valves, Butterfly	.40-41	84
Valves, Check, Oil Return	45	92
Valves, Gas, Diaphragm	38	79.2
Valves, Gas, Combination & Pressure Regulator	38	79.4
Valves, Modulating Oil & Brackets	34	60
Valve Operators, Gas	36	79
Valves, Oil, Brackets & Boxes	25	22-22.6
Valves, Pilot	36	71
Valves, Solenoid, Gas	45	95
Valves, Vent (N.O.)	45	96

### **INSTRUCTIONS FOR ORDERING**

- 1. Always specify model and serial number of burner.
- 2. Include nameplate information such as model, range, voltage, etc.
- 3. Certain fabricated components cannot be selected without reference to the specific Bill of Materials for your burner (these components are individually noted in this Book). Bill of Materials are included with all burner shipments. Should additional copies be required, they will be supplied no charge. Consult factory.
- 4. For reference purposes, Exploded View Burner Drawings are provided on pages 45, 46, 47, 48, 49 and 50. Call out numbers on these Drawings match Item numbers found to the left of each part group title.

MINIMUM BILLING \$50.00 NET PLUS TRANSPORTATION CHARGES

IDENTICAL ITEMS MAY NOT ALWAYS BE AVAILABLE
BUT ITEMS OF EQUAL OR BETTER QUALITY WILL BE FURNISHED

ALL PUBLISHED PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

### NO. NO. DESCRIPTION

### 1 BLOWER HOUSING

C20010	C1 30A194C UL UL "81"
C20030	C2 with 5 3/4" Inlet
C20053	C3 with 8 1/4" x 3 1/2" Wheel
C20050	C3 with 9 1/8"x 4" Wheel
C20051	C3 without Inlet Ring
C20071	C4/5/6
C20072	C4 with Integral Pump
C20075	C7 Bolt On Damper
C20080	C8 Bolt On Damper
	Or refer to As Built Spec Sheet

## 2 BLAST TUBE

Refer to As Built Spec Sheet

# 3 CHOKE AND END RING

Refer to As Built Spec Sheet

### 4 <u>DIFFUSERS</u>

Consult Factory

### 5 DAMPER BLADES

C10540	C1
C10541	C1-CGA
C10550	C2
C10551	C2-CGA
C10560	C3
C10561	C3-CGA
C10576	C4/5/6
C10577	C4/5/6-CGA

### 6 DAMPER AXLES

C80580	C1
C80589	C2 Short Damper Axle
C80590	C2/3
C80611	C4/5/6

NO. NO. DESCRIPTION

1

### 7 DAMPER AXLE BUSHING

930150 C1/2/3/4/5/6

### 8 MOTOR MOUNTING PLATES

C10730 C1 56C C10740 C2 56C C10750 C3 56C C10760 C4/5 56C

C10760 C4/5 56C 145TC C10810 C4/5/6 184T

C24206 C7 30A377C 215T 1.25"

C24207 C8 30A393C 1.5"

Or refer to As Built Spec Sheet

### 9 BACK PLATE ASSEMBLY

C24011 C1 30A404C

C24012 C1 for Top Pilot Assembly

C24051 C1 Top Pilot Adjustment Plate (used w/C24012)

C24020 C2 30A404C

C24021 C2 for Top Pilot Assembly

C24030 C3 30A406C

C24031 C3 for Top Pilot Assembly

C24040 C4/5/6

C24041 C4/5/6 for Top Pilot Assembly

C24050 Top Pilot Adjustment Plate (used with C24021, C24031 & C24041)

### 15 <u>MOTORS, 3450 RPM - 60 Hz</u>

054120	1/3 HP	115/230	1PH	56C
054130	1/3 HP	208/230/460	3PH	56C
054160	1/2 HP	115/230	1PH	56C
054170	1/2 HP	208/230/460	3PH	56C
054180	3/4 HP	115/230	1PH	56C
054190	3/4 HP	208/230/460	3PH	56C
054210	1 HP	115/230	1PH	56C
054220	1 HP	208/230/460	3PH	56C
054240	1 1/2 HP	115/230	1PH	56C
054250	1 1/2 HP	208/230/460	3PH	56C
054270	2 HP	115/230	1PH	56C
054280	2 HP	208/230/460	3PH	56C

### 15 <u>MOTORS, 1725 RPM - 60 Hz</u>

054630	3 HP	208/230/460	3PH	56C
054650	3 HP	208/230/460	3PH	145TC
055220	5 HP	208/230/460	3PH	182TC
055920	5 HP	230/460	3PH	145TC
055970	5 HP	200/208	3PH	145TC
054760	7 1/2 HP	208/230/460	3PH	184TC
054780	10 HP	208/230/460	3PH	215TC
055580	3/4 HP	115/230	1PH	56C
055590	3/4 HP	208/230/460	3PH	56C
055630	1 HP	208/230/460	3PH	56C
059710	15 HP	208/230/460	3PH	215T

### 16 BLOWER WHEELS

084900	6 1/4" x 3" x 5/8"
080500	7" x 3" x 5/8"
081100	7 5/8" x 3 1/2" x 5/8"
081750	8 1/4" x 3 1/2" x 5/8" D-Hub
081700	8 1/4" x 4 1/2" x 5/8" S-Hub
081800	8 1/4" x 4 1/2" x 7/8"
081850	9 1/8" x 2 1/2" x 5/8"
082510	9 1/8" x 4" x 5/8" S-Hub
082550	9 1/8" x 4" x 5/8" D-Hub
082850	9 1/8" x 4" x 7/8"
082900	9 1/8" x 5 1/2" x 7/8"
083100	9 1/8" x 5 1/2" x 1 1/8"
083800	9 7/8" x 5" x 1 1/8"
084200	10 3/4" x 5 1/2" x 1 1/8"
084210	10 3/4" x 5 1/2" x 1 3/8"
084300	12 5/8" x 5" x 1 3/8"

## 16.5 BALANCED BLOWER ASSEMBLY (Not Shown On Exploded View)

Consists of ODP 208/230/460/3 Motor, Motor Mounting Ring and Blower Wheel Balanced as an Assembly.

For C4 (5 HP) For C5 (7 1/2 HP) For C6/C7 (10 HP) For C8 (15 HP)

ART

NO. NO. DESCRIPTION

3

### 17 PANEL BOX HINGED TOPS

E24022	15 1/2" x 17"	E24120	15.5" x 17" Circuit Board
E24024	15 1/2" x 24"	E24122	15.5" x 24" Circuit Board
E24026	15 1/2" x 34"	E24124	15.5" x 34" Circuit Board
E24027	15 1/2" x 42"	E24127	15.5" x 42" Circuit Board
	Or refer to As Built Spec Sheet		

### 17.1 PANEL BOX BODIES

E24001	15 1/2" x 17"	E24100	15.5" x 17" Circuit Board
E24002	15 1/2" x 24"	E24101	15.5" x 24" Circuit Board
E24003	15 1/2" x 34"	E24102	15.5" x 34" Circuit Board
E24004	15 1/2" x 42"	E24103	15.5" x 42" Circuit Board
	Or refer to As Built Spec Shoot		

Or refer to As Built Spec Sheet

### 17.2 PANEL BOX CHASSIS PLATES (Not Shown On Exploded View)

E80301	15 1/2" x 17"	E80373	15.5" x 17" Circuit Board
E80310	15 1/2" x 24"	E80374	15.5" x 24" Circuit Board
E80320	15 1/2" x 34"	E80375	15.5" x 34" Circuit Board
E80325	15 1/2" x 42"	E80376	15.5" x 42" Circuit Board
	Or refer to As Built Spec Sheet		

### 17.3 PANEL BOX DOORS

E20113	15 1/2" x 17"
E20123	15 1/2" x 24"
E20133	15 1/2" x 34"
E20136	15 1/2" x 42"

Or refer to As Built Spec Sheet

### PANEL BOX DOORS WITH VIEWPORT

E30003	15 1/2" x 17"	E31000	15.5" x 17" Circuit Board
E30015	15 1/2" x 24"	E31001	15.5" x 24" Circuit Board
E30016	15 1/2" x 34"	E31002	15.5" x 34" Circuit Board
E30017	15 1/2" x 42"	E31003	15.5" x 42" Circuit Board

Or refer to As Built Spec Sheet

NO. NO. DESCRIPTION

4

### 18 PANEL BOX MOUNTING BRACKETS

E10610 Integral E10631 Remote Left E10641 Remote Right

Or refer to As Built Spec Sheet

### 18.1 PANEL BOX DOOR LATCH & KNOB

910500 Southco Latch

### 18.2 - FLAME SAFEGUARD CONTROLS (Not Shown On Exploded View)

18.5

### **FIREYE**

### **MEP SERIES**

### CONTROLS AND SUBBASE LESS PROGRAMMER AND AMPLIFIER

361000 MEC120 Chassis and Dustcover

372200 61-3060 Subbase

#### **PROGRAMMERS**

361150	MEP230 Recycle Control with Prepurge
361160	MEP230H Non-Recycle Control with Intermittent Pilot
361170	MEP560 Non-Recycle Control with Interrupted Pilot
361190	MEP562 Non-Recycle Control with Interrupted Pilot and Lockout on
	Airflow Failure

#### <u>AMPLIFIERS</u>

361310	MEUV4 Ultraviolet 4 Seconds F.F.R.T.
361370	MERT4 Rectification 3 Seconds F.F.R.T.

### **E SERIES**

#### CONTROL AND SUBBASE LESS PROGRAMMER AND AMPLIFIER

372300 60-1386-2 Subbase

398420 ED510 Fireye Display Module

398800 E110 Fireye Chassis

# ITEM PART NO. NO. DESCRIPTION

5

### **PROGRAMMERS**

398100	EP160 60 Seconds Supervised Prepurge Interrupted Ignition
398130	EP260 60 Seconds Prepurge Interrupted Ignition
398160	EP380 30 Seconds Prepurge Interrupted Ignition/Intermittent or Interrupted Pilot
398180	EP390 90 Seconds Prepurge Interrupted Ignition/Intermittent or Interrupted Pilot

### **DISPLAY/PROGRAMMERS**

398820	EPD160 60 Seconds Supervised Prepurge Interrupted Ignition
398830	EPD260 60 Seconds Prepurge Interrupted Ignition
398840	EPD380 30 Seconds Prepurge Interrupted Ignition/Intermittent or
	Interrupted Pilot
398810	EPD390 90 Seconds Prepurge Interrupted Ignition/Intermittent or
	Interrupted Pilot

### **AMPLIFIERS**

398200	ERT1 Rectification
398210	EUV1 Ultraviolet
398220	EIRI Infrared
398230	EUVS4 Ultraviolet Self-Check

### **ACCESSORIES**

398300	E300 Expansion Module
398310	E350-3 3 Foot Ribbon Connector Cable
398320	E350-6 6 Foot Ribbon Connector Cable
398350	60-1950 Wiring Base for E300 Expansion Module
398460	ED512-4 RJ 12 Connector Cable
398510	ED610 Multi-port Cable Adaptor
398490	E500-1 Communication Interface
398500	E500-3 Communication Interface
399000	E340 Boiler Room Control

# NO. NO. DESCRIPTION

### **HONEYWELL**

### **R7184 SERIES**

395350	R7184P-1049 –	with 24 V	olt Alarm Contact
00000	1111071 1070	**************************************	

395360 R7184P-1056

### **R8184 SERIES**

395250	R8184G-1294
395260	R8184G-4090

### RM7800 SERIES

# PRIMARY SAFETY CONTROLS, 4 OR 10 SECONDS PFEP, LESS BASE, AMPLIFIER AND TIMER

397700	RM7895C-1012 Interrupted Pilot
397710	RM7895A-1014 Intermittent Pilot
397740	RM7896C-1010 Interrupted Pilot with Postpurge
397750	RM7896A-1012 Intermittent Pilot with Postpurge
397770	RM7897A-1002 Intermittent Pilot with Programmable Postpurge
397780	RM7897C-1000 Intermittent Pilot with Programmable Postpurge

# FLAME SAFEGUARD PROGRAMMER 4 OR 10 SECOND PFEP, WITH PROOF OF CLOSURE CIRCUIT, LESS BASE, AMPLIFIER AND TIMER, LESS DISPLAY

397500	RM7840E-1016 Same as RM7840L plus Energy Saving Prepurge
397510	RM7840G-1014 Recycle Interlock, Low Fire Interlock
397520	RM7840L-1018 Lockout Interlock, Purge and Low Fire Interlock
397521	RM7840L-1075 Lockout Interlock, Purge and Low Fire Interlock
397530	RM7840M-1017 Recycle Interlock, Low Fire Interlock

### NO. NO. DESCRIPTION

7

# FLAME SAFEGUARD PROGRAMMER WITH DISPLAY, 4 OR 10 SECOND PFEP, WITH PROOF OF CLOSURE CIRCUIT, LESS BASE, AMPLIFIER AND TIMER

397540	RM7800E-1010 Same as RM7800L plus Energy Saving Prepurge
397550	RM7800G-1018 Recycle Interlock, Low Fire Interlock
397560	RM7800L-1012 Lockout Interlock, Purge and Low Fire Interlock
397561	RM7800L-1037 Lockout Interlock, Purge and Low Fire Interlock
397570	RM7800M-1011 Recycle Interlock, Low Fire Interlock

### **SUBBASES**

400900	Q7800A-1005 Plastic (Internal) Mount
400910	Q7800B-1003 Metal (External) Mount
400920	Q7800B-1011 Metal Base with additional Conduit Knockouts

### **AMPLIFIERS**

406910	R7847C-1005 Self Check, Ultraviolet, 3 Seconds
406920	R7848A-1008 Non Self Check, Infrared, 3 Seconds
406950	R7849A-1023 Non Self Check, Ultraviolet, 3 Seconds
406960	R7849B-1021 Dynamic Check, Ultraviolet, 3 Seconds
406970	R7848B-1006 Dynamic Check, Infrared, 3 Seconds
406990	R7851B Solid State Ultraviolet, 2-3 Seconds

### TIMING CARDS

407710	ST7800A-1039 30 Seconds
407720	ST7800A-1062 90 Seconds

### **OPTIONS**

408001 S7800A-1142 Keyboard Display Module

# HONEYWELL REPLACEMENT CIRCUIT BOARDS NOTE: REV. 2 CIRCUIT BOARD STARTED SHIPPING NOVEMBER 2005

### SINGLE FUEL ON-OFF SYSTEM

Main Circuit Board
Main Circuit Board, Rev. 2
Light & Switch Circuit Board
Light & Switch Circuit Board, Rev. 2
Interconnecting Cable
Light & Switch Board Label

#### ITEM **PART** NO. NO. **DESCRIPTION** SINGLE FUEL MODULATION ODP 939291 Main Circuit Board, Rev. 2, Modulation 939281 Main Circuit Board 939302 Light & Switch Circuit Board 939312 Light & Switch Circuit Board, Rev. 2 Interconnecting Cable 939340 939323 Light & Switch Board Label SINGLE FUEL MODULATION 7895 939282 Main Circuit Board 939292 Main Circuit Board, Rev. 2, Modulation Light & Switch Circuit Board 939302 939312 Light & Switch Circuit Board, Rev. 2 939340 Interconnecting Cable 939323 Light & Switch Board Label SINGLE FUEL LOW-HIGH-LOW Main Circuit Board 939283 939293 Main Circuit Board, Rev. 2 Light & Switch Circuit Board 939304 Light & Switch Circuit Board, Rev. 2 939314 939340 Interconnecting Cable 939321 Light & Switch Board Label TWO FUEL ON-OFF 939284 Main Circuit Board 939294 Main Circuit Board, Rev. 2 Light & Switch Circuit Board 939301 939311 Light & Switch Circuit Board, Rev. 2 939340 Interconnecting Cable Light & Switch Board Label 939324 TWO FUEL MODULATION ODP Main Circuit Board 939285 939295 Main Circuit Board, Rev. 2 939303 Light & Switch Circuit Board Light & Switch Circuit Board, Rev. 2 939313

Interconnecting Cable
Light & Switch Board Label

939340

939322

### NO. NO. DESCRIPTION

### **TWO FUEL MODULATION 7895**

020206	Main	Circuit Board
939286	iviain	Circuit Board

- 939296 Main Circuit Board, Rev. 1
- 939303 Light & Switch Circuit Board
- 939313 Light & Switch Circuit Board, Rev. 2
- 939340 Interconnecting Cable
- 939322 Light & Switch Board Label

### TWO FUEL LOW-HIGH-LOW

- 939287 Main Circuit Board
- 939297 Main Circuit Board, Rev. 2 939305 Light & Switch Circuit Board
- 939315 Light & Switch Circuit Board, Rev. 2
- 939340 Interconnecting Cable
- 939320 Light & Switch Board Label

### **BURNER LOGIX YB110 SERIES**

### SUBBASE AND CONTROL WITH AMPLIFIER

00000	60-2814-1	<b>O</b>	O I. I
399332	60-2814-1	UNAN	Silnnage
JJJJJJ	00 2017 1	ODGII	Oubbase

- 399333 YB110UV Ultraviolet Non-self Check Control and Amp
- 399335 YB110UVSC Ultraviolet Self Check Control and Amp
- 399336 YB110IR Infrared Auto Check Control and Amp
- 399337 YB110FR Flame Rectification Control and Amp

#### **PROGRAMMER**

399330 YP100 Non-recycle, Modulation, Open Damper Providing 4 Second FFRT

### **DISPLAYS**

399339	BLV512 -	21: xx x 1	6 Characters,	VFD	, with Cable
--------	----------	------------	---------------	-----	--------------

399331 BLL510 – 21:xx x 16 Characters, LCD, with Cable

#### <u>ACCESSORIES</u>

- 399334 60-2874-1 Open Subbase
- 398470 ED-580-4 4' Connection Cable

# NO. NO. DESCRIPTION

### **BURNER LOGIX ZB110 SERIES**

### SUBBASE AND CONTROL WITH AMPLIFIER

399340	60-2854-1 Open Subbase
399510	ZB1104V Ultraviolet Non-self Check Control and Amp
399520	ZB110UVSC Ultraviolet Self Check Control and Amp
399500	ZB110IR Infrared Auto Check Control and Amp

### FIREYE CIRCUIT BOARD AND INDIVIDUAL PARTS

### CIRCUIT BOARDS

929280	Single Fuel Board Loaded with Bypass and DS Relay
929281	Dual Fuel Board Loaded with Fuel C/O and DS Relay

### LIGHT AND SWITCH CKT BOARD

929300	Single Fuel Light and Switch CKT Board
929301	Single Fuel Light and Switch CKT Board, A/M Switch, Mod Pot
929302	Dual Fuel Light and Switch CKT Board, Fuel C/O
929303	Dual Fuel Light and Switch CKT Board, A/M Switch, Mod Pot

### CABLE ASSEMBLY (SAME FOR BOTH SINGLE AND DUEL FUEL KITS

929240 6 Conductor, 24 Inches 929241 8 Conductor, 24 inches

### **BYPASS RELAYS**

929243	Single Fuel Bypass Relay 4PDT
929244	Single Fuel Bypass Relay DPDT

### **FUEL C/O RELAYS**

929245	Dual Fuel C/O DPDT Relay
929246	Dual Fuel C/O 4PDT Relay
929247	Direct Spark SPDT Relay

NO. NO. DESCRIPTION

### FIREYE CIRCUIT BOARD AND INDIVIDUAL PARTS - Cont'd

### LABELS AND ACCESSORIES

929248	Switch Bezel
929249	Potentiometer Knob
929220	Single Fuel Label On-Off
929221	Single Fuel Label Mod
929222	Dual Fuel Label On-Off
929223	Dual Fuel Label Mod

### SIGNAL LIGHTS - LENS CAP - FOR LIGHT CIRCUIT BOARDS

655900	Red
655901	Amber
655902	Green
655903	Blue
655904	White

### LIGHT CIRCUIT BOARDS

939250	4 LED Annunciator
939251	4 LED Annunciator Label – Specify Light Functions
939260	6 LED Annunciator
939261	6 LED Annunciator Label – Specify Light Functions
939270	8 LED Annunciator
939271	8 LED Annunciator Label – Specify Light Functions

### **CIRCUIT BOARD RELAYS, FUSES AND MISC.**

927700	GGG Glass 6 Amp Fuse
927701	GDL Glass 15 Amp Fuse
939410	Relay
939420	Relay Clip
939340	Cable
939343	Switch Frame
939344	Pot Knob

### 18.6 OPERATING AND LIMIT CONTROLS (Not Shown On Exploded View)

### **STEAM PRESSURE CONTROLS**

434000	PA404A-1009 .5-9 PSI Range, .16 kg, SPST Switch Breaks on
	Pressure Rise
432050	L404A-1354 2-15 PSI Range, 1-6 PSI Differential, SPST Switch, HW
	Pressuretrol, No Siphon

NO. NO. DESCRIPTION

### 18.6 OPERATING AND LIMIT CONTROLS (Not Shown On Exploded View)- Cont'd

### **STEAM PRESSURE CONTROLS**

432250	L404A-1396 10-150 PSI Range, 8-16 PSI Differential, SPST Switch, HW
	Pressuretrol, No Siphon
432700	L404C-1162 10-150 PSI Range, No Adjustment Differential, SPST
	Switch, HW Pressuretrol, Manual Reset
432800	L404C-1147 2-15 PSI Range, No Adjustment Differential, SPST Switch,
	HW Pressuretrol, Manual Reset, No Siphon
430400	L91B-1035 0-15 PSI Range, 1-12 Throttling Range, HW Proportioning
	Pressuretrol, Modulating
430500	L91B-1050 5-150 PSI Range, 5-23 Throttling Range, HW Proportioning
	pressuretrol, Modulating
	•

### **WATER TEMPERATURE CONTROLS**

420000	L4006A-1009 100°-240°F HW Aquastat
420300	L4006A-1678 100°-240°F 5°-30° Differential, Vertical HW Aquastat
420600	L4006E-1000 110°-290°F Manual Reset, Well Included HW Aquastat
422000	L6006A-1012 100°-240°F 5°-30° Adjustable Differential, HW Aquastat
423000	112622AA, Immersible Well for HW T991A-1/2"
423050	112630AA, Immersible Well for HW T991A-3/4"
440500	T991A-1061 160°-260°F, Modulating 5' Element, HW Thermostat
440600	T991A-1079 160°-260°F, Modulating 20' Element, HW Thermostat
423150	121371A 1/2" Well for L4006
423300	121371A 3/4" Well for L4006

### 18.7 RELAYS (Not Shown On Exploded View)

553910	Socket for KUP Relay 555200
554530	KUP14A55 3 PDT
555500	PT320615 Schrak 3PF7
555501	Schrak Relay Clip
555510	PT78730 Schrak Relay Base
556280	TGMLB115SC2 (Delay on Break) 15 Seconds
556370	TGC105SC1 (Delay on Make) 5 Seconds
556420	THC105SC (Delay on Make) 5 Seconds
556290	THCU1023E (Delay on Make) Airotronics 1-1023 Seconds
556430	THCU1300SC (Delay on Make) Airotronics 5 Minutes
556380	TBC1012 (Delay on Make) Airotronics 12 Seconds
556540	RTE-B12 (Delay on Make) 120 Volt IDEC Timer
556480	SR3B-05 Socket for use with RTEL-BN2 Timer

# NO. NO. DESCRIPTION

### 18.7 RELAYS (Not Shown On Exploded View) - Cont'd

551000	TDM120AL 1-1023 on Delay SSAC
553900	OT08-PC Connector 8 pn Socket for KRP
556530	TGML B1100A2 (Delay on Make) Airotronics 1-100 Seconds
555200	KUP14A15-120 3PDT Relay
555000	SAS5S110AD Crouzet (Delay on Make) 5 Seconds
555010	SASSP100S110AD Crouzet (Delay on Make) 1–100 Seconds
555020	SAS300S110AD Crouzet (Delay on Make) 300 Seconds
555030	SASP1000S110AD Crouzet (Delay on Make) 10-1000 Seconds
554800	G7L-1A-T-CB-AC 100/120 Omron SPST
554900	P7LF-D Omron Socket – Din Rail Mount for 554800
556190	FS126RC SSAC Solid State Flasher
555070	MAR1 Time Delay (Delay on Make) 1 Second to 100 Hours

### 18.8 <u>CONTACTORS - SIEMENS</u>

576000	2/3/5/7.5HP 9A IND 40A Res 120V Coil, 3RT1023-1AK60 & 3RH1921-1DA11
576010	3/3/5/7.5HP 9A IND 40A Res 240V Coil, 3RT1023-1AP60 & 3RH1921- 1DA11
576020	3/3/7.5/10HP 12A IND 40A Res 120V Coil, 3RT1024-1AK60 & 3RH1921-1DA11
576030	3/3/7.5/10HP 12A IND 40A Res 240V Coil, 3RT1024-1AP60 & 3RH1921-1DA11
576040	5/5/10/15HP 17A IND 40A Res 120V Coil, 3RT1025-1AK60 & 3RH1921-1DA11
576050	5/5/10/15HP 17A IND 40A Res 240V Coil, 3RT1025-1AP60 & 3RH1921-1DA11
576060	7.5/7.5/15/20HP 25A IND 40A Res 120V Coil, 3RT1026-1AK60 & 3RH1921-1DA11
576070	7.5/10/20/25HP 28A IND 35A Res 120V Coil, 3RT1033-1AK60 & 3RH1921-1DA11
576080	7.5/7.5/15/20HP 25A IND 40A Res 240V Coil, 3RT1026-1AP60 & 3RH1921-1DA11
576090	7.5/10/20/25HP 28A IND 35A Res 240V Coil, 3RT1033-1AP60 & 3RH1921-1DA11
576100	10/10/25/30HP 32A IND 50A Res 120V Coil, 3RT1034-1AK60 & 3RH1921-1DA11
576110	10/10/25/30HP 32A IND 50A Res 240V Coil, 3RT1034-1AP60 & 3RH1921-1DA11
576120	10/15/30/40HP 40A IND 60A Res 120V Coil, 3RT1035-1AK60 & 3RH1921-1DA11

# NO. NO. DESCRIPTION

### 18.8 <u>CONTACTORS – SIEMENS – Cont'd</u>

576130	10/15/30/40HP 40A IND 60A Res 240V Coil, 3RT1035-1AP60 & 3RH1921-1DA11
F70440	
576140	15/15/40/50HP 50A IND 55A Res 120V Coil, 3RT1036-1AK60 &
	3RH1921-1DA11
576150	15/15/40/50HP 50A IND 55A Res 240V Coil, 3RT1036-1AP60 &
	3RH1921-1DA11
576160	20/25/50/60HP 65A IND 100A Res 120V Coil, 3RT1044-1AK60 &
	3RH1921-1DA11
576170	20/25/50/60HP 65A IND 100A Res 240V Coil, 3RT1044-1AP60 &
	3RH1921-1DA11
576180	25/30/60/75HP 80A IND 120A Res
576190	25/30/60/75HP 80A IND 120A Res 240V Coil, 3RT1045-1AP60 &
0.0.00	3RH1921-1DA11
576200	30/30/75/100HP 95A IND 120A Res 120V Coil, 3RT1046-1AK60 &
070200	3RH1921-1DA11
576210	30/30/75/100HP 95A IND 120A Res 240V Coil, 3RT1046-1AP60 &
370210	3RH1921-1DA11
576220	40/50/100/125HP 115A IND 160A Res 120V Coil, 3RT1054-6AF36 &
376220	
F70000	(2)3RT1956-4G
576230	40/50/100/125HP 115A IND 160A Res 240V Coil, 3RT1054-6AF36 &
==00.40	(2)3RT1956-4G
576240	50/60/125/150HP 150A IND 185A Res 120V Coil, 3RT1055-6AF36 &
	(2)3RT1956-4G
576250	50/60/125/150HP 150A IND 185A Res 240V Coil, 3RT1055-6AF36 &
	(2)3RT1956-4G
576260	60/75/150/200HP 225A IND 275A Res 120V Coil, 3RT1064-6AF36 &
	(2)3RT1966-4G
576270	60/75/150/200HP 225A IND 275A Res 240V Coil, 3RT1064-6AF36 &
	(2)3RT1966-4G
576280	3P,9A, 5HP @ 460V AC, 120V Coil, 1 N.O. included, 3RT1016-1AK61
576290	3P,9A, 5HP @ 460V AC, 240V Coil, 1 N.O. included, 3RT1016-1AP61
	, , , , , , , , , , , , , , , , , , , ,

### 18.9 MOTOR STARTERS - SIEMENS

577000	1.5/2/3/5HP 0.46-0.63A 120V Coil, 3RT1015-1AK61 & 3RU1116-OGBO
577010	1.5/2/3/5HP 0.46-0.63A 240V Coil, 3RT1015-1AP61 & 3RU1116-OGBO
577020	1.5/2/3/5HP 0.7-1A 120V Coil, 3RT1015-1AK61 & 3RU1116-OJBO
577030	1.5/2/3/5HP 0.7-1A 240V Coil, 3RT1015-1AP61 & 3RU1116-OJBO
577040	1.5/2/3/5HP 1.1-1.6A 120V Coil, 3RT1015-1AK61 & 3RU1116-1ABO
577050	1.5/2/3/5HP 1.1-1.6A 240V Coil, 3RT1015-1AP61 & 3RU1116-1ABO
577060	1.5/2/3/5HP 1.4-2.0A 120V Coil. 3RT1015-1AK61 & 3RU1116-1BBO

### NO. NO. DESCRIPTION

### 18.9 MOTOR STARTERS – SIEMENS – Cont'd

577070 577080 577090 577100 577110 577120 577130 577140 577150 577160	1.5/2/3/5HP 1.4-2.0A 240V Coil, 3RT1015-1AP61 & 3RU1116-1BBO 2/3/5/7.5HP 1.8-2.5A 120V Coil, 3RT1016-1AK61 & 3RU1116-1CBO 2/3/5/7.5HP 1.8-2.5A 240V Coil, 3RT1016-1AP61 & 3RU1116-1CBO 2/3/5/7.5HP 2.2-3.2A 120V Coil, 3RT1016-1AK61 & 3RU1116-1DBO 2/3/5/7.5HP 2.2-3.2A 240V Coil, 3RT1016-1AP61 & 3RU1116-1DBO 2/3/5/7.5HP 2.8-4A 120V Coil, 3RT1016-1AK61 & 3RU1116-1EBO 2/3/5/7.5HP 2.8-4A 240V Coil, 3RT1016-1AP61 & 3RU1116-1EBO 2/3/5/7.5HP 3.5-5A 120V Coil, 3RT1016-1AK61 & 3RU1116-1FBO 2/3/5/7.5HP 3.5-5A 240V Coil, 3RT1016-1AP61 & 3RU1116-1FBO 2/3/5/7.5HP 4.5-6.3A 120V Coil, 3RT1016-1AK61 & 3RU1116-1FBO
577170	2/3/5/7.5HP 4.5-6.3A 240V Coil, 3RT1016-1AP61 & 3RU1116-1GBO
577180	2/3/5/7.5HP 5.5-8A 120V Coil, 3RT1016-1AK61 & 3RU1116-1HBO
577190	2/3/5/7.5HP 5.5-8A 240V Coil, 3RT1016-1AP61 & 3RU1116-1HBO
577200 577210	3/3/7.5/10HP 7-10A 120V Coil, 3RT1071-1AK61 & 3RU1116-1JBO 3/3/7.5/10HP 9-12.5A 120V Coil, 3RT1024-1AK60 & 3RH1921-1DA11 &
5//210	3RU1126-1KBO
577220	3/3/7.5/10HP 7-10A 240V Coil, 3RT1017-1AP61 & 3RU1116-1JBO
577230	3/3/7.5/10HP 9-12.5A 240V Coil, 3RT1024-1AP60 & 3RH1921-1DA11 & 3RU1126-1KBO
577240	5/5/10/15HP 9-12.5A 120V Coil, 3RT1025-1AK60 & 3RH1921-1DA11 & 3RU1126-1KBO
577250	5/5/10/15HP 9-12.5A 240V Coil, 3RT1025-1AP60 & 3RH1921-1DA11 & 3RU1126-1KBO
577260	5/5/10/15HP 11-16A 120V Coil, 3RT1025-1AK60 & 3RH1921-1DA11 & 3RU1126-4ABO
577270	5/5/10/15HP 11-16A 240V Coil, 3RT1025-1AP60 & 3RH1921-1DA11 & 3RU1126-4ABO
577280	5/5/10/15HP 14-20A 120V Coil, 3RT1025-1AK60 & 3RH1921-1DA11 & 3RU1126-4BBO
577290	5/5/10/15HP 14-20A 240V Coil, 3RT1025-1AP60 & 3RH1921-1DA11 & 3RU1126-4BBO
577300	7.5/7.5/15/20HP 14-20A 120V Coil, 3RT1026-1AK60 & 3RH1921-1DA11 & 3RU1126-4BBO
577310	7.5/10/20/25HP 14-20A 120V Coil, 3RT1033-1AK60 & 3RH1921-1DA11 & 3RU1136-4BBO
577320	7.5/7.5/15/20HP 14-20A 240V Coil, 3RT1026-1AP60 & 3RH1921-1DA11 & 3RU1126-4BBO
577330	7.5/10/20/25HP 14-20A 240V Coil, 3RT1033-1AP60 & 3RH1921-1DA11 & 3RU1136-4BBO
577340	7.5/7.5/15/20HP 20-25A 120V Coil, 3RT1026-1AK60 & 3RH1921-1DA11 & 3RU1126-4DBO

### NO. NO. DESCRIPTION

### 18.9 MOTOR STARTERS – SIEMENS – Cont'd

577350	7.5/10/20/25HP 18-25A 120V Coil, 3RT1033-1AK60 & 3RH1921-1DA11
377330	& 3RU1136-4DBO
577360	7.5/7.5/15/20HP 20-25A 240V Coil, 3RT1026-1AP60 & 3RH1921-1DA11
	& 3RU1126-4DBO
577370	7.5/10/20/25HP 240V Coil, 3RT1033-1AP60 & 3RH1921-1DA11 &
577380	3RU1136-4DBO 10/10/25/30HP 22-32A 120V Coil, 3RT1034-1AK60 & 3RH1921-1DA11 &
311300	3RU1136-4EBO
577390	10/10/25/30HP 22-32A 240V Coil, 3RT1034-1AP60 & 3RH1921-1DA11 &
	3RU1136-4EBO
577400	10/15/30/40HP 18-25A 120V Coil, 3RT1035-1AK60 & 3RH1921-1DA11 &
577440	3RU1136-4DBO
577410	10/15/30/40HP 18-25A 240V Coil, 3RT1035-1AP60 & 3RH1921-1DA11 & 3RU1136-4DBO
577420	10/15/30/40HP 22-32A 120V Coil, 3RT1035-1AK60 & 3RH1921-1DA11 &
011-120	3RU1136-4EBO
577430	10/15/30/40HP 22-32A 240V Coil, 3RT1035-1AP60 & 3RH1921-1DA11 &
	3RU1136-4EBO
577440	10/15/30/40HP 28-40A 120V Coil, 3RT1035-1AK60 & 3RH1921-1DA11 &
F774F0	3RU1136-4FBO
577450	10/15/40/50HP 28-40A 240V Coil, 3RT1035-1AP60 & 3RH1921-1DA11 & 3RU1136-4FBO
577460	15/15/40/50HP 28-40A 120V Coil, 3RT1036-1AK60 & 3RH1921-1DA11 &
	3RU1136-4FBO
577470	15/15/40/50HP 28-40A 240V Coil, 3RT1036-1AP60 & 3RH1921-1DA11 &
	3RU1136-4FBO
577480	15/15/40/50HP 40-50A 120V Coil, 3RT1036-1AK60 & 3RH1921-1DA11 &
577490	3RU1136-4HBO 15/15/40/50HP 40-50A 240V Coil, 3RT1036-1AP60 & 3RH1921-1DA11 &
311430	3RU1136-4HBO
577500	20/25/50/60HP 45-63A 120V Coil, 3RT1044-1AK60 & 3RH1921-1DA11 &
	3RU1136-4JBO
577510	20/25/50/60HP 45-63A 240V Coil, 3RT1044-1AP60 & 3RH1921-1DA11 &
	3RU1136-4JBO
577520 577520	30/30/75/100HP 25-100A 120V Coil, 3RT1023-1AK60 & 3RB1046 -2EBO
577530 577540	25/30/60/75HP 25-100A 120V Coil, 3RT1045-1AK60 & 3RB1046 - 2EBO 10/15/30/40HP 13-50A 120V Coil, 3RT1035-1AK60 & 3RB1036 - 2UBO
J11J <del>1</del> U	10/10/00/40111 10-00/120 V Ooil, 31(11000-1/1(100 & 31(1000-2000

ITEM PART

NO. NO. DESCRIPTION

18.13 LIGHTS

### **SIGNAL LIGHTS - Rectangular**

654000	White 120V Oslo
654010	Amber 120V Oslo
654020	Red 120V Oslo
654030	Blue 120V Oslo
654040	Green 120V Oslo

### SIGNAL LIGHTS - 1" (Glass)

653050	Dialco Bulb
657110	Dialco Red Lens
657120	Dialco Green Lens
657130	Dialco Amber Lens
657140	Dialco Blue Lens
657150	Dialco White Lens
657100	Dialco Base (oil tight)

### **DIRECTOR LIGHTS AND ACCESSORIES**

655700	5SD1LRN1/36 1/2" Red
655710	5SD1LAN1/36 1/2" Amber
655720	5SD1LBZ1/36 1/2" Blue
655730	5SD1LGX1/36 1/2" Green
655740	5SD1LWN White
655750	1/2" Timmerman Clip
938900	60843-1 2 Circuit Commoning Tab
938910	60842-1 3 Circuit Commoning Tab
938920	60620-1 Loose Piece Pin
938930	60619-1 Loose Piece Socket
938940	1-480324-O Pin Housing
938950	1-480323-O Socket Housing

## 18.14 <u>CONTROL SWITCHES</u>

140400	SPST Control Circuit - Toggle
140700	SPST Control - Rocker
140710	DPDT Momentary Rocker
140720	DPDT No Center Off Rocker
140730	DPDT Center Off Rocker
140740	N.O. Pushbutton
140750	N.C. Momentary Pushbutton

ITEM PART
NO. NO. DESCRIPTION

# 18.15 <u>SWITCHES</u>

Blast Tube Temperature Sensing Switch
4PDT Fuel Selector Switch, Cutler Hammer
DPDT No Center Off Manual-Auto
SPDT Center Off Hands Off Auto

### **PUSH TO TEST SWITCHES**

931730	52BAJ Furnace N.C. Contact Block
931700	52PA8A1 Furnace Push Button Operator
142100	No. 100 N.O. SPST Push Button

### NEMA 4

931290	9001-KS11 2 pos SQD Selector Switch
931300	9001-KS43 3 pos SQD Selector Switch
658400	9001 KR-1U SQD Push Button
931400	9001 KA1 SQD SPDT Contact
931350	9001 B11 Black Operator Knob
931620	9001 KN200 BP SQD Legend Plate
931450	9001 KA2 SPST SQD Contact Block

### 18.16 <u>TERMINAL STRIPS</u>

610350	KT3 3 Pole 600V Connectron Terminal Block
610360	KAD End Mounting Adaptor
610370	MT 12 1/2" Marking Strip
612010	D6/8 ADO 14-16 GA, Screw Terminal Grey Block
612040	10 Pole Jumper Bar for D6/8 Block
612070	M10/10 Screw Terminal, 6-20 GA, 65 A
612080	End Section for M10/10
612090	M35/16, 0-16 GA, 150 A
612100	End Section for M35/16
612110	MTC6 Thermocouple Block
612120	End Section for MTC 6 Block
612130	D6/8 ADO 14-16 GA Screw Terminal Red
612140	D4/6 ADO, 16-22 GA ADO Screw Terminal Ivory
612200	M6/8, Terminal Block, 50 Amp, 8-22 GA Screw

### 18.17 MICRO SWITCH

141200	BZE6-2RQ
X02383	Damper Micro Switch Cam

#### ITEM **PART** NO. NO. **DESCRIPTION** 18.18 **STEPDOWN TRANSFORMERS** 500VA KT0500Z1 208/230/460/120 with Fuse Blocks 333001 333006 500VA 575/120 KT0500Z2 333830 TA-2-69306 750VA 208/230/460 335000 EL9J 500VA 600/120 (External Mount) 332100 AT72D-1089 120/24 (Modulating Motor) (Panel Mount) 500VA 230/460/115 (Panel Mount) 333950 333960 500VA 208/115 (Panel Mount) 334990 500VA 208/120 (External Mount) 335100 500VA 240/480/115/240 (External Mount) 333790 TA-2-32406 500VA 600/575/550/480/415/300/240/208 333001 500VA 208/230/460 to 120V 333006 500VA 575 to 120V 18.19 CONTROL CIRCUIT FUSES 600 VOLT – CC CLASS 1 Pole CC Class Fuseblock 611731 611740 2 Pole CC Class Fuseblock 611750 3 Pole CC Class Fuseblock 925000 ATMR4 4 Amp, 600V Non-Motor Rated Ferraz Shawmut Fuse 925010 ATMR5 5 Amp, 600V Non-Motor Rated Ferraz Shawmut Fuse ATMR6 6 Amp, 600V Non-Motor Rated Ferraz Shawmut Fuse 925020 ATMR10 10 Amp, 600V Non-Motor Rated Ferraz Shawmut Fuse 925070 ATMR15 15 Amp, 600V Non-Motor Rated Ferraz Shawmut Fuse 925080 STEPDOWN AND MOTOR FUSES - CC CLASS 926000 ATDR-3 3 Amp Ferraz Shawmut Low Peak Dual Element Time Delay ATDR-2 2 Amp Ferraz Shawmut Low Peak Dual Element Time Delay 926030 ATDR-4 4 Amp Ferraz Shawmut Low Peak Dual Element Time Delay 926060 Fuse 926120 ATDR-5 5 Amp Ferraz Shawmut Low Peak Dual Element Time Delay ATDR-2.8 2.8 Amp Ferraz Shawmut Low Peak Dual Element Time Delay 926130 926140 ATDR-6 6 Amp Ferraz Shawmut Low Peak Dual Element Time Delay Fuse ATDR-8 8 Amp Ferraz Shawmut Low Peak Dual Element Time Delay 926150

926160

Fuse

ATDR-9 9 Amp Ferraz Shawmut Low Peak Dual Element Time Delay

# NO. NO. DESCRIPTION

### STEPDOWN AND MOTOR FUSES - CC CLASS - Cont'd

926110	ATDR-10 10 Amp Ferraz Shawmut Low Peak Dual Element Time Delay Fuse
926070	ATDR-15 15 Amp Ferraz Shawmut Low Peak Dual Element Time Delay Fuse
926050	ATDR-20 20 Amp Ferraz Shawmut Low Peak Dual Element Time Delay Fuse
926090	ATDR-25 25 Amp Ferraz Shawmut Low Peak Dual Element Time Delay Fuse
926080	ATDR-30 30 Amp Ferraz Shawmut Low Peak Dual Element Time Delay Fuse

### 18.20 POTENTIOMETERS

480170	270 OHM (Limiting)
480200	150 OHM (Manual)
480560	Knob
912360	Label

### 18.21 <u>METERS</u>

470550	0-25 DC Volt, TFM, UVP, UVM, D Series (Panel Mount)
471100	0-50 Microammeter (Panel Mount), Triplett
930500	117053 Cable Connector for Microammeter

### 18.22 ENGRAVED LABELS - ADHESIVE BACK

913100 210-221 1/16" x 1/2" x 2" Blank (Specify Verbiage Required When Ordering)

### 18.23 PRESSURE SENSITIVE PREPRINTED LABELS - 1/2" X 2"

914000	Control
914010	Power On
914020	Main Fuel
914030	Manual-Auto
914040	Manual-Pot
914050	Fuel Valve
914060	Low Fire Hold
914070	Alarm Silencing
914080	Flame Failure
914090	Service Switch
914100	Call for Heat

NO. <u>NO.</u> **DESCRIPTION** 

#### 18.23 PRESSURE SENSITIVE PREPRINTED LABELS - 1/2" X 2" - Cont'd

914110 Ignition On Low Water 914120 914130 Pilot Failure 914140 Oil-Auto 914150 Oil-Gas Pilot On 914160 914170 On-Off 914180 No. 1 Lead, No. 2 Lead 914190 Flame Out Caution 912350 912310 Power Flame Logo 912380 Copper Conductor Consult Factory for Additional Labels

#### 19 **PUMP COUPLING ADAPTORS**

X04000	5/8" x 1/2" for Integral Pump and 56C Motor
C13182	7/8" x 1/2" for Integral Pump and 145 Motor
X02564	7/8" x 1/2" x 5" for C4 Integral Pump

#### 19.1 **PUMP BUSHINGS**

122500	7/16" x 5/16" for 2 Step Suntec Pump
M10350	7/16" x .315" for Combu Pumps

#### 20 PUMP COUPLINGS, INTEGRALLY MOUNTED PUMPS

120000	31PG 4 $1/2$ " x $1/2$ " x $7/16$ " for C1 (Appropriate Bushing required - See 19.1)
120100	31PG 5 1/2" x 1/2" x 7/16" for C2 (Appropriate Bushing required - See
C14100	19.1) 31PG 7 1/2" x 1/2" x 7/16" for C3, 4 with Integral Pump (Includes
121100	Reinforcing Piece) ALO-90 5/8" x 7/16" for C3, 4, 5, 6 with Remote Pump

#### 20.1 **PUMP COUPLINGS, PARTS**

X02550	Reinforcing Piece for C14100
123000	36" Length Rubber Body Only
120400	7/16" Metal End Only
120500	1/2" Metal End Only

<u>NO.</u> <u>NO.</u> **DESCRIPTION** 

#### OIL PUMPS - (FUEL UNITS) 300 PSI 21

### **SUNTEC**

100000	H3PAN-C160H 14 GPH - 3450 RPM
100200	H4PAN-C161H 23 GPH - 3450 RPM
100310	H6PAN-C154H 45 GPH - 3450 RPM
100400	H8KCN-C200H 55 GPH - 1750 RPM
100800	B2TA-8850-N642R 10 GPH - 2 Step - 3450 RPM
100850	B2TA-8851-N642R 16 GPH - 2 Step - 3450 RPM
100910	B2TA-8249 16 GPH - 3450 RPM
100950	B2TA-8852-N642L 23 GPH - 2 Step - 3450 RPM

### **WEBSTER**

101600	2R626D-5C14 50 GPH - 1725 RPM
101800	2V026C-5D020 95 GPH - 1725 RPM
101900	V026C-4D020 95 GPH - 1725 RPM
102500	22R221D-5C14 20 GPH - 3450 RPM
102600	22R322D-5AA14 34 GPH - 3450 RPM
102700	22R623D-5AA14 56 GPH - 3450 RPM

### <u>COMBU</u>

105010 CV4RR25 25 GPH - 3450 RPM

#### 21.2 **REMOTE OIL PUMP PARTS**

TH	HRU	
~ 4	_	

THRU		
21.5	120000	31PG Coupling for C1 (Appropriate Bushing required - see below)
	120100	31PG Coupling for C2 (Appropriate Bushing required - see below)
	121100	ALO-90 Coupling for Remote Suntec H Pump and Webster Pumps
	122500	Bushing for 12000 and 12010 Coupling with Suntec Pump
	M10350	Bushing for 12000 and 12010 Coupling with Combu Pump
	C13180	Pump Stand
	102350	Combu Remote Fuel Unit Stand
	102360	Remote Pump Adaptor Plate
	100100	Suntec Adaptor Flange (Not Shown On Exploded View)
	X02095	1/8 90 ☐ BR Street EL 116A-A
	C13186	Remote Pump Stand Coverplate
	(Refer to Ite	em Numbers (15) and (21) for Motors and Pumps)

### NO. NO. DESCRIPTION

### 21.6 <u>OIL PRESSURE SWITCHES (Not Shown On Exploded View)</u>

151000	DAF31-3 Range 9 Mercoid
151050	DAF31-153 Range 9 Mercoid
151600	B424V XG6 Ashcroft

### 21.7 OIL FILTERS, ELEMENTS AND "O" RINGS (Not Shown On Exploded View)

### COMBU OIL FILTERS - GENERAL PURPOSE - ALUMINUM

985390	70101-100, 100 Micron, 1" NPT, 320 GPH, 0.5" Mercury
985400	70101-300, 300 Micron, 1" NPT, 320 GPH, 0.5" Mercury

### COMBU OIL FILTER ELEMENTS - STAINLESS STEEL

985880	70310-60 Pleated S.S. Element for 70311-60
985930	70100-100 Pleated S.S. Element for 70101-100
985940	70100-300 Pleated S.S. Element for 70101-300

### COMBU OIL FILTER "O" RINGS

985960	For 70361 and 70311
005070	For 70101

#### 985970 For 70101

#### FULFLO OIL FILTERS WITH FIBER CARTRIDGE, 3/8" NPT

734100 FB6 734200 FB10

### 21.8 SIMPLEX OIL STRAINERS (Not Shown On Exploded View)

### KRAISSL CAST IRON 125# WITH 100 MESH BASKET

732920 #72-07 1" 732930 #72-03 1/2" 732960 #72-11 1 1/2"

NO. NO. DESCRIPTION

### 22 <u>OIL VALVES, BRACKETS, BOXES</u>

THRU

**22.6** X02501 U-28-38-22-12 1/8" Oil Valve 300 PSI X02504 1/4" UACF2NV Oil Valve 300 PSI

X02505 E7LUS 1/8" Oil Valve 15 GPH 300 PSI

X02508 U-31-30-22-12 1/8" 3 Way Oil Valve 300 PSI

X02518 NM22057101 1/4" 300 PSI

X02520 MCBV-BB Oil Regulator with Fittings

C13190 3/8" Single Oil Valve Bracket (Not Shown On Exploded View)

C84210 3 Hole Valve Junction Box Less Cover C84220 4 Hole Valve Junction Box Less Cover

C83070 3 Hole Valve Junction Box Cover for C84210 C83100 4 Hole Valve Junction Box Cover for C84220

211450 HOV1A3021171 N.C. 1/2" Valve with Proof of Closure

X02503 1/8" S311AF02V2AC9 202490 SV401A02V9B7 1/4"

### 22.7 OIL PRESSURE GAUGE (Not Shown On Exploded View)

465200 0-400 PSI 2 1/2" Dial

460010 0-60# 2 1/2" Dial

460200 0-100# 2 1/2" Dial

465250 0-100# 2" Dial

465300 0-100# 2 1/2" Dial Liquid Filled

465360 0-600# 2 1/2" Dial Liquid Filled

460040 0-60# 4 1/2" Dial 464040 0-400# 4" Dial

#### VACUUM GAUGE

462050 0-30# 2 1/2" Dial

462060 0-30# 4" Dial

### 23 <u>OIL IGNITION TRANSFORMERS</u>

321000 120/10,000 Volt

321100 120/10,000 Volt Epoxy

323100 120/12,000 Volt

323200 120/12,000 Volt Epoxy 321050 120/10,000 Volt 50 Cycle

### 24 PHOTOCELL MOUNTING BRACKET

C24070 Mounting Bracket

NO. NO. DESCRIPTION

### 25 <u>OIL GUN ASSEMBLIES</u>

Refer to As Built Spec Sheet

### 25.1 GAS GUN ASSEMBLIES

	Includes Diffuser	
	Part #	
C95058	C23010	C1
C95068	C23110	C2
C95069	C23150	C2 3PV - Spinner Mounted Scanner
C95073	C23210	C3
C95074	C23250	C3 3PV - Spinner Mounted Scanner
C30409	C23379	C4/5 Spinner Mounted Scanner
C30099	C23377	C5B Gun Mounted Pilot (F30150), Spinner Mounted Scanner
C30414	C29931	C6 Gun Mounted Pilot (F30150), Spinner Mounted Scanner
C30600	C29931 8	kC7
	F30150	
C30604	C29931 8	kC8
	F30150	
	Or refer to	o As Built Spec Sheet

### 26 <u>OIL IGNITION ELECTRODES - (ORDER IN PAIRS)</u>

C14025 Jacobs Ladder Electrodes Pair for use with 5/8" Hex Nozzle
C14022 Jacobs Ladder Electrodes Pair for use with 13/16" Hex Nozzle

### 27 <u>OIL NOZZLES</u>

### **DELAVAN TYPE B - SIMPLEX**

45 Degrees		70 Degrees	<u> </u>
533050	3.50 GPH	532480	8.00 GPH
533020	4.50 GPH	532830	8.50 GPH
		533090	9.00 GPH
60 Degrees		532840	9.50 GPH
		532790	10.00 GPH
531390	2.00 GPH	532870	11.00 GPH
531540	2.25 GPH	533120	12.00 GPH
531440	2.50 GPH	532820	13.00 GPH
531430	3.00 GPH		

NO. NO. DESCRIPTION

### 27 <u>OIL NOZZLES – Cont'd</u>

### **DELAVAN TYPE B - SIMPLEX**

60 Degre	<u>es</u>		
531490	3.25 GPH	80 Degrees	
531510	3.50 GPH		
531530	4.00 GPH	532100	2.00 GPH
531560	4.50 GPH	532150	2.25 GPH
531460	5.00 GPH	532200	2.50 GPH
531470	5.50 GPH	532250	3.00 GPH
531480	6.50 GPH	532260	3.25 GPH
532910	7.00 GPH	532300	3.50 GPH
532730	9.50 GPH	532350	4.00 GPH
533070	10.00 GPH	532400	4.50 GPH
532860	11.00 GPH	532450	5.00 GPH
532740	12.00 GPH	532500	5.50 GPH
532690	13.00 GPH	532550	6.00 GPH

## 70 Degrees

2.00 GPH
2.50 GPH
3.00 GPH
3.25 GPH
3.50 GPH
4.00 GPH
4.50 GPH
5.00 GPH
5.50 GPH
6.00 GPH
6.50 GPH
7.00 GPH

# 90 Degrees

532950	2.50 GPH
532970	3.25 GPH
532990	3.50 GPH
533000	5 00 GPH

### 80 Degrees

<del></del>	
532700	6.50 GPH
532760	7.00 GPH
532710	7.50 GPH
532770	8.00 GPH
532720	8.50 GPH
532780	9.00 GPH
532850	9.50 GPH
532800	10.00 GPF
532810	11.00 GPH
533110	12.00 GPH
532880	13.00 GPH
532750	14.00 GPF
533080	17.00 GPH

### NO. NO. DESCRIPTION

535850

535670

535860

535680

15.00 GPH

15.50 GPH

16.00 GPH

17.50 GPH

### <u>DELAVAN VARIFLOW BYPASS</u> <u>HAGO BYPASS</u>

70 Degree	es	60 De	egrees
533400	80.00 GPH 30637-2	53516	
533410	90.00 GPH 30637-6	53517	
533420	100.00 GPH 30637-10	53518	
		53519	
80 Degree	es	53520	
532570	12.00 GPH 33769-73	53521	
532580	14.00 GPH 33769-77	53522	20 24.00 GPH
532610	16.00 GPH 33769-80	53523	30 28.00 GPH
530900	30.00 GPH 30630-17-1637	53524	40 30.00 GPH
530910	35.00 GPH 30630-22-1637	53525	35.00 GPH
530920	37.50 GPH 30630-54-1637	53526	60 40.00 GPH
531000	40.00 GPH 30630-27-1637	53527	70 45.00 GPH
531050	45.00 GPH 30630-32-1637	53528	30 50.00 GPH
		53529	90 15.00 GPH
HAGO BY	<u>(PASS</u>		
CO Degree		90 Da	
60 Degree			egrees
535020	3.00 GPH	53555	
535030	3.50 GPH	53556	
535040	4.00 GPH	53557	
535060	5.00 GPH	53558	
535060	5.50 GPH	53559	
535070 535080	6.00 GPH 6.50 GPH	53560 53561	
535060	7.00 GPH	53562	
535100	7.50 GPH	53563	
535100	8.00 GPH	53564	
535110	8.50 GPH	53591	
535130	9.00 GPH	53581	
535140	9.50 GPH	53565	
535150	10.50 GPH	53582	
HAGO BY			F-80 BYPASS
80 Degree		80 Degrees	
535830	13.00 GPH	520050	5.00 GPH
535660	13.50 GPH	520060	5.50 GPH
535840	14.00 GPH	520070	6.00 GPH

520080

520090

520100

520110

6.50 GPH

7.00 GPH 7.50 GPH

8.00 GPH

### NO. NO. DESCRIPTION

HAGO BY	(PASS	<b>MONARCH</b>	F-80 BYPASS
80 Degree	es	80 Degrees	<u> </u>
535750	18.00 GPH	520140	9.00 GPH
535690	19.50 GPH	520150	9.50 GPH
535870	20.00 GPH	520160	10.50 GPH
535700	21.50 GPH	520200	12.00 GPH
535880	22.00 GPH	520250	13.80 GPH
535710	24.00 GPH	520300	15.30 GPH
535890	26.00 GPH	520350	17.50 GPH
535720	28.00 GPH	520400	19.50 GPH
		520450	21.50 GPH
MONARCH F-80 BYPASS		520500	24.00 GPH
		520550	28.00 GPH

### **60 Degrees**

60 Degrees	<u>š</u>
519370	6.00 GPH
519380	6.50 GPH
519390	7.00 GPH
519400	7.50 GPH
519410	8.00 GPH
519430	9.00 GPH
519440	9.50 GPH
519460	10.50 GPH
519490	12.00 GPH
519530	13.50 GPH
519560	15.30 GPH
519600	17.50 GPH
519650	19.50 GPH
519700	21.50 GPH
519750	24.00 GPH
519800	28.00 GPH
519850	30.00 GPH
519860	35.00 GPH
519900	40.00 GPH
519950	45.00 GPH

### 28 <u>OIL NOZZLE ADAPTORS</u>

520600	30.00 GPH
520650	35.00 GPH
C14010	Simplex Oil Nozzle Adaptor
X02705	BPS Oil Nozzle Adaptor for HAGO or Delavan
X02706	BPS Oil Nozzle Adaptor for Monarch F80BPS
X02711	Delavan Oil Nozzle Adaptor (30298) for 13/16 Hex 30630

NO. NO. DESCRIPTION

#### 30 OIL GUN MOUNTING PLATES

C84310 1 Hole C84320 2 Hole C24321 3 Hole Or Consult Factory

#### 31 OIL IGNITION ELECTRODE CLAMP

X04035 For Direct Spark Oil

#### 32 <u>OIL IGNITION CABLE GUIDE</u>

X09824 3/8" Grommet X09925 Snap Bushing

C11494 C Electrode Wire Spacer

#### 32.1 DIRECT SPARK OIL IGNITION CABLES (PAIR) SPECIFY BURNER MODEL

PRICE IS FOR EACH 3 FOOT LENGTH CONSISTING OF:

Y08000 #14-19 GTO 15,000 Volt Cable with 931110 #CT-11 Rajah Cage Terminal 931120 #S/S-11 Rajah Terminal

#### 33-34 PHOTOCELL

402200 C7962B-1002 Detector 406990 R7851B-100 Amplifier

#### 34.1 CAD CELL

X02585 C554A Cad Cell

#### 34.2- SCANNERS

34.3

#### <u>FIREYE</u>

374100 48PT1-1007 Lead Sulfide 374400 48PT2-1007 Lead Sulfide 374600 UV-1A6 Ultraviolet 374610 UV-1A3 Ultraviolet

NO. NO. DESCRIPTION

#### 34.2- SCANNERS – Cont'd

34.3

### **HONEYWELL**

402800	C7015A-1076 Lead Sulfide
402802	C7915A-1010 Solid State Lead Sulfide
402900	105061 Heat Insulator for C7015A-1076
403200	C7027A-1023 Ultraviolet
403465	C7927A-1016 Solid State Ultraviolet

# 44 <u>DAMPER CYLINDER AND ACCESSORIES</u>

TH	IRU
50	

2U		
	C95009	PF Damper Cylinder Assembly
	C14000	Damper Cylinder Orifice (Drilled #69) (Not Shown On Exploded View)
	C14002	Damper Cylinder Orifice (Drilled #72) (Not Shown On Exploded View)
	C13160	Cylinder Mounting Bracket
	C24247	RALFS Cylinder Mounting Bracket C Burner (Not Shown On Exploded
		View)
	C24248	RALFS Cylinder Mounting Bracket CR (Not Shown On Exploded View)
	C13163	RALFS Cylinder Top Bracket (Not Shown On Exploded View)
	X09625	Cylinder Mounting Nut 5/16" 18 UNC Jam Nut
	X02387	Long Brass Pin (2 Required)
	X09662	Horseshoe Clip (2 Required)

X09662 Horseshoe Clip (2 Required)
M80021 Damper Cylinder Arm
M80020 5/16 x 1 1/8 Arm C1 and C2

M80010 5/16 x 1 5/8 Arm C3, C4, C5 and C6

M10500 Damper Weight

C13140 Oil Pump Mounting Hole Cover Plate

X09626 1/4-20 Coupling Nut

# 56 <u>LINKAGE CROSS STRAPS</u>

C13168	RALFS Cross Strap
C83240	C1 Damper Cross Strap
C83241	C2/3 Damper Cross Strap
C83245	C4/5/6 Damper Cross Strap
C95300	C1 Cross Link Assembly
C95301	C2/3 Cross Link Assembly
C95302	C4-6 Cross Link Assembly

ITEM NO.	PART <u>NO.</u>	DESCRIPTION
57 THRU 57.11	<u>LINKAGE</u>	ACCESSORIES
57	M90001	Stamped Steel Crank Arm and Aluminum Hub Assembly for Mod Motor and Gas Valve (3/8" sq)
57	C83170	Stamped Steel Crank Arm Only
57	X09380	Screws for Mounting Extension Shaft to Mod Motor 10-24 x 3/8" Round Slot Head Machine Screws
57.2	X06002	Aluminum Hub Only (3/8" sq)
57.2	X09374	Screws for Mounting Hub to Crank Arm 10-24 x 1/2" Round Slot Head Machine Screws
57.3	P82120	Stamped Steel Crank Arm and Steel Hub Assembly for Ext. Shaft (1/2" ID)
57.4	P82110	Stamped Steel Crank Arm and Steel Hub Assembly for North American Oil Valve or Butterfly (3/8" ID)
57.4	M90002	Stamped Steel Crank Arm and Steel Hub Assembly for Hauck Modulating Oil Valve (3/4" ID)
57.5	P82130	Stamped Steel Crank Arm and Steel Hub Assembly for Damper (5/16" ID)
57.8	91100	Swivels (Ball Joints)
57.9	Y00470	5/16" Push Rod (36" Long)
57.10	M80011	5/16" x 1 5/8" Damper Arm (Tapped)
	C10482	C7/8 Jack Shaft Bracket (not shown)
	Refer to A	s Built Spec Sheet or Consult Factory

NO. NO. DESCRIPTION

# 57 <u>LINKAGE ACCESSORIES – Cont'd</u>

THRU 57.11

					Quant	<u>ity</u>		
			All Fu	els	<u>Mod</u>			
			LHO/L	_HL	Gas o	r Oil	Gas/Oi	<u> </u>
57.11	See Below	/ Damper Cross Link	1		1		1	
	C83170	Steel Damper Arm 6"						
		with 9 Holes	1		0		0	
	X06002	Damper Arm Collar 3/8" Sq.	1		1		2	
	P82120	Crank Arm Welded 1/2"	0		2		3	
	M10500	Damper Weight-Typed	1		0		0	
	M80010	Damper Arm Assembly						
		5/16" x 1-5/8"	2	(A)	2		2	
	M80021	Damper Cylinder Arm	1	(B)	0		0	
	X09101	Mod Motor Extension Shaft		( )				
	P82130	Damper Arm Weld Assembly	/					
		6" x 5/16"	1		1		1	
	X02387	Rivet	2		2		2	
	X09662	Retaining Ring	2		2		2	
	Y00470	5/16" Rod	1'	(C)	3'		4'	
	91100	Swivels	2	(D)	4	(D)	6	
	(A)	For C3, C4 use M80010		` '		` ,		
	(D)	For Coo/Oil only						

- (B) For Gas/Oil only
- (C) For C3, C4, order 2 for LHO/LHL
- (D) Reduce quantity by 2 for straight oil burner

#### **DAMPER CROSS LINKS**

C83240 C1 C83241 C2, C3 C83245 C4, C5, C6

Note: For On/Off burners, only 2 each of M80011 (48) are required.

#### CROSS STRAP LINKAGE ASSEMBLIES

C95300 C1 C95301 C2, C3 C95302 C4, C5, C6

Consists of Cross Link, Rivets, Retaining Rings, Arms - assembled.

NO. NO. DESCRIPTION

#### 58 <u>AIR PRESSURE SWITCHES</u>

170000 AFS-A Cleveland

171010 8024204107 SPDT Antunes

#### 59 <u>GAS PILOT ASSEMBLIES</u> SCANNER AND FLAMEROD

<u>Includes</u>

	ElectrodeF	lame Rod	
F20015	X04210	X04225	Complete, Natural Gas, Flame Rod Pilot Assembly
<b>5</b> 00040	\\0.40.40		Includes 62.1, 62.2, 62.3, 62.4, 62.6, 63
F20010	X04210	N/A	Complete, Natural Gas, Scanner Pilot Assembly for
			C1/2 Includes 62.1, 62.2, 62.3, 63
F20020	X04210	N/A	Complete, Natural Gas, Scanner Pilot Assembly for
			C3/4/5 Includes 62.1, 62.2, 62.3, 63
F20591	X04244	N/A	C5B/C6/C7/C8 Gun Mounted, Natural Gas, Pilot
			Assembly (Not Shown On Exploded View)
F20011	X04210	N/A	Complete, Propane Gas, Scanner Pilot Assembly
			for C1/2
F20024	X04210	N/A	Complete, Propane Gas, Scanner Pilot Assembly
			for C3/4/5
F20017	X04210	X04225	Complete, Propane Gas, Flame Rod Pilot Assembly

#### 60 OIL VALVES, MODULATING AND BRACKETS

#### **NORTH AMERICAN**

260000	1813M-03
260100	1813M-02A
260200	1813M-02B
260300	1813M-02C
260400	1813M-02D
C24240	6" Bracket Bolt On
C13040	6" Bracket

#### HAUCK

262240	S-3-3
262250	S-3-5
262260	S-3-7
262270	S-3-9
262280	S-3-11
262300	S-3-13
C24255	8" Bracke

C24258 Metering Valve Bolt On Bracket

#### ITEM **PART** NO. <u>NO.</u> DESCRIPTION 61 **MODULATING MOTORS AND BRACKETS** 060250 M9174C-1025 060700 220738A Bracket for Mod IV Motors C10781 Mod Motor Mounting Bracket C1 Mod Motor Mounting Bracket C2 B11681 62 PILOT IGNITION ELECTRODES AND CABLE X04210 Pilot Ignition Electrode with Porcelain X04036 Aluminum Clamp (2 Required) Y08000 #14-19 GTO 15,000V 3 Foot Cable X09927 #2 Rajah Ring Terminal #CT-11 Rajah Cage Terminal 931110 62 FLAME ROD AND CABLE X04225 Flame Rod with Porcelain X04600 Porcelain Only #14-19 GTO 15,000V 3 Foot Cable Y08000 (2) 1/4" Stud Ring Terminals 937410 63 PILOT ORIFICES (Not Shown On Exploded View) #44 Natural Gas Flame Rod X04350 X04350 #48 LP Gas Flame Rod X04350 #36 Natural Gas Scanner C1/2 X04350 #30 Natural Gas Scanner C3/4/5 X04350 #48 LP Gas Scanner C1/2/3/4/5 69 **PILOT MOUNTING PLATES** C24100 C1 C2 C24102 C24110 C3 C24130 C4/5 **70** PILOT GAS REGULATORS 300100 RV20L 3/8" Cad Spring 2.8" to 5.2" 325-3 3/8" Cad Spring 2.0" to 6.0" 302800

043-182 1/2" Rockwell

043-182 3/4" Rockwell

13315 Bracket 1/2" Rockwell

305320

305420 A10456

NO. NO. DESCRIPTION

#### 71 PILOT VALVES

202430 U-28-76-21-12 3/8" Alcon 202450 U-28-45-21-18 1/4" Alcon 115V

#### 78 GAS IGNITION TRANSFORMERS

320000 120/6000 Volt 320200 120/8500 Volt

#### 79 GAS VALVE OPERATORS

#### **HONEYWELL**

#### **OPERATORS WITH PROOF OF CLOSURE**

190900	V4055D-1019, 13 Seconds
191000	V4055D-1001, 26 Seconds
190500	V4062D-1002, 26 Seconds, Low-High-Low
190600	V4062D-1010, 13 Seconds, Low-High-Low

#### OPERATORS WITHOUT PROOF OF CLOSURE

190700	V4055A-1098, 13 Seconds
190800	V4055A-1064, 26 Seconds
190400	V4062A-1008, 26 Seconds, Low-High-Low
190430	V4062A-1131, 13 Seconds, Low-High-Low

#### **ASCO - GENERAL CONTROLS**

#### OPERATORS WITH PROOF OF CLOSURE

199010	AH2B112S4, 15 Seconds
199300	AH4B112S4, Low-High-Low

#### OPERATORS WITHOUT PROOF OF CLOSURE

199000	AH2B112A1, 15 Seconds
199100	AH2B102A4, 30 Seconds
199200	AH4B112S4, Low-High-Low

ITEM PART
NO. NO. DESCRIPTION

# 79.1 GAS VALVE BODIES

## **HONEYWELL**

192300	V5055A-1004 1"
192400	V5055A-1012 1 1/4"
192500	V5055A-1020 1 1/2"
192600	V5055A-1038 2"
192700	V5055A-1046 2 1/2"
192800	V5055A-1053 3"
192900	V5055A-1228 4"

#### **BODIES WITH GUIDE**

193000	V5055B-1002 1"
193100	V5055B-1010 1 1/4"
193200	V5055B-1028 1 1/2"
193300	V5055B-1069 2"
193400	V5055B-1077 2 1/2"
193500	V5055B-1085 3"
193600	V5055B-1150 4"

# **BODIES WITH PROOF OF CLOSURE**

193900	V5055C-1034 1"
194000	V5055C-1042 1 1/4"
194100	V5055C-1059 1 1/2"
194200	V5055C-1000 2"
194300	V5055C-1018 2 1/2"
194400	V5055C-1026 3"
194500	V5055C-1109 4"

### **ASCO - GENERAL CONTROLS**

196000	V710FAS 1"
196100	V710GAS 1 1/4"
196200	V710HAS 1 1/2"
196300	V710JAS 2"
196400	V710KAS 2 1/2"
196500	V710LAS 3"

NO. NO. DESCRIPTION

#### 79.1 GAS VALVE BODIES

#### **BODIES WITH GUIDE**

196600	V710FASV15 1"
196700	V710GASV15 1 1/4"
196800	V710HASV15 1 1/2"
196900	V710JASV15 2"
197000	V710KASV15 2 1/2"
197100	V710LASV15 3"

#### **BODIES WITH PROOF OF CLOSURE**

```
197410 V710FASV22 1"
197420 V710GASV22 1 1/4"
197430 V710HASV22 1 1/2"
197440 V710JASV22 2"
197450 V710KASV22 2 1/2"
197460 V710LASV22 3"
```

# 79.2 <u>DIAPHRAGM GAS VALVES (0.5 PSI MAXIMUM INLET PRESSURE) (Not Shown</u> On Exploded View)

#### **HONEYWELL**

```
190100 V48A-2169 1"

190200 V48A-2177 1 1/4"

190300 V48A-2185 1 1/2"

199720 V443A-1038 (V4943A-1011) 1"

199730 V443A-1020 (V4943A-1029) 1 1/4"

199700 V443A-1012 (V4943A-1037) 1 1/2"

199710 V443A-1004 (V4943A-1045) 2"
```

#### 79.3 BLEED VALVE (Not Shown On Exploded View)

195000 For V48A

# 79.4 COMBINATION DIAPHRAGM GAS VALVE AND PRESSURE REGULATORS (0.5 PSI MAXIMUM INLET PRESSURE) (Not Shown On Exploded View)

199840	V4943N-1019 120 Volt 1"
199841	V4943N-1027 120 Volt 1 1/4"
199842	V4943N-1035 120 Volt 1 1/2"
199830	V4943N-1043 120 Volt 2"

NO. NO. DESCRIPTION

#### 79.5 GAS LINE STRAINERS AND BASKETS (Not Shown On Exploded View)

#### Y STRAINERS WITH 100 MESH STAINLESS STEEL BASKET

731200 3/4" 731300 1" 731350 1 1/4" 731500 1 1/2" 731600 2" 731650 2 1/2" 731750 3"

#### 80 GAS COCKS AND HANDLES

274500 BB2-100 3/4 " Milwaukee without Tappings BB2-100 1" Milwaukee without Tappings 274550 BB2-100 1 1/4" Milwaukee without Tappings 274600 274650 BB2-100 1 1/2" Milwaukee with two Tappings 274700 BB2-100 2" Milwaukee without Tappings 354100 Essex 500 1" with two Tappings 354200 Cons. Brass 1 1/4" with two Tappings 354300 Cons. Brass 1 1/2" with two Tappings 170m Lube 1" Milliken without Tappings 352060 352160 170m Lube 1 1/4" Milliken without Tappings 170m Lube 1 1/2" Milliken without Tappings 352260 352360 170m Lube 2" Milliken without Tappings 352460 170m Lube 2 1/2" Milliken without Tappings 170m Lube 3" Milliken without Tappings 352560 352660 170m Lube 4" Milliken without Tappings "G" Handle 1", 1 1/4" Milliken 353350 "J" Handle 1 1/2", 2" Milliken 353360 353370 "L" Handle 2 1/2", 3" Milliken "O" Handle 4" Milliken 353380

# 80 BALL VALVES WITH LEVER HANDLES

980030 1/4" 980060 3/8" 980140 1/2" 980160 3/4" 980210 1" without Tappings 980240 1" with two Tappings 980260 1 1/4" with two Tappings

NO. NO. DESCRIPTION

#### 80 BALL VALVES WITH LEVER HANDLES – Cont'd

```
1 1/4" without Tappings
980270
           1 1/2" with two Tappings
980310
           1 1/2" without Tappings
980320
           2" with two Tappings
980360
           2" without Tappings
980370
           2 1/2"
980400
980450
           3"
980510
           4"
```

# 80 BALL VALVES WITH TEE HANDLES LESS TAPPINGS ALL SIZES

980040 1/4" 980070 3/8" 980120 1/2" 980110 3/4" 980190 1" 980280 1 1/4" 980330 1 1/2" 2" 980380

#### 84 **BUTTERFLY VALVES**

273000	103BV 3/4" - Does not include P82110 Damper Linkage Arm
273100	104BV 1" - Does not include P82110 Damper Linkage Arm
273200	105BV 1 1/4" - Does not include P82110 Damper Linkage Arm
273300	106BV 1 1/2"- Does not include P82110 Damper Linkage Arm
273400	108BV 2" - Does not include P82110 Damper Linkage Arm
273500	110BV 2 1/2" - Does not include P82110 Damper Linkage Arm
273600	112BV 3" - Does not include P82110 Damper Linkage Arm
273690	104BVR 1" - Does not include P82110 Damper Linkage Arm
273700	105BVR 1 1/4" - Does not include P82110 Damper Linkage Arm
273710	106BVR 1 1/2" - Does not include P82110 Damper Linkage Arm
273720	108BVR 2" - Does not include P82110 Damper Linkage Arm
273730	110BVR 2 1/2" - Does not include P82110 Damper linkage Arm
273740	112BVR 3" - Does not include P82110 Damper Linkage Arm
M90010	PF-FP 3/4" - Includes M90201 Damper Linkage Arm Assembly
M90015	PF-FP 1" - Includes M90201 Damper Linkage Arm Assembly
M90020	PF-FP 1 1/4" - Includes M90204 Damper Linkage Arm Assembly
M90025	PF-FP 1 1/2" - Includes M90204 Damper Linkage Arm Assembly
M90030	PF-FP 2" - Includes M90204 Damper Linkage Arm Assembly
M90050	PF-RP 3/4" - Includes M90200 Damper Linkage Arm Assembly
M90055	PF-RP 1" - Includes M90200 Damper Linkage Arm Assembly
M90060	PF-RP 1 1/4" - Includes M90200 Damper Linkage Arm Assembly

NO. NO. DESCRIPTION

#### 84 <u>BUTTERFLY VALVES – Cont'd</u>

M90065 PF-RP 1 1/2" - Includes M90205 Damper Linkage Arm Assembly M90070 PF-RP 2" - Includes M90205 Damper Linkage Arm Assembly

Note: On parts orders verify shaft size on Eclipse Butterfly Valve for replacement damper arms - after 3/99.

#### 84 <u>BUTTERFLY ASSEMBLIES</u>

P82110	3/8" I.D. BV, BVR
M90200	3/16" I.D. PF-RP
M90201	1/4" I.D. PF-FP
M90202	1/4" I.D. PF-RP
M90203	5/16" I.D. PF-RP
M90204	3/8" I.D. PF-FP
M90205	3/8" I.D. PF-RP

#### 86.2 SIDE ORIFICES - SPECIFY INPUT

Orifice	Drill	Set Quantity		
<u>Size</u>	<u>Size</u>	<u>1</u>	<u>3</u>	<u>10</u>
1 1/2"	15/64"	X04370		
1 1/2"	1/4"	M11201	M11231	M11261
1 1/2"	17/64"	M11202	M11232	M11262
1 1/2"	9/32"	M11203	M11233	M11263
1 1/2"	19/64"	M11204	M11234	M11264
1 1/2"	5/16"	M11205	M11235	M11265
1 1/2"	21/64"	M11206	M11236	M11266
1 1/2"	11/32"	M11207	M11237	M11267
1 1/2"	23/64"	M11208	M11238	M11268
1 1/2"	3/8"	M11209	M11239	M11269
1 1/2"	25/64"	M11210	M11240	M11270
1 1/2"	13/32"	M11211	M11241	M11271
1 1/2"	27/64"	M11212	M11242	M11272
1 1/2"	7/16"	M11213	M11243	M11273
1 1/2"	29/64"	M11214	M11244	M11274
1 1/2"	15/32"	M11215	M11245	M11275
1 1/2"	31/64"	M11216	M11246	M11276
1 1/2"	1/2"	M11217	M11247	M11277
1 1/2"	17/32"	M11218	M11248	M11278
1 1/2"	9/16"	M11219	M11249	M11279
1 1/2"	19/32"	M11220	M11250	M11280
1 1/2"	5/8"	M11221	M11251	M11281

ITEM PART
NO. NO. DESCRIPTION

# 86.2 <u>SIDE ORIFICES - SPECIFY INPUT, Cont'd</u>

Orifice	Drill	Set Quantity		
<u>Size</u>	<u>Size</u>	1	<u>3</u>	10
1 1/2"	<u>5125</u> 11/16"	<u>∸</u> M11222	<u>⊆</u> M11252	M11282
1 1/2"	25/32"	M11223	M11252	M11283
1 1/2"	13/16"	M11224	M11254	M11284
1 1/2"	27/32"	M11225	M11255	M11285
1 1/2"	7/8"	M11226	M11256	M11286
2"	17/32"	X04375		
2"	35/64"	M11302	M11332	M11362
2"	9/16"	M11303	M11333	M11363
2"	37/64"	M11304	M11334	M11364
2"	19/32"	M11305	M11335	M11365
2"	39/64"	M11306	M11336	M11366
2"	5/8"	M11307	M11337	M11367
2"	41/64"	M11308	M11338	M11368
2"	21/32"	M11309	M11339	M11369
_ 2"	43/64"	M11310	M11340	M11370
_ 2"	11/16"	M11311	M11341	M11371
2"	45/64"	M11312	M11342	M11372
2"	23/32"	M11313	M11343	M11373
2"	3/4"	M11314	M11344	M11374
2"	25/32"	M11315	M11345	M11375
2"	51/64"	M11316	M11346	M11376
2"	13/16"	M11317	M11347	M11377
2"	7/8"	M11318	M11348	M11378
2"	1"	M11319	M11349	M11379
2"	1 1/16"	M11320	M11350	M11380
2"	1 1/8"	M11321	M11351	M11381
2"	1 1/4"	M11322	M11352	M11382
2"	1 5/16"	M11323	M11353	M11383
2 1/2"	3/4"	X04380		
2 1/2"	25/32"	M11402	M11432	M11462
2 1/2"	13/16"	M11403	M11433	M11463
2 1/2"	27/32"	M11404	M11434	M11464
2 1/2"	7/8"	M11405	M11435	M11465
2 1/2"	29/32"	M11406	M11436	M11466
2 1/2"	15/16"	M11407	M11437	M11467
2 1/2"	31/32"	M11408	M11438	M11468
2 1/2"	63/64"	M11409	M11439	M11469
2 1/2"	1"	M11410	M11440	M11470
2 1/2"	1 1/64"	M11411	M11441	M11471
2 1/2"	1 1/32"	M11412	M11442	M11472

NO. NO. DESCRIPTION

#### 86.2 <u>SIDE ORIFICES - SPECIFY INPUT, Cont'd</u>

Orifice	Drill	Set Quantity			
Size	<u>Size</u>	1	3	<u>10</u>	
2 1/2"	1 5/16"	M11413	M11443	M11473	
2 1/2"	1 27/64"	M11414	M11444	M11474	
2 1/2"	1 5/8"	M11415	M11445	M11475	
2 1/2"	1 29/32"	M11416	M11446	M11476	
3"	29/32"	X04385			
3"	31/32"	M11502	M11522	M11542	
3"	1 1/64"	M11503	M11523	M11543	
3"	1 1/16"	M11504	M11524	M11544	
3"	1 1/8"	M11505	M11525	M11545	
3"	1 3/32"	M11506	M11526	M11546	
3"	1 3/16"	M11507	M11527	M11547	
3"	1 7/32"	M11508	M11528	M11548	
3"	1 15/64"	M11509	M11529	M11549	
3"	1 1/4"	M11510	M11530	M11550	
3"	1 3/8"	M11511	M11531	M11551	
3"	1 7/16"	M11512	M11532	M11552	
3"	1 1/2"	M11513	M11533	M11553	
3"	1 9/16"	M11514	M11534	M11554	
3"	2"	M11515	M11535	M11555	
M31021	1 1/2" Orifice S	et. Nat/LP. 27	7 Pieces. Drill	ed Assorted Sizes	
M31022	1 1/2" Orifice Set, Nat/LP, 27 Pieces, Drilled Assorted Sizes 1 1/2" Orifice Set, Nat, 18 Pieces, Drilled Assorted Sizes				
M31023	1 1/2" Orifice Set, LP, 17 Pieces, Drilled Assorted Sizes				
M31031	2" Orifice Set, Nat/LP, 23 Pieces, Drilled Assorted Sizes				
M31032	2" Orifice Set, Nat, 8 Pieces, Drilled Assorted Sizes				
M31033	2" Orifice Set, LP, 16 Pieces, Drilled Assorted Sizes				
M24044	2 1/2" Orifice Cet Net/LD 16 Diagon Drilled Asserted Cizes				

M31041 2 1/2" Orifice Set, Nat/LP, 16 Pieces, Drilled Assorted Sizes
M31042 2 1/2" Orifice Set, Nat, 5 Pieces, Drilled Assorted Sizes
M31043 2 1/2" Orifice Set, LP, 43 Pieces, Drilled Assorted Sizes

M31043 2 1/2" Orifice Set, LP, 12 Pieces, Drilled Assorted Sizes M31051 3" Orifice Set, Nat/LP, 15 Pieces, Drilled Assorted Sizes

M31052 3" Orifice Set, Nat, 4 Pieces, Drilled Assorted Sizes

M31053 3" Orifice Set, LP, 13 Pieces, Drilled Assorted Sizes

#### 89 <u>HIGH GAS PRESSURE SWITCHES</u>

163200 C645B-1013 3-21" 160000 C437D-1005 1-26" 163450 HGP-A Antunes 2-16" 161100 HBP-6 Antunes 2-20"

NO. NO. DESCRIPTION

#### 90 LOW GAS PRESSURE SWITCHES

```
163100 C645A-1030 3-21"

160300 C437E-1004 1-26"

163150 C645A-1055 5-35"

163300 LGP-A Antunes 2-14"

163000 L645A 3-21" Auto Reset

161000 LGP-6 Antunes 1-20"
```

# 91 MAIN GAS PRESSURE REGULATORS 1 PSI MAXIMUM INLET (Not Lock Up Type)

300400	RV-53 1" Cad Plated 3"-6" Spring
300500	RV-61 1" Pink 3"-8" Spring
300550	RV-61 1 1/4" Pink 3"-8" Spring
300600	RV-81 1 1/4" Pink 3"-8" Spring
300700	RV-81 1 1/2" Pink 3"-8" Spring
300800	RV-91 2" Pink 3"-8" Spring
300900	RV-91 2 1/2" Pink 3"-8" Spring
301000	RV-111 2 1/2" Violet 4"-12" Spring
301100	RV-111 3" Violet 4"-12" Spring
301200	RV-131 4" Violet 4"-12" Spring

### **MAXITROL 210 SERIES (Pink 3-8 Spring)**

302000	210D 1"
302100	210D 1 1/4"
302200	210D 1 1/2"
302300	210E 1 1/2"
302400	210E 2"
302700	210G 2 1/2"
302750	210G 3"

#### **ROCKWELL**

243-8 1/14" 243-8 1 1/2" 243-12 1 1/2" 121-12 1 1/2" 243-12 2" 121-12 2" 121-12 2 1/2"

Consult Factory for correct part number

NO. NO. DESCRIPTION

#### 92 <u>OIL RETURN CHECK VALVES</u>

X02521 Circle Seal 2232B-2MM 233000 Firomatic B-100-HCV

#### 93 PILOT SHUTOFF COCKS

350900 1/4" Nibco CGA Approved

834450 3/8" x 1/4" to MP Straight Compression

980030 1/4" Ball Valve

#### 94 SIGHT GLASS

X09913 1 1/8" x 1 1/6" X09910 2 1/2" Square C10651 2" Snap In Or Consult Factory

#### 95 SOLENOID GAS VALVES

#### **ASCO - GENERAL CONTROLS**

280300 K3A562T 1"
280400 K3A772T 1 1/4"
280500 K3A782T 1 1/2"
281100 S261SA02N3JK4 2"
281200 S261SA02N3KK4 2 1/2"
281300 S261SA02N3LK4 3"

#### 96 N.O. VENT VALVES (Not Shown On Exploded View)

#### **ASCO - GENERAL CONTROLS**

284050 8030G083 3/4" 284500 S262SA02N3FJ5 1" 284600 S262SA02N3GJ7 1 1/4" 284700 S262SA02N3JK4 2"

#### 97 GAS PRESSURE GAUGES (Not Shown On Exploded View)

463100 2 1/2" Dial 0-18 oz. 0-32" W.C.

463000 2 1/2" Dial 0-15" W.C.

NO. NO. DESCRIPTION

#### 98 SIDE ORIFICE SPRINGS

911520 1 1/2" 911530 2" 911540 2 1/2" 911550 3"

#### 100 TAPPED NIPPLES


M10550 3/4" x 2" M10551 1" x 2 1/2" M10552 1 1/4" x 2 1/2" M10553 1 1/2" x 2 1/2" M10554 2" x 2 1/2" 2 1/2" x 3 1/2" M10555 2 1/2" x 6" M10557 3" x 3 1/2" M10556 Or Consult Factory

#### 101 TEST PORT NIPPLES INCLUDING 1/4" NPT HALF COUPLING WELDED


1" x 4" M20225 M20227 1" x 4" Pilot 1 1/4" x 4" M20226 1 1/2" x 4" Pilot M20228 1 1/2" x 4" M20220 M20230 2" x 4" M20241 2" x 4" Pilot M20244 2" x 6" 2 1/2" x 4" M20235 2 1/2" x 4" Pilot M20242 M20245 2 1/2" x 6" M20240 3" x 4" 3" x 4" Pilot M20243 M20246 3" x 6" Or Consult Factory

#### 102 DAMPER GUARDS, WIRE


C80430 C1 C80431 C2 C80432 C3 C80433 C4/5/6 ITEM PART
NO. NO. DESCRIPTION




PROPRIETARY AND CONFIDENTIALITY NOTICE: THE CONTENTS OF THIS TEMPLATE CONSTITUTE PROPRIETARY AND CONFIDENTIAL INFORMATION OWNED BY POWER FLAME INCORPORATED. IT SHALL NOT BE REPRODUCED, IN WHOLE OR IN PART, AND SHALL NOT BE DISCLOSED TO ANYONE OUTSIDE POWER FLAME WITHOUT THE PRIOR EXPRESS APPROVAL OF POWER FLAME.




PROPRETARY AND CONFIDENTIALITY NOTICE: THE CONTENTS OF THIS TEMPLATE CONSTITUTE PROPRETARY AND CONFIDENTIAL INFORMATION OWNED BY POWER FLAME INCORPORATED. SHALL NOT BE REPRODUCED, IN WHOLE OR IN PART, AND SHALL NOT BE DISCLOSED TO ANYONE OLISIDE POWER FLAME WITHOUT THE PRIOR EXPRESS APPROVAL OF POWER FLAME.




PROPRIETARY AND CONFIDENTIALTY NOTICE: THE CONTENTS OF THIS TEMPLATE CONSTITUTE PROPRIETARY AND CONFIDENTIAL INFORMATION OWNED BY POWER FLAME INCORPORATED. SHALL NOT BE REPRODUCED, IN WHOLE OR IN PART, AND SHALL NOT BE DISCLOSED TO ANYONE OUTSIDE POWER FLAME WITHOUT THE PRIOR EXPRESS APPROVAL OF POWER FLAME



THIS DOCUMENT CONTAINS CONFIDENTIAL THIS INFORMATION SHALL NOT BE DIVULGED AND PROPRIETARY INFORMATION OF PFI AND IS SUBJECT TO CHANGE WITHOUT PRIOR NOTIFICATION. UNLESS AUTHORIZED BY PFI, TO PERSONS OUTSIDE THE EMPLOY OF POWER FLAME, BE REMOVED FROM THE PREMISES, NOR DUPLICATED IN WHOLE OR IN PART



PROPRIETARY AND CONTIDENTIALTY NOTICE: THE CONTENTS OF THIS TEMPLATE CONSTITUTE PROPRIETARY AND CONFIDENTIAL INFORMATION OWNED BY POWER FLAME INCORPORATED. SHALL NOT BE REPRODUCED, IN WHOLE OR IN PART, AND SHALL NOT BE DISCLOSED TO ANYONE OUTSIDE POWER FLAME WITHOUT THE PRIOR EXPRESS APPROVAL OF POWER FLAME.



PROPRIETARY AND CONFIDENTIALITY NOTICE: THE CONTENTS OF THIS TEMPLATE CONSTITUTE PROPRIETARY AND CONFIDENTIAL INFORMATION OWNED BY POWER FLAME INCORPORATED. IT SHALL NOT BE REPRODUCED, IN WHOLE OR IN PART, AND SHALL NOT BE DISCLOSED TO ANYONE OUTSIDE POWER FLAME WITHOUT THE PRIOR EXPRESS APPROVAL OF POWER FLAME.