

Allanson DEPENDABLE
POWER



INDEX

Electronic Ignition Transformers	
0	
Production Transformers	
Service Replacement Transformers	
Industrial Gas Transformers11	
Industrial Transformers	
Accessories	
Base Plates Drawings	
Cross Reference Chart	
Warranty	
Company Office Addresses	

FORWARD

Founded in 1927, Allanson has over 70 years of proven reliability to offer our customers.

This catalog serves as a guide for the proper selection of your Allanson transformer requirements.

Identification of transformers follows a simple system wherein two groups of digits describe each transformer. The first group of digits is called the "Catalog" number and is a coded description of the basic electrical construction - 421 indicates standard size can, 2721 indicates small size can and 2275 indicates electronic unit. The second group of digits is called the "Type" number and is a coded description of the mounting details.

Our BT series is a comprehensive collection of interchangeable standard can replacement transformers for use with interchangeable plates.

ELECTRICAL SPEC.	PRIMARY POWER	CATALOG NO. TYPICAL TYPE NO.	
10,000 Volt Mid Point Ground	120 Volt 60Hz	421	104
10,000 Volt MPG Small Series	120 Volt 60Hz	2721	619
6,000 Volt One End Ground	120 Volt 60Hz	1092	"F"
12,000 Volt Mid Point Ground	120 Volt 60Hz	2714	633
17,500 Volt Mid Point Ground	120 Volt 50/60 Hz	2275	628A



ELECTRONIC TRANSFORMERS

120 Volt Primary, 50/60 Hz, 17,500 Volt Secondary, 23mA, MPG



- A CAT 2275 TYPE 605, BECKETT S
- B CAT 2275 TYPE 628, BECKETT A, AF, AFG*

 * AFG complete with gaskets
- CAT 2275 TYPE 456, AERO

- D CAT 2275 TYPE 619, WAYNE HI SPEED M/MH
- **E** CAT 2275 TYPE 620, WAYNE
- (F) CAT 2275 TYPE 630, CARLIN 99, 100, 101, CRD

ELECTRONIC TRANSFORMER KIT INCLUDES:

CAT 2275 ELECTRONIC TRANSFORMER, 2 UNITS

ONE OF EACH OF THE FOLLOWING MOUNTING PLATES:

2600 AERO 2601 BECKETT S

2604 BECKETT A, AF 2605 CARLIN 99, 100, 101

2602 WAYNE HI SPEED M/MH 2603 WAYNE E

2606 WAYNE BLUE ANGEL

ONE 54-740 UNIVERSAL CONTACT REPLACEMENT KIT



- A CAT 2721 TYPE 631A, ABC SUNRAY Webster: 313-25AB86, France: 5LAY-02
- B CAT 2721 TYPE 411, ABC SUNRAY Webster: 313-25AB59, France: 5LAY-20
- CAT 2721 TYPE 409, ABC CRANE
 Webster: 313-25AB73, France: LKR-2

- CAT 2721 TYPE 457, ACME HEET WEATHERALL Webster: 3-25AB-AH, France: 5LAY-11
- E CAT 2721 TYPE 456, AERO
 Webster: 3-24XAB-AER, France: 5LAY-56
- CAT 2721 TYPE 452, ABC D & LC Webster: 313-25AB65





A CAT 2721 TYPE 629, CARLIN, 17.5 FR, 200, 201, 500, 501 CRD

Webster: 313-24AB81, France: 5LAY-16

B CAT 2721 TYPE 630, CARLIN, 99,100, 101 CRD MISER

Webster: 313-28AB85, France: 5LAY-15

- CAT 2721 TYPE 589, GRIMSBY
- CAT 2721 TYPE 627, BROCK

E CAT 2721 TYPE 605, BECKETT S

Webster: 3-28AB-BS, France: 5LAY-05


CAT 2721 TYPE 628, BECKETT A, AF FOR GASKETTED AFG UNITS, ORDER #2721-628G

Webster: 3-28AB-BAF, France: 5LAY-04

G CAT 2741 TYPE 658, BECKETT AFII UL Recognized

Webster: 3-32AB-BAF





- A CAT 2721 TYPE 448, NU WAY (LARGE PLATE)
 Webster: 313-24AB80
- B CAT 2721 TYPE 572, NU WAY (SMALL PLATE)
 Webster: 313-24AB82
- CAT 2721 TYPE 069, JOHN WOOD
- CAT 2721 TYPE 368M, METRO

- CAT 2721 TYPE 619, WAYNE HI SPEED MODEL M/MH Webster: 313-28AB91, France: 5LAY-03
- F CAT 2721 TYPE 620, WAYNE E Webster: 313-25AB78, France: 5LAY-30
- G CAT 2721 TYPE 647, WAYNE BLUE ANGEL EAGLE ONE Webster: 313-28AB205W, France: 5LAY-31





A CAT 421 TYPE 104E, AERO, METAL MASTER, SUNRAY

Webster: 312-26AB022

- B CAT 421 TYPE 254A, BARRIERE
- CAT 421 TYPE 340, ARMSTRONG/ESSO Webster: 312-25ABE1, France: LGPW-2
- D CAT 421 TYPE 558, CONROY

- (E) CAT 421 TYPE 216, ARCO AMERICAN STANDARD
- CAT 421 TYPE 557, ARCO AMERICAN STANDARD
 Webster: 312-26ABE23, France: LGHW
- G CAT 421 TYPE 104, ACME/QUIET HEET France: LGNV



120 Volt Primary 60 Hz, 10,000 Volt Secondary, 23mA, MPG



- (A) CAT 421 TYPE 655, POWER FLAME Webster: 312-25AB0418
- (B) CAT 421 TYPE 659/660, CLEAVER **BROOKS/INDUSTRIAL COMBUSTION**

Webster: 312-08A097 / 312-810169

CAT 2721 TYPE 661, GORDON PIATT

Webster: 313-25AB100

D CAT 421 TYPE 331, LENNOX

Webster: 313-25AB62

CAT 421 TYPE 430, DUCANE

Webster: 313-25AB90, France 5LAY-06





CAT 421 TYPE BT 636

COMPLETE WITH REQUIRED HARDWARE

Webster: 312-25AX0600 France: LAUV


Six Position Adaptability













ALSO AVAILABLE UPON REQUEST 5 WAY REPLACEMENT TRANSFORMER CAT 421 TYPE BT 384



SERVICE REPLACEMENT TRANSFORMERS



- A CAT 421 TYPE BT 290
 Webster: 312-24AB0202, France: LGDV
- B CAT 421 TYPE BT 299
 Webster: 312-25A0202, France: LFBV
- CAT 421 TYPE BT 332
 ORDER CAT 421 TYPE BT 053 FOR
 EXTERNAL JUNCTION BOX

Webster: 312-25AB0202, France: LGFV

- D CAT 421 TYPE BT 387
 Webster: 312-24AO202, France: LFAV
- CAT 421 TYPE BT 066
- CAT 421 TYPE BT 104
 Webster: 312-24AB0237, France: LGCV
- G CAT 421 TYPE BT 240
 Webster: 312-24ABE202, France: LGDW



INDUSTRIAL GAS TRANSFORMERS



- A 1092 N, RAY BURNER
 Webster: 613-6A10, France: 3RAFYR-14
- B 1092 PF, POWER FLAME Webster: 612-6A056
- (C) 1092 S, GORDON-PIATT Webster: 612-6A020 / 612-6A072

- **1092 F**Webster: 612-6A7, France: 6EEGW-2
- 1092 H, CLEAVER BROOKS Webster: 612-8A021
- 1092 K, DUNHAM-BUSH, IRON FIREMAN Webster: 612-8AB017



INDUSTRIAL TRANSFORMERS



120 Volt Primary, 60 Hz, 12,000 Volt Secondary Mid Point Ground

- A CAT 2714 TYPE 359, CLEAVER BROOKS
 Webster: 12-8A08, France: 2KAAVS-1
- B CAT 2714 TYPE 633, CARLIN Webster: 12-8AB7, France: 2KACVS-2
- CAT 2714 TYPE 656, BECKETT
- CAT 2714 TYPE 662, GORDON-PIATT
 Webster: 12-8AB02

120 Volt Primary, 60 Hz, 10,000 Volt Secondary End Point Ground


542 AWebster: 312-6A0456

542 C

120 Volt Primary, 60 Hz, 5,000 Volt Secondary End Point Ground

G CAT 2709 TYPE 001, DESA KOEHRING, HOMELITE AMCA CENTURY


Accessories





INDUSTRIAL TRANSFORMERS


INTERCHANGEABLE BASEPLATE DRAWINGS





INDUSTRIAL TRANSFORMERS

INTERCHANGEABLE BASEPLATE DRAWINGS



^{*} OTHER PLATES ARE AVAILABLE UPON REQUEST. CONTACT YOUR ALLANSON REPRESENTATIVE.



CROSS REFERENCE

BURNER MANUFACTURER	Allanson	Dongan	France	Webster	Sid Harvey	Thermolok
		10,000 Volt Se	condary Mid Point	Ground		
ABC	2721-411	XD-AB207	5LAY-20	313-25AB59	T-84	C-792
ABC/SUNRAY	2721-631A	XD-AB201	5LAY-02	313-25AB86		TSR-10
ABC-CRANE	2721-409	A10-SV351	LKR-2	313-25AB73	T-86	C-793
ABC-D&LC	2721-452			313-25AB65	T-34-B	
ACME/QUIET HEET	421-104	A10-SR12	LGNV		T-31N	C-53
ACME-WEATHERALL	2721-457		5LAY-11	3-25AB-AH	T37	
AERO	2721-456	XD-AR211	5LAY-56	3-24XAB-AER		TA-10
ARCO/AMER.STANDARD	421-216					
ARCO/AMER.STANDARD	421-557	A10-SP18	LGHW	312-26ABE23	T-183B	C-483
ARMSTRONG/ESSO	421-340		LGPW-2	312-25ABE1	T-80-3M	
BARRIERE	421-254A	VD DV4.00	51.07.04	0.0015.515	T.00	TD 10
"BECKETT A, AF"	2721-628	XD-BK103	5LAY-04	3-28AB-BAF	T-92	TB-10
BECKETT AFG	2721-628G			0.0015.515		
BECKETT AFII	2741-658	VD DV00.4	51 N/ OF	3-32AB-BAF	T 00	TD 44
BECKETT S	2721-605	XD-BK204	5LAY-05	3-28AB-BS	T-90	TB-11
BROCK	2721-627	VD 0000/	FL AV. 4.7	242 244 204	T OF	TO 11
CARLIIN 200 201 500 CRD	2721-629	XD-CR206	5LAY-16	313-24AB81	T-95	TC-11
CARLIN 100 CRD	2721-630	XD-CR205	5LAY-15	313-28AB85	T-94	TC-10
CLEAN BURN CLEAVER BROOKS	2721-654		5LAY59	212 04007		
	421-659			312-8A097		
CONROY DUCANE	421-558 421-430	A10-SQ182	5LAY-06	313-25AB90		
GORDON PIATT	421-430	A10-5Q182	5LAY-U6	313-25AB90 313-25AB100		
GRIMSBY	2721-589			313-25AB100		
INDUSTRIAL COMBUSTION	421-660			312-8A0169		
JOHN WOOD	2721-069			31Z-0AU109		
LENNOX	421-331	XD-DC212		313-25AB62	T-265	C-823
METAL MASTER	421-262	A10-S32	LGM	313-23AD02	T-28B	C-523
METRO	2721-368M	A10-332	LGIVI		1-200	U-344
NU-WAY (LARGE PLATE)	2721-300W 2721-448			313-24AB80	T-120	C-794
NU-WAY (SMALL PLATE)	2721-572			313-24AB82	T-122	C-774 C-807
POWER FLAME	421-655			312-25AB0418	1-122	C-007
SUNRAY	421-104E			312-25AB0416 312-26AB022	T-29-10B	C-733
WAYNE (BLUE ANGEL)	2721-647		5LAY-31	313-28AB205W	1-27-100	U-733
WAYNE E	2721-620	XD-WN208	5LAY-30	313-25AB78	T-88	C-799
WAYNE HI SPEED M MH	2721-619	XD-WN202	5LAY-03	313-28AB91	T-93	TW-10
- The state of the	2,21 01,		condary Mid Point		1 70	
CARLIN	2714-633	A12-SV10	2KACVS-2	12-8AB7		
CLEAVER BROOKS	2714-359	A12-SJ10	2KAGVS-2	12-8A08		
BECKETT	2714-656	A12-3310	ZIVANUS-1	12-0400		
GORDON PIATT	2714-662			12-8AB02		
- CONDON FIATT	2714 002	10 000 1/- 4 0-				
LIMIN/EDCAL / MAN	401 DT/0/	10,000 Voit Se	condary Mid Point		T1 1F	T / 20
UNIVERSAL 6 WAY	421-BT636		LAUV	312-25AX0600	T1-15	T-628
UNIVERSAL 5 WAY	421-BT384			212 24405202		
	421-BT053			312-24ABE203		
	421-BT066	A10 CD10	1,007	212 24400227	T 21N	
	421-BT104	A10-SR10	LGCV	312-24AB0237 312-24ABE202	T-31N	C 4E4
	421-BT240 421-BT276	A10-SX10 A10-SW10	LGDW LGEV	312-24ABE202 312-25AB0237	T-18N	C-456 C-551
	421-B1276 421-BT290	A10-SW10 A10-SQ10	LGEV	312-25AB0237 312-24AB0202	T-17N	C-551
	421-BT299	A10-SU10 A10-SJ10	LGDV LFBV	312-25A0202	1-1/IV	U-004
	421-BT332	A10-SV10	LGFV	312-25AB0202 312-25AB0202	T17M	C-555
	421-BT387	A10-SF10	LFAV LFAV	312-25ABU2U2 312-24A0202	T-21N	U-000
	42 I-DIJU/				1-7111	
			E IGNITION TRANSI			
GAS APPLICATION	1092-F	A06-SA6	dary One End Grour 6EEGW-2		T-246N	
GORDON-PIATT	1092-F 1092-S	AUU-SAO	UEEGVV-Z	612-6A7 612-6A020/612-6		
CLEAVER BROOKS	1092-S 1092-H			612-6AU2U/612-6A	HU/2	
IRON FIREMAN, DUNHAM-BUSH	1092-H 1092-K			612-8AB017		
POWER FLAME	1092-K 1092-PF			612-6A056		
RAY BURNER	1092-PF 1092-N		3RAFYR-14	613-6A10		
INT DUNNEN	107Z-IV					
O	E 40 :	10,000 Volt Secon	dary One End Grou			
OIL APPLICATION	542-A			312-6A0456		
OIL APPLICATION	542-C					

WARRANTY

Allanson agrees to correct any defects in material or workmanship which may develop in any oil burner or gas ignition transformer sold, when used under proper or normal conditions, during a period of 24 months from the date of manufacture. Such correction may be by repair, replacement, or material credit at the company's discretion.

This warranty does not include shipping costs to and from the factory. This correction shall fulfill completely any and all obligations by Allanson intended or implied by this warranty. Allanson shall not be responsible for consequential damage or for labour involved in making replacement.



CANADA: 33 Cranfield Road, Toronto, Ontario M4B 3H2 Telephone (416) 755-1191 • Fax (416) 752-6717 Toll Free **1-800-668-9162**

U.S.: 99 Adams Blvd., E. Farmingdale, NY 11735 Telephone (516) 293-3880 • FAX (516) 293-3470