



SET UP SPARKLE FOR YOUR HOUSEHOLD

New Household Setup Guide

Everything a new household needs to get Sparkle running on their phones — from “just start using it” to full real-time sync, notifications and calendar. Works for 1 person, a couple, or up to 8.

There are two levels of setup. Pick the one you want — you can always start with Basic and upgrade to Full later.

LEVEL	WHAT YOU GET	EFFORT	ACCOUNTS NEEDED
BASIC	The full planner: tasks, dates, people, postpone, stats, recurring chores. Data lives on each phone.	~2 minutes	None
FULL	Everything in Basic plus real-time sync between all the phones, push notifications, and an iPhone calendar feed.	~15 minutes, once	One free Supabase account

GOOD TO KNOW

You use the **same app link** either way — you don't need your own copy of the code. Ask whoever shared Sparkle with you for the link (it looks like <https://...github.io/cleaning-scheduling/>). Your data stays completely separate from theirs: it's kept under your own random “household” id and (for Full) your own Supabase project.

IT ADAPTS TO YOUR HOUSEHOLD SIZE

Sparkle changes its screens to match how many people you add: a **solo** view for 1 (personal reminders), the **couple** view for 2, and a **group** view for 3–8 (colour-coded people, a take-turns rotation, and per-person stats). You manage people anytime in **Settings** → **People**. The setup below is identical for all of them.

Part A · Basic setup **BASIC**

1 Open the app link in Safari

On *each* phone, open the Sparkle link in **Safari** (not another browser — “Add to Home Screen” works best from Safari on iPhone).

2 Add it to your Home Screen

Tap the **Share** button (the square with an up-arrow) → **Add to Home Screen** → **Add**. Sparkle now has its own icon and opens full-screen like a normal app, and it works offline.

3 Add everyone in the household

Open Sparkle from the Home Screen. On first launch it asks “Who's in the household?” — add a name for each person (just one for a solo reminder app, or up to 8), and it offers a set of starter chores. Fill it in — you're ready to plan. You can add, rename, recolour or retire people later in **Settings** → **People**.

THE ONE LIMITATION OF BASIC

Without Full setup, each phone keeps its *own* copy of the data — the phones don't automatically agree. You can share a snapshot manually anytime via **Settings** → **Export** / **Import**. If you want the phones to stay in sync by themselves, do Part B.

Part B · Full setup: sync, notifications & calendar FULL

This connects every phone to one free cloud backend (**Supabase**) so changes appear on the other phones within seconds. **Only one person does the setup below**; everyone else just pairs with a code at the end.

1 Create a free Supabase project

Go to **supabase.com** → sign up (free, no card) → **New project**. Give it any name, generate a database password (you won't need it again), pick a nearby region, and wait ~1 minute while it sets up.

2 Create the database tables

In the left sidebar open **SQL Editor** → **New query**, paste the block below, and press **Run** (it should say “Success”). This creates the shared-data table and turns on live updates.

```
create table if not exists sparkle_state (  
  household text primary key,  
  doc       jsonb not null,  
  rev       bigint not null default 0,  
  updated_at timestamptz not null default now()  
);  
alter table sparkle_state enable row level security;  
create policy "sparkle_anon_all" on sparkle_state  
  for all to anon using (true) with check (true);  
alter publication supabase_realtime add table sparkle_state;
```

3 Copy your two connection values

Open **Project Settings** → **API**. You need two things from this page: the **Project URL** (like <https://abcd.supabase.co>) and the **anon public** key (a long string starting `eyJ...`). Keep the page open.

4 Turn on sync in the app

On your phone, in Sparkle: **Settings** → ⚡ **Set up real-time sync**. Paste the Project URL and the anon key, tap **Create household**. The app then offers a **pairing code** to share.

5 Pair the other phones

Send the pairing code to everyone else (iMessage/WhatsApp). On *each other* phone: Sparkle → **Settings** → **Set up real-time sync** → paste the code in the *Pairing code* box → **Pair this phone**. (A brand-new phone can also tap “I have a pairing code” on the welcome screen.) Repeat for every phone that should share the schedule. Done — add or complete a task on one phone and watch it appear on the others.

THAT'S REAL-TIME SYNC WORKING

If you only wanted sync, you can stop here. Steps 6–9 add notifications and the calendar feed — both optional.

6 (Optional) Notifications — create the tables

Back in the **SQL Editor**, run this to store the notification keys and subscriptions:

```
create table if not exists sparkle_push_keys (
  id int primary key default 1 check (id = 1),
  public_key text not null, private_jwk jsonb not null, last_remind timestampz );
alter table sparkle_push_keys enable row level security;

create table if not exists sparkle_push_subs (
  endpoint text primary key, household text not null,
  person text not null default 'p1', sub jsonb not null,
  remind boolean not null default true, completions boolean not null default true,
  created_at timestampz not null default now() );
alter table sparkle_push_subs enable row level security;
```

7 (Optional) Deploy the two server functions

In **Edge Functions** → **Deploy a new function** → **Via Editor**, create a function named exactly `push` with the two files `index.ts` and `webpush.js` from the project's `supabase/functions/push/` folder (viewable on GitHub). Repeat for a function named exactly `calendar` using `supabase/functions/calendar/index.ts`. For each, in its **Settings**, turn **off** “Enforce JWT verification”.

8 (Optional) Schedule the morning reminder

In the **SQL Editor**, paste your own Project URL where shown, then Run. It sends the daily summary at 06:00 UTC.

```
create extension if not exists pg_cron;
create extension if not exists pg_net;
select cron.schedule('sparkle-morning-reminder', '0 6 * * *',
  $$ select net.http_post(
    url := 'https://YOUR-PROJECT-URL.supabase.co/functions/v1/push',
    headers := '{"Content-Type":"application/json"}'::jsonb,
    body := '{"action":"remind"}'::jsonb) $$);
```

Then, on *each* phone: **Settings** → **Notifications** → tap your own name → allow notifications. (A solo household just taps **Enable notifications**.) The morning reminder is personalised: it lists your own due tasks, then names your partner for a couple, or says “the others” for 3+ people.

9 (Optional) Subscribe to the calendar feed

In Sparkle: **Settings** → **Copy calendar feed link**. On each iPhone: **Settings** → **Apps** → **Calendar** → **Calendar Accounts** → **Add Account** → **Other** → **Add Subscribed Calendar** → paste the link. Your tasks now appear in the Calendar app and update automatically.

Your setup checklist

DONE?	STEP
☐	App added to Home Screen on every phone
☐	Everyone added in the household
☐	Supabase project created + <code>sparkle_state</code> SQL run FULL
☐	Sync turned on (first phone) & every other phone paired FULL
☐	Push tables + <code>push</code> / <code>calendar</code> functions deployed FULL · optional
☐	Morning reminder scheduled + notifications enabled per phone FULL · optional
☐	Calendar feed subscribed on each phone FULL · optional

Troubleshooting

SYMPTOM	LIKELY CAUSE & FIX
“Couldn't connect” when creating the household	Re-check the URL/anon key, and make sure the Step 2 SQL ran without errors.
“Could not find the table public.sparkle_state”	The Step 2 SQL hasn't been run yet. Run it, then try Create household again.
Changes sync only after reopening, not live	The last line of the Step 2 SQL (<code>alter publication...</code>) didn't run — it enables realtime.
Enabling notifications shows an error	The <code>push</code> function isn't deployed under exactly that name, or JWT verification is still on. See Step 7.
Notifications never arrive on iPhone	They only work for the app <i>installed via Add to Home Screen</i> (not a Safari tab), on iOS 16.4+, with permission allowed.
New style/features not showing	Fully swipe the app closed and reopen while online; if needed, delete & re-add to the Home Screen (this also refreshes the icon).

PRIVACY — SHARE THE PAIRING CODE CAREFULLY

The pairing code contains your Supabase URL, the public anon key, and your household id. Anyone who has it can read and write *your* cleaning schedule (and nothing else on your Supabase account). Share it only within your household.

WANT YOUR OWN COPY OF THE CODE?

The steps above reuse the already-published app, which is all a household needs. If you'd rather host your own independent copy, you can fork the GitHub repository and enable GitHub Pages on your fork — but that's optional and not required to use Sparkle.