Supplementary Material: Full-Field Surrogate Benchmarking for Supercritical CO_2 Natural-Circulation Loops

Authors: D. Barghav and Goutam Dutta (Department of Mechanical Engineering, Indian Institute of Technology Jammu)

This document provides the complete three-seed (`2026`, `2027`, `2028`) out-of-fold benchmark tables on the primary sCO_2 circulation-loop domain ($5,451,341$ deduplicated fluid nodes across 42 steady-state CFD cases, $\rho \leq 950$ kg m^{-3}):

- **Tables S1–S7:** Complete three-seed case-disjoint and within-group mesh-aligned field metrics across all evaluated models for density (ρ), temperature (T), turbulence eddy dissipation (ε), turbulence kinetic energy (k), and velocity components (u, v, w).
- **Table S8:** Complete three-seed gauge-pressure (p_{gauge}) decomposition into case-level mean pressure error and centered spatial residual error.
- **Table S9:** Complete three-seed leave-one-configuration/geometry-group-out extrapolation metrics across the four structural groups (`HHHC/small`, `HHVC/small`, `VHVC/small`, and `VHVC/large`).
- **Table S10:** Nonparametric Friedman repeated-measures ranks and paired Wilcoxon–Holm significance tests across the 42 cases.
- **Table S11:** Matched sensitivity comparison between the legacy unfiltered multi-fluid export and the physically isolated primary sCO_2 core dataset.

Table 1: Table S1: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Density (ρ, kg m^{-3}) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
DeepONet	Case-disjoint 5-fold	0.837 ± 0.16	[0.473, 2.24]	[0.611, 1.71]	35.1	37.1	-0.0305 [-4.79, 0.547]	0.862
POD-RBF	Within-group aligned	0.966 ± 0.28	[0.295, 2.06]	[0.543, 1.46]	34.4	35.2	-0.0609 [-3.94, 0.862]	0.883
Domain-informed Concat-MLP	Case-disjoint 5-fold	1.01 ± 0.069	[0.583, 2.3]	[0.719, 1.5]	26.3	29.1	-0.544 [-6.2, 0.448]	0.936
Domain-informed FiLM-MLP	Case-disjoint 5-fold	1.04 ± 0.26	[0.447, 2.49]	[0.632, 1.7]	31.3	33.2	-0.627 [-6.65, 0.713]	0.913
PINN data-only	Case-disjoint 5-fold	1.16 ± 0.098	[0.617, 2]	[0.858, 1.43]	30.6	33.8	-0.972 [-4.32, 0.392]	0.914
PINN continuity	Case-disjoint 5-fold	1.17 ± 0.021	[0.658, 2.4]	[0.85, 1.65]	33.6	36.6	-0.95 [-6.45, 0.322]	0.901
Nearest case	Within-group aligned	1.18 ± 0.15	[0.633, 2.47]	[0.849, 1.76]	45.1	46.5	-0.823 [-5.61, 0.473]	0.792
GAMS-GNN-style	Case-disjoint 5-fold	1.25 ± 0.14	[0.752, 2.01]	[0.88, 1.65]	31.8	34.8	-1.28 [-4.53, 0.121]	0.917
Transolver-style	Case-disjoint 5-fold	1.28 ± 0.22	[0.705, 2.14]	[0.869, 1.58]	32.9	35.6	-1.39 [-4.65, 0.238]	0.903
Latent Neural Operator	Case-disjoint 5-fold	1.32 ± 0.18	[0.651, 2.66]	[0.904, 1.92]	34.1	37.8	-1.56 [-8.94, 0.312]	0.882
XGBoost	Case-disjoint 5-fold	1.42 ± 0.071	[0.862, 3.66]	[1.08, 2.1]	57.4	59.2	-1.36 [-15, -0.0469]	0.676
Extra Trees	Case-disjoint 5-fold	1.46 ± 0.26	[0.643, 2.86]	[0.88, 2]	42.7	44.6	-1.63 [-8.1, 0.306]	0.849
CatBoost	Case-disjoint 5-fold	1.56 ± 0.061	[0.688, 3.7]	[1.11, 2.36]	56.3	58.1	-1.87 [-13.9, 0.204]	0.693
POD-GPR	Within-group aligned	1.58 ± 0.17	[0.605, 3.26]	[0.84, 2.72]	46.7	47.6	-1.99 [-9.79, 0.57]	0.847
Random Forest	Case-disjoint 5-fold	1.63 ± 0.62	[0.865, 3.31]	[1.1, 2.36]	57.9	59.8	-2.29 [-12.1, -0.163]	0.636
U-FNO3D	Case-disjoint 5-fold	1.77 ± 0.06	[1.09, 3.28]	[1.44, 2.54]	45.6	50.4	-3.82 [-12.2, -0.881]	0.847
F-FNO	Case-disjoint 5-fold	2.17 ± 0.52	[1.08, 3.42]	[1.56, 2.83]	44.2	49.9	-6.03 [-15.6, -0.936]	0.856
Ridge	Case-disjoint 5-fold	5.04 ± 0.46	[1.58, 8.72]	[2.57, 7.05]	90.5	93.4	-25.6 [-77.6, -2.57]	0.586
Mean baseline	Case-disjoint 5-fold	6.54 ± 0.61	[2.7, 12.5]	[3.9, 10.3]	129	132	-43.1 [-158, -7.04]	-0.034

Table 2: Table S2: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Temperature (T, $^{\circ}$C) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
POD-RBF	Within-group aligned	0.974 ± 0.041	[0.291, 2.18]	[0.545, 1.55]	6.11	7.42	-0.324 [-4.55, 0.865]	0.62
PINN continuity	Case-disjoint 5-fold	1.35 ± 0.044	[0.773, 3.52]	[1.02, 2.34]	5.48	7.32	-1.79 [-18.4, -0.00214]	0.736
POD-GPR	Within-group aligned	1.36 ± 0.054	[0.619, 3.6]	[0.768, 2.12]	7.11	8.67	-1.09 [-13.6, 0.488]	0.507
DeepONet	Case-disjoint 5-fold	1.42 ± 0.41	[0.782, 4.3]	[1.02, 2.75]	7.06	8.93	-2.01 [-27.2, -0.0272]	0.634
Extra Trees	Case-disjoint 5-fold	1.44 ± 0.17	[0.552, 2.86]	[0.897, 1.87]	5.55	6.93	-1.38 [-7.88, 0.444]	0.742
Random Forest	Case-disjoint 5-fold	1.45 ± 0.15	[0.907, 2.89]	[1.13, 1.89]	8.28	10.1	-1.51 [-8.4, -0.083]	0.526
CatBoost	Case-disjoint 5-fold	1.46 ± 0.1	[0.846, 2.98]	[1.1, 2.1]	7.78	9.49	-1.68 [-9.35, -0.0241]	0.593
Domain-informed FiLM-MLP	Case-disjoint 5-fold	1.47 ± 0.25	[0.609, 3.65]	[0.958, 2.38]	5.34	6.79	-2.37 [-18.4, 0.358]	0.806
Nearest case	Within-group aligned	1.5 ± 0.044	[0.996, 2.54]	[1.17, 2.06]	7.26	8.82	-1.66 [-6.06, -0.0213]	0.621
XGBoost	Case-disjoint 5-fold	1.55 ± 0.024	[0.988, 2.72]	[1.29, 1.99]	7.25	8.75	-1.84 [-10.2, -0.207]	0.659
PINN data-only	Case-disjoint 5-fold	1.75 ± 0.18	[0.91, 3.31]	[1.23, 2.46]	5.38	7.33	-4.22 [-16.9, -0.306]	0.76
Domain-informed Concat-MLP	Case-disjoint 5-fold	1.76 ± 0.15	[0.779, 3.78]	[1.15, 2.88]	5.14	6.89	-4.11 [-24.1, -0.0765]	0.792
GAMS-GNN-style	Case-disjoint 5-fold	1.84 ± 0.17	[0.931, 4.16]	[1.23, 3.17]	5.95	7.89	-4.31 [-21, -0.437]	0.706
Transolver-style	Case-disjoint 5-fold	1.93 ± 0.54	[0.871, 4.37]	[1.24, 3.41]	6.38	8.26	-4.75 [-22.9, -0.317]	0.683
Latent Neural Operator	Case-disjoint 5-fold	2.19 ± 0.62	[0.985, 5.18]	[1.39, 3.84]	6.86	9.06	-7.43 [-41.4, -0.843]	0.672
U-FNO3D	Case-disjoint 5-fold	3.49 ± 0.065	[1.75, 5.93]	[2.58, 4.84]	7.83	9.85	-15.8 [-49.9, -3.77]	0.592
F-FNO	Case-disjoint 5-fold	4.13 ± 0.73	[2.05, 7.14]	[2.61, 6.32]	8.62	10.9	-23.8 [-81.5, -5.11]	0.565
Mean baseline	Case-disjoint 5-fold	6.94 ± 1.6	[3.31, 11.4]	[4.42, 9.34]	14.9	17	-50 [-130, -12.7]	-0.0164
Ridge	Case-disjoint 5-fold	8.94 ± 1.3	[2.98, 27.6]	[4.81, 16.8]	18.3	20.7	-100 [-810, -10.2]	0.274

Table 3: Table S3: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Turbulence eddy dissipation (ε, $m^2\ s^{-3}$) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
POD-GPR	Within-group aligned	0.15 ± 0.011	[0.0728, 0.297]	[0.106, 0.238]	0.0995	0.33	0.753 [0.129, 0.925]	0.438
POD-RBF	Within-group aligned	0.177 ± 0.018	[0.113, 0.275]	[0.131, 0.236]	0.127	0.369	0.674 [0.23, 0.887]	-0.575
Domain-informed FiLM-MLP	Case-disjoint 5-fold	0.192 ± 0.02	[0.153, 0.259]	[0.169, 0.226]	0.0978	0.315	0.564 [0.253, 0.733]	0.569
Nearest case	Within-group aligned	0.205 ± 0.017	[0.122, 0.297]	[0.144, 0.244]	0.137	0.388	0.64 [0.0446, 0.87]	0.431
XGBoost	Case-disjoint 5-fold	0.221 ± 0.007	[0.192, 0.281]	[0.199, 0.258]	0.132	0.391	0.386 [0.203, 0.571]	0.329
Domain-informed Concat-MLP	Case-disjoint 5-fold	0.226 ± 0.0051	[0.193, 0.31]	[0.208, 0.265]	0.121	0.399	0.378 [-0.243, 0.579]	0.326
Random Forest	Case-disjoint 5-fold	0.236 ± 0.0073	[0.213, 0.282]	[0.225, 0.26]	0.134	0.391	0.365 [0.205, 0.456]	0.331
PINN data-only	Case-disjoint 5-fold	0.25 ± 0.0093	[0.216, 0.301]	[0.229, 0.273]	0.119	0.376	0.337 [-0.0407, 0.474]	0.435
CatBoost	Case-disjoint 5-fold	0.258 ± 0.0017	[0.241, 0.294]	[0.247, 0.275]	0.138	0.404	0.28 [0.107, 0.394]	0.288
Latent Neural Operator	Case-disjoint 5-fold	0.261 ± 0.0097	[0.24, 0.315]	[0.248, 0.282]	0.14	0.426	0.325 [0.0383, 0.43]	0.176
DeepONet	Case-disjoint 5-fold	0.267 ± 0.02	[0.238, 0.301]	[0.248, 0.28]	0.144	0.436	0.289 [0.0963, 0.383]	0.143
PINN continuity	Case-disjoint 5-fold	0.275 ± 0.0062	[0.254, 0.329]	[0.261, 0.304]	0.136	0.422	0.247 [-0.00411, 0.339]	0.229
Transolver-style	Case-disjoint 5-fold	0.297 ± 0.014	[0.266, 0.332]	[0.278, 0.317]	0.141	0.415	0.182 [-0.0183, 0.301]	0.28
GAMS-GNN-style	Case-disjoint 5-fold	0.298 ± 0.0024	[0.277, 0.334]	[0.285, 0.316]	0.142	0.404	0.206 [0.0239, 0.299]	0.256
Extra Trees	Case-disjoint 5-fold	0.322 ± 0.0044	[0.302, 0.339]	[0.315, 0.33]	0.154	0.438	0.0987 [0.0276, 0.155]	0.124
U-FNO3D	Case-disjoint 5-fold	0.366 ± 0.0027	[0.348, 0.403]	[0.357, 0.388]	0.177	0.466	-0.0226 [-0.0536, 0.0234]	0.0686
F-FNO	Case-disjoint 5-fold	0.367 ± 0.0083	[0.347, 0.404]	[0.356, 0.389]	0.174	0.467	-0.0298 [-0.0664, 0.024]	0.0351
Ridge	Case-disjoint 5-fold	0.395 ± 0.0011	[0.375, 0.428]	[0.387, 0.413]	0.184	0.483	-0.102 [-0.141, -0.0787]	-0.0257
Mean baseline	Case-disjoint 5-fold	2.93 ± 0.19	[0.668, 5.69]	[1.24, 4.53]	0.3	0.561	-8.02 [-32.1, -0.127]	-0.00986

Table 4: Table S4: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Turbulence kinetic energy (k, $m^2\ s^{-2}$) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
POD-RBF	Within-group aligned	0.237 ± 0.015	[0.146, 0.401]	[0.199, 0.327]	0.0002	0.000278	0.774 [0.312, 0.925]	-0.0703
Domain-informed FiLM-MLP	Case-disjoint 5-fold	0.242 ± 0.051	[0.154, 0.396]	[0.177, 0.307]	9.47e-05	0.000157	0.769 [0.379, 0.91]	0.898
POD-GPR	Within-group aligned	0.245 ± 0.01	[0.131, 0.423]	[0.171, 0.31]	0.000134	0.000212	0.791 [0.184, 0.932]	0.729
Domain-informed Concat-MLP	Case-disjoint 5-fold	0.273 ± 0.03	[0.213, 0.415]	[0.232, 0.329]	0.000108	0.000185	0.677 [0.29, 0.851]	0.86
XGBoost	Case-disjoint 5-fold	0.309 ± 0.027	[0.232, 0.553]	[0.253, 0.411]	0.000199	0.00028	0.572 [0.168, 0.754]	0.593
Random Forest	Case-disjoint 5-fold	0.312 ± 0.011	[0.263, 0.554]	[0.274, 0.404]	0.000199	0.000281	0.523 [0.206, 0.668]	0.629
PINN data-only	Case-disjoint 5-fold	0.326 ± 0.019	[0.253, 0.438]	[0.271, 0.383]	0.000124	0.000205	0.566 [0.248, 0.763]	0.829
Nearest case	Within-group aligned	0.329 ± 0.037	[0.145, 0.76]	[0.174, 0.495]	0.000225	0.0003	0.553 [-0.402, 0.916]	0.601
CatBoost	Case-disjoint 5-fold	0.355 ± 0.009	[0.32, 0.584]	[0.332, 0.426]	0.000199	0.000282	0.389 [0.128, 0.588]	0.628
DeepONet	Case-disjoint 5-fold	0.399 ± 0.033	[0.316, 0.511]	[0.345, 0.447]	0.000173	0.000268	0.472 [0.239, 0.569]	0.659
Latent Neural Operator	Case-disjoint 5-fold	0.403 ± 0.027	[0.314, 0.476]	[0.347, 0.444]	0.000159	0.000248	0.483 [0.104, 0.604]	0.725
Extra Trees	Case-disjoint 5-fold	0.419 ± 0.0028	[0.379, 0.465]	[0.394, 0.448]	0.000174	0.000251	0.35 [0.135, 0.484]	0.7
PINN continuity	Case-disjoint 5-fold	0.431 ± 0.018	[0.387, 0.516]	[0.405, 0.463]	0.000152	0.000242	0.364 [0.056, 0.462]	0.778
Transolver-style	Case-disjoint 5-fold	0.447 ± 0.018	[0.405, 0.55]	[0.421, 0.494]	0.000179	0.000271	0.319 [0.0831, 0.394]	0.704
GAMS-GNN-style	Case-disjoint 5-fold	0.461 ± 0.01	[0.407, 0.531]	[0.429, 0.5]	0.000177	0.000267	0.287 [0.0399, 0.402]	0.71
F-FNO	Case-disjoint 5-fold	0.52 ± 0.02	[0.475, 0.632]	[0.496, 0.564]	0.000201	0.000298	0.133 [-0.0426, 0.243]	0.616
U-FNO3D	Case-disjoint 5-fold	0.523 ± 0.013	[0.478, 0.612]	[0.497, 0.565]	0.000202	0.000302	0.154 [0.00896, 0.226]	0.559
Ridge	Case-disjoint 5-fold	0.622 ± 0.0053	[0.553, 0.962]	[0.597, 0.867]	0.000311	0.000402	-0.0951 [-0.257, -0.0419]	0.212
Mean baseline	Case-disjoint 5-fold	2.58 ± 0.18	[1.36, 4.19]	[1.52, 3.56]	0.000555	0.000625	-6.26 [-17.5, -1.51]	-0.076

Table 5: Table S5: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Horizontal velocity (u, m s^{-1}) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
Domain-informed FiLM-MLP	Case-disjoint 5-fold	0.162 ± 0.015	[0.0805, 0.479]	[0.111, 0.346]	0.0381	0.0569	0.94 [0.556, 0.978]	0.801
Nearest case	Within-group aligned	0.167 ± 0.033	[0.108, 0.35]	[0.124, 0.239]	0.047	0.0728	0.918 [0.69, 0.964]	0.63
POD-RBF	Within-group aligned	0.167 ± 0.048	[0.0785, 0.39]	[0.0993, 0.288]	0.0407	0.0627	0.915 [0.627, 0.979]	0.749
POD-GPR	Within-group aligned	0.195 ± 0.035	[0.0906, 0.476]	[0.115, 0.334]	0.0461	0.0709	0.886 [0.474, 0.974]	0.705
XGBoost	Case-disjoint 5-fold	0.205 ± 0.051	[0.122, 0.477]	[0.145, 0.331]	0.0435	0.0689	0.89 [0.417, 0.954]	0.715
Random Forest	Case-disjoint 5-fold	0.215 ± 0.014	[0.127, 0.411]	[0.148, 0.352]	0.0413	0.0656	0.882 [0.532, 0.952]	0.76
DeepONet	Case-disjoint 5-fold	0.217 ± 0.046	[0.161, 0.385]	[0.177, 0.311]	0.0426	0.0689	0.867 [0.62, 0.907]	0.771
Latent Neural Operator	Case-disjoint 5-fold	0.221 ± 0.038	[0.154, 0.559]	[0.174, 0.361]	0.0441	0.0685	0.873 [0.394, 0.919]	0.771
Domain-informed Concat-MLP	Case-disjoint 5-fold	0.224 ± 0.057	[0.119, 0.54]	[0.136, 0.426]	0.043	0.0644	0.881 [0.446, 0.958]	0.78
PINN data-only	Case-disjoint 5-fold	0.233 ± 0.037	[0.127, 0.57]	[0.154, 0.433]	0.0447	0.068	0.88 [0.327, 0.95]	0.767
PINN continuity	Case-disjoint 5-fold	0.243 ± 0.017	[0.174, 0.488]	[0.191, 0.389]	0.0468	0.0742	0.859 [0.431, 0.896]	0.75
Transolver-style	Case-disjoint 5-fold	0.265 ± 0.042	[0.206, 0.524]	[0.231, 0.415]	0.049	0.0746	0.838 [0.397, 0.877]	0.758
CatBoost	Case-disjoint 5-fold	0.268 ± 0.0094	[0.177, 0.458]	[0.204, 0.365]	0.0438	0.0657	0.853 [0.531, 0.92]	0.795
GAMS-GNN-style	Case-disjoint 5-fold	0.269 ± 0.034	[0.201, 0.516]	[0.226, 0.423]	0.0496	0.0767	0.819 [0.401, 0.88]	0.739
Extra Trees	Case-disjoint 5-fold	0.291 ± 0.028	[0.149, 0.536]	[0.185, 0.436]	0.052	0.0822	0.783 [0.277, 0.92]	0.685
U-FNO3D	Case-disjoint 5-fold	0.343 ± 0.033	[0.258, 0.622]	[0.282, 0.476]	0.0593	0.0857	0.764 [0.222, 0.841]	0.682
F-FNO	Case-disjoint 5-fold	0.396 ± 0.019	[0.293, 0.685]	[0.328, 0.539]	0.0648	0.091	0.702 [0.179, 0.82]	0.648
Mean baseline	Case-disjoint 5-fold	0.709 ± 0.002	[0.693, 0.728]	[0.699, 0.718]	0.105	0.152	-0.0413 [-0.0801, -0.0119]	-0.00576
Ridge	Case-disjoint 5-fold	0.748 ± 0.013	[0.703, 0.811]	[0.715, 0.789]	0.11	0.153	-0.08 [-0.237, 0.0376]	0.00274

Table 6: Table S6: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Vertical velocity (v, m s^{-1}) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
Domain-informed FiLM-MLP	Case-disjoint 5-fold	0.175 ± 0.0041	[0.1, 0.382]	[0.122, 0.271]	0.0383	0.0591	0.928 [0.668, 0.975]	0.861
POD-RBF	Within-group aligned	0.186 ± 0.052	[0.0823, 0.393]	[0.124, 0.31]	0.0405	0.0658	0.895 [0.582, 0.98]	0.824
Nearest case	Within-group aligned	0.192 ± 0.038	[0.116, 0.374]	[0.148, 0.318]	0.051	0.0799	0.908 [0.668, 0.958]	0.703
POD-GPR	Within-group aligned	0.215 ± 0.029	[0.0985, 0.47]	[0.146, 0.325]	0.0451	0.0725	0.86 [0.452, 0.973]	0.792
Domain-informed Concat-MLP	Case-disjoint 5-fold	0.23 ± 0.048	[0.127, 0.453]	[0.156, 0.337]	0.0438	0.066	0.873 [0.55, 0.962]	0.845
XGBoost	Case-disjoint 5-fold	0.237 ± 0.048	[0.148, 0.429]	[0.175, 0.338]	0.0487	0.0751	0.867 [0.544, 0.942]	0.764
Latent Neural Operator	Case-disjoint 5-fold	0.249 ± 0.025	[0.188, 0.423]	[0.21, 0.34]	0.0465	0.0713	0.855 [0.591, 0.907]	0.832
Random Forest	Case-disjoint 5-fold	0.251 ± 0.013	[0.157, 0.423]	[0.192, 0.319]	0.0465	0.0725	0.851 [0.589, 0.935]	0.798
PINN data-only	Case-disjoint 5-fold	0.253 ± 0.029	[0.141, 0.451]	[0.167, 0.345]	0.0446	0.0683	0.856 [0.515, 0.954]	0.839
DeepONet	Case-disjoint 5-fold	0.266 ± 0.047	[0.2, 0.407]	[0.232, 0.361]	0.0478	0.075	0.821 [0.614, 0.895]	0.813
CatBoost	Case-disjoint 5-fold	0.293 ± 0.013	[0.223, 0.412]	[0.247, 0.366]	0.0495	0.0749	0.806 [0.579, 0.881]	0.807
PINN continuity	Case-disjoint 5-fold	0.322 ± 0.0079	[0.209, 0.467]	[0.272, 0.411]	0.0517	0.0826	0.753 [0.446, 0.884]	0.799
Extra Trees	Case-disjoint 5-fold	0.341 ± 0.016	[0.232, 0.551]	[0.262, 0.411]	0.056	0.0879	0.714 [0.244, 0.874]	0.753
Transolver-style	Case-disjoint 5-fold	0.351 ± 0.019	[0.277, 0.507]	[0.315, 0.455]	0.0567	0.0858	0.725 [0.424, 0.828]	0.783
GAMS-GNN-style	Case-disjoint 5-fold	0.353 ± 0.022	[0.26, 0.482]	[0.306, 0.434]	0.0565	0.0865	0.721 [0.47, 0.841]	0.78
U-FNO3D	Case-disjoint 5-fold	0.419 ± 0.027	[0.323, 0.555]	[0.36, 0.478]	0.0667	0.0961	0.668 [0.329, 0.765]	0.716
F-FNO	Case-disjoint 5-fold	0.452 ± 0.05	[0.344, 0.577]	[0.385, 0.54]	0.0698	0.0981	0.6 [0.276, 0.774]	0.704
Ridge	Case-disjoint 5-fold	0.772 ± 0.0049	[0.682, 0.847]	[0.733, 0.813]	0.12	0.159	-0.00304 [-0.277, 0.158]	0.112
Mean baseline	Case-disjoint 5-fold	0.783 ± 0.0042	[0.699, 0.814]	[0.716, 0.809]	0.118	0.165	-0.119 [-0.213, -0.0598]	-0.017

Table 7: Table S7: Complete three-seed (2026, 2027, 2028) out-of-fold benchmark metrics for Transverse velocity (w, m s^{-1}) across all 42 primary sCO_2 cases. Entries report three-seed mean ± SD of median case nMAE, mean interquartile range (IQR), mean 95% case-bootstrap CI, case-macro MAE, case-macro RMSE, median case R^2 [IQR], and pooled R^2.

Model	Protocol	Median nMAE (±SD)	nMAE IQR	95% Bootstrap CI	Macro MAE	Macro RMSE	Median case R^2 [IQR]	Pooled R^2
Nearest case	Within-group aligned	0.185 ± 0.0091	[0.111, 0.28]	[0.16, 0.225]	0.00108	0.00293	0.701 [0.46, 0.84]	0.551
POD-GPR	Within-group aligned	0.203 ± 0.012	[0.0928, 0.294]	[0.164, 0.254]	0.00101	0.00256	0.721 [0.508, 0.898]	0.665
POD-RBF	Within-group aligned	0.207 ± 0.0079	[0.102, 0.302]	[0.151, 0.256]	0.00101	0.00255	0.707 [0.512, 0.864]	0.65
Domain-informed FiLM-MLP	Case-disjoint 5-fold	0.272 ± 0.007	[0.205, 0.366]	[0.238, 0.338]	0.00143	0.00346	0.541 [0.271, 0.737]	0.418
XGBoost	Case-disjoint 5-fold	0.318 ± 0.0045	[0.206, 0.36]	[0.301, 0.329]	0.00144	0.00356	0.444 [0.279, 0.591]	0.43
Domain-informed Concat-MLP	Case-disjoint 5-fold	0.318 ± 0.018	[0.267, 0.405]	[0.288, 0.362]	0.00156	0.00385	0.334 [0.202, 0.471]	0.311
PINN data-only	Case-disjoint 5-fold	0.326 ± 0.0026	[0.271, 0.397]	[0.296, 0.368]	0.00159	0.00368	0.476 [0.17, 0.583]	0.37
Random Forest	Case-disjoint 5-fold	0.33 ± 0.012	[0.227, 0.356]	[0.299, 0.343]	0.00149	0.00409	0.243 [0.189, 0.328]	0.233
Extra Trees	Case-disjoint 5-fold	0.345 ± 0.0028	[0.231, 0.368]	[0.303, 0.356]	0.00152	0.00437	0.137 [0.11, 0.174]	0.128
Latent Neural Operator	Case-disjoint 5-fold	0.355 ± 0.01	[0.288, 0.41]	[0.334, 0.379]	0.0017	0.004	0.33 [0.0949, 0.442]	0.273
CatBoost	Case-disjoint 5-fold	0.362 ± 0.0036	[0.223, 0.381]	[0.348, 0.371]	0.00155	0.00404	0.209 [0.148, 0.433]	0.257
Mean baseline	Case-disjoint 5-fold	0.363 ± 0.0002	[0.238, 0.383]	[0.307, 0.376]	0.00158	0.0047	-0.000145 [-0.000504, -3.34e-05]	-1.91e-05
Ridge	Case-disjoint 5-fold	0.364 ± 0.00073	[0.24, 0.387]	[0.325, 0.379]	0.00159	0.0047	-0.000142 [-0.000526, 5.6e-05]	9.99e-05
PINN continuity	Case-disjoint 5-fold	0.364 ± 0.00098	[0.242, 0.384]	[0.314, 0.378]	0.00158	0.00469	0.00121 [-1.39e-05, 0.00645]	0.00378
DeepONet	Case-disjoint 5-fold	0.365 ± 0.0053	[0.265, 0.387]	[0.337, 0.38]	0.00166	0.00423	0.107 [0.0292, 0.384]	0.168
GAMS-GNN-style	Case-disjoint 5-fold	0.376 ± 0.0015	[0.266, 0.394]	[0.359, 0.386]	0.00165	0.00469	0.000935 [-0.0027, 0.00768]	0.00143
Transolver-style	Case-disjoint 5-fold	0.378 ± 0.0013	[0.262, 0.396]	[0.359, 0.39]	0.00166	0.00469	0.00141 [-0.00197, 0.0111]	0.00342
U-FNO3D	Case-disjoint 5-fold	0.392 ± 0.0033	[0.307, 0.423]	[0.376, 0.41]	0.00174	0.00473	-0.00652 [-0.0203, -0.00257]	-0.00833
F-FNO	Case-disjoint 5-fold	0.4 ± 0.0041	[0.32, 0.435]	[0.383, 0.415]	0.0018	0.00474	-0.00978 [-0.0277, 0.000803]	-0.0152

Table 8: Table S8: Complete three-seed gauge-pressure (p_{gauge}) decomposition metrics across all 42 cases. Columns report total node-level case-macro MAE and RMSE (kPa), case-mean offset MAE and RMSE (kPa), centered spatial residual MAE and RMSE (Pa), median centered residual nRMSE (with a 1 kPa denominator floor), and pooled gauge-pressure R^2.

Model	Protocol	Macro MAE (kPa)	Macro RMSE (kPa)	Level MAE (kPa)	Level RMSE (kPa)	Resid. MAE (Pa)	Resid. RMSE (Pa)	Resid. nRMSE	Pool
Extra Trees	Case-disjoint 5-fold	83.2 ± 1.4	83.7	82.9	160	4.55e+03	1.01e+04	2.91	
POD-GPR	Within-group aligned	86 ± 7.8	86	86	131	201	457	0.0457	
POD-RBF	Within-group aligned	90.1 ± 7.5	90.2	90.1	244	201	471	0.0483	
Random Forest	Case-disjoint 5-fold	91.5 ± 13	92.5	91.1	174	5.26e+03	9.44e+03	3.61	
Domain-informed Concat-MLP	Case-disjoint 5-fold	95.4 ± 13	102	90.3	172	2.4e+04	4.2e+04	18.3	
Domain-informed FiLM-MLP	Case-disjoint 5-fold	95.7 ± 19	99.4	93.3	193	1.65e+04	4.41e+04	10.7	
Latent Neural Operator	Case-disjoint 5-fold	97.2 ± 15	105	90	172	2.95e+04	6.05e+04	19.8	
PINN data-only	Case-disjoint 5-fold	102 ± 4.9	109	95.4	191	2.7e+04	4.51e+04	22.2	
CatBoost	Case-disjoint 5-fold	104 ± 3.8	104	104	200	1.56e+03	3.39e+03	0.954	
Nearest case	Within-group aligned	108 ± 6.3	108	108	175	271	667	0.0122	
DeepONet	Case-disjoint 5-fold	111 ± 7.6	111	111	201	5.58e+03	8.55e+03	4.53	
XGBoost	Case-disjoint 5-fold	121 ± 3.4	121	121	257	427	1.01e+03	0.151	
PINN continuity	Case-disjoint 5-fold	131 ± 25	136	127	276	2.39e+04	4.8e+04	13.4	
GAMS-GNN-style	Case-disjoint 5-fold	141 ± 10	144	138	319	1.3e+04	1.97e+04	9.76	
Transolver-style	Case-disjoint 5-fold	149 ± 15	151	147	327	9.17e+03	1.34e+04	8.15	
U-FNO3D	Case-disjoint 5-fold	167 ± 7.7	173	162	330	2.45e+04	3.47e+04	21.5	
F-FNO	Case-disjoint 5-fold	174 ± 13	181	164	334	2.98e+04	4.34e+04	24.3	
Ridge	Case-disjoint 5-fold	175 ± 15	175	175	320	1.62e+03	2.56e+03	1.07	
Mean baseline	Case-disjoint 5-fold	236 ± 3.9	236	236	343	1.35e+03	2.89e+03	0.202	

Table 9: Table S9: Complete three-seed leave-one-configuration/geometry-group-out extrapolation metrics across the four structural groups. Entries report three-seed mean of median case nMAE for the seven spatially varying fields, case-level gauge-pressure MAE (kPa), and centered pressure residual nRMSE (1 kPa floor). Mesh-aligned transfer methods (POD-RBF, POD-GPR, Nearest case) are not applicable across disjoint loop geometries.

Held-out group	Model	ρ nMAE	T nMAE	ε nMAE	k nMAE	u nMAE	v nMAE	w nMAE	p Level MAE (kPa)	p Resid. nRMSE
HHHC / small (n = 20)	CatBoost	8.38	13.2	4.63	6.92	1.03	0.953	0.48	270	10.7
HHHC / small (n = 20)	DeepONet	9.66	68.8	0.409	0.974	0.971	0.991	0.393	940	20.5
HHHC / small (n = 20)	Domain-informed Concat-MLP	12.9	130	1.29	1.31	0.866	0.876	0.891	2.04e+03	67.9
HHHC / small (n = 20)	Domain-informed FiLM-MLP	12.1	113	6.82	1.3	0.973	1.05	0.514	1.91e+03	122
HHHC / small (n = 20)	Extra Trees	7	11.6	0.409	1.03	0.938	1.01	0.391	805	1.34
HHHC / small (n = 20)	F-FNO	9.4	45.1	0.402	0.652	0.794	0.934	0.393	138	18.7
HHHC / small (n = 20)	GAMS-GNN-style	4.6	16.2	0.476	0.827	0.721	0.79	0.438	123	21.4
HHHC / small (n = 20)	Latent Neural Operator	7.41	27.5	0.753	0.946	0.997	1.08	0.395	1.07e+03	115
HHHC / small (n = 20)	Mean baseline	5.11	9.57	5.85	4.63	0.748	0.805	0.377	141	0.196
HHHC / small (n = 20)	PINN continuity	5.48	44.2	1.01	1.58	0.688	0.734	0.386	1.18e+03	12.6
HHHC / small (n = 20)	PINN data-only	5.46	31.5	0.817	1.2	0.817	0.723	0.773	1.1e+03	46.9
HHHC / small (n = 20)	Random Forest	8.87	13.1	5.75	5.47	0.896	1.05	0.544	525	2.12
HHHC / small (n = 20)	Ridge	21.8	128	0.405	1.06	0.974	1.12	0.379	195	2.22
HHHC / small (n = 20)	Transolver-style	6.12	32.3	2.19	1.12	0.751	0.96	0.451	123	37.5
HHHC / small (n = 20)	U-FNO3D	9.92	32.7	0.438	1.04	0.84	0.917	0.407	131	45.4
HHHC / small (n = 20)	XGBoost	11.9	18.1	7.51	10.7	0.933	1.19	0.47	247	5.07
HHVC / small ($n = 5$)	CatBoost	1.51	3.23	0.298	0.505	0.791	0.666	0.508	564	0.773
HHVC / small ($n = 5$)	DeepONet	6.11	7.94	0.391	0.698	2.26	1.49	0.785	640	8.96
HHVC / small ($n = 5$)	Domain-informed Concat-MLP	17.1	34.7	29.5	1.59	1.94	1.53	1.77	1.03e+03	98.5
HHVC / small ($n = 5$)	Domain-informed FiLM-MLP	12.1	13.9	0.896	0.876	1.75	1.14	0.982	795	16.2
HHVC / small ($n = 5$)	Extra Trees	1.17	3.34	0.327	0.618	2.02	1.21	0.416	582	3.73
HHVC / small ($n = 5$)	F-FNO	11.3	47.3	0.386	1.53	2.24	1.27	0.927	615	24.5
HHVC / small ($n = 5$)	GAMS-GNN-style	12.3	15.6	4.06	2.24	2.64	1.63	0.618	607	29.8
HHVC / small ($n = 5$)	Latent Neural Operator	11.4	20.6	0.441	0.756	2.11	1.53	0.833	671	27.6
HHVC / small ($n = 5$)	Mean baseline	13.3	21.8	15.7	9.95	0.998	0.95	0.375	608	0.186
HHVC / small ($n = 5$)	PINN continuity	4.94	19.2	0.491	0.659	1.79	1.11	0.384	891	46.7
HHVC / small ($n = 5$)	PINN data-only	10.8	13.3	20.8	1.69	1.23	0.875	0.907	726	79.4
HHVC / small ($n = 5$)	Random Forest	1.51	3.44	0.281	0.445	1.69	0.985	0.43	599	3.92
HHVC / small ($n = 5$)	Ridge	20.7	82.9	0.283	0.436	0.829	0.702	0.377	598	1.42
HHVC / small ($n = 5$)	Transolver-style	20.1	10.2	1.97	1.51	2.64	1.69	0.64	611	29.2
HHVC / small ($n = 5$)	U-FNO3D	13.2	10.3	0.432	1.12	1.86	1.26	0.662	603	22.1
HHVC / small ($n = 5$)	XGBoost	1.39	3.05	0.31	0.524	3.11	1.41	0.763	557	0.218
VHVC / small ($n = 4$)	CatBoost	1.62	2.43	0.521	1.73	2.6	1.01	0.895	205	2.95
VHVC / small ($n = 4$)	DeepONet	3.5	7.18	0.365	0.85	1.19	0.784	0.508	165	15.3
VHVC / small ($n = 4$)	Domain-informed Concat-MLP	3.24	11.6	2.51e+03	14	4.07	2.53	1.4	165	115
VHVC / small ($n = 4$)	Domain-informed FiLM-MLP	7.42	16.4	14.4	1.09	4.61	1.22	0.812	350	37.1
VHVC / small ($n = 4$)	Extra Trees	2.25	3.74	0.365	0.988	2.56	0.89	0.45	137	3.92
VHVC / small ($n = 4$)	F-FNO	6.81	16.2	0.424	1.39	4.81	3.23	0.873	171	59.4
VHVC / small ($n = 4$)	GAMS-GNN-style	5.29	10.4	1.12	2.46	2.77	2.06	0.523	223	39.5

Held-out group	Model	ρ nMAE	T nMAE	ε nMAE	k nMAE	u nMAE	v nMAE	w nMAE	p Level MAE (kPa)	p Resid. nRMSE
VHVC / small ($n = 4$)	Latent Neural Operator	4.73	7.4	0.528	1.01	1.92	1.08	0.796	246	41.1
VHVC / small ($n = 4$)	Mean baseline	4.51	8.51	9.04	6.79	1.88	1.08	0.39	128	0.185
VHVC / small ($n = 4$)	PINN continuity	6.57	12.5	18.9	2.12	1.56	0.765	0.395	271	87
VHVC / small ($n = 4$)	PINN data-only	2.72	5.2	134	10.5	4.34	1.42	1.28	225	99.2
VHVC / small ($n = 4$)	Random Forest	2.32	3.75	0.383	0.861	1.36	0.699	1.01	201	1.9
VHVC / small ($n = 4$)	Ridge	8.68	27.5	0.437	1.23	1.18	0.72	0.421	144	1.38
VHVC / small ($n = 4$)	Transolver-style	3.85	9.48	1.39	1.41	5.76	1.72	0.519	162	34.2
VHVC / small ($n = 4$)	U-FNO3D	5.5	4.88	0.426	1.6	4.73	1.91	0.879	136	49.1
VHVC / small ($n = 4$)	XGBoost	0.98	1.61	0.282	0.468	1.12	0.686	0.568	386	1.29
VHVC / large ($n = 13$)	CatBoost	5.13	1.8	3.17	1.98	0.97	1.02	0.806	449	1.68
VHVC / large ($n = 13$)	DeepONet	5.9	2.5	5.91e+07	8.81e+07	0.643	0.824	0.915	888	8.41
VHVC / large ($n = 13$)	Domain-informed Concat-MLP	1.77e+04	1.42e+04	1.62e+09	1.36e+11	1.36e+04	4.05e+03	2.6e+04	6.93e+06	12.1
VHVC / large ($n = 13$)	Domain-informed FiLM-MLP	5.29	2.5	25	1.87	0.787	0.857	0.986	646	28.6
VHVC / large ($n = 13$)	Extra Trees	4.36	1.65	0.437	1.98	0.656	0.766	0.261	728	1.3
VHVC / large ($n = 13$)	F-FNO	1.81e+04	8.27e+03	1.62e+09	1.36e+11	1.9e+03	1.64e+04	2.02e+04	1.44e+06	2.17
VHVC / large ($n = 13$)	GAMS-GNN-style	5.25	1.94	0.448	1.8	0.711	0.871	0.333	389	1.09
VHVC / large ($n = 13$)	Latent Neural Operator	4.87	1.87	0.555	1.82	0.919	0.964	0.729	248	20.7
VHVC / large ($n = 13$)	Mean baseline	5.57	1.69	0.431	1.88	0.644	0.836	0.225	431	1
VHVC / large ($n = 13$)	PINN continuity	5.36	3.18	4.46	2.47	0.732	0.909	0.242	1.38e+03	1
VHVC / large ($n = 13$)	PINN data-only	6.01	3.14	1.13	1.16	0.791	0.849	2.84	842	1
VHVC / large ($n = 13$)	Random Forest	3.85	1.98	0.424	1.89	0.967	1.05	0.442	414	3.5
VHVC / large ($n = 13$)	Ridge	2.26e+04	1.28e+04	1.62e+09	9.08e+10	193	2.17e+03	1.73e+03	2.04e+07	1
VHVC / large ($n = 13$)	Transolver-style	5.1	1.75	0.436	1.95	0.688	0.876	0.613	366	1
VHVC / large ($n = 13$)	U-FNO3D	1.42e+04	1.56e+04	1.62e+09	1.36e+11	1.59e+04	7.34e+03	1.79e+04	2.01e+06	3.95e+05
VHVC / large ($n = 13$)	XGBoost	5.85	1.73	7.22	1.83	0.588	0.787	0.83	402	0.988

Table 10: Table S10: Nonparametric repeated-measures Friedman ranks and paired two-sided Wilcoxon signed-rank tests (with Holm step-down multiplicity adjustment) across the $N = 42$ held-out cases for all 19 evaluated models.

Target field	Model	Mean rank	Friedman χ^2_F	Friedman p	Wilcoxon raw p	Holm-adjusted p
Density (ρ, kg m^{-3})	Domain-informed FiLM-MLP	7.36	216	5.7e-36	– (Reference)	– (Reference)
Density (ρ, kg m^{-3})	POD-RBF	7.36	216	5.7e-36	0.748	1
Density (ρ, kg m^{-3})	Domain-informed Concat-MLP	7.38	216	5.7e-36	0.824	1
Density (ρ, kg m^{-3})	DeepONet	7.45	216	5.7e-36	0.911	1
Density (ρ, kg m^{-3})	Nearest case	8.05	216	5.7e-36	0.785	1
Density (ρ, kg m^{-3})	Latent Neural Operator	8.12	216	5.7e-36	0.911	1
Density (ρ, kg m^{-3})	PINN data-only	8.17	216	5.7e-36	0.327	1
Density (ρ, kg m^{-3})	Transolver-style	8.29	216	5.7e-36	0.729	1
Density (ρ, kg m^{-3})	GAMS-GNN-style	8.4	216	5.7e-36	0.843	1
Density (ρ, kg m^{-3})	PINN continuity	8.69	216	5.7e-36	0.427	1
Density (ρ, kg m^{-3})	Random Forest	9.1	216	5.7e-36	0.218	1
Density (ρ, kg m^{-3})	Extra Trees	9.36	216	5.7e-36	0.0535	0.589
Density (ρ, kg m^{-3})	POD-GPR	9.69	216	5.7e-36	0.00431	0.0603
Density (ρ, kg m^{-3})	XGBoost	10.9	216	5.7e-36	0.0489	0.587
Density (ρ, kg m^{-3})	CatBoost	11.8	216	5.7e-36	0.00628	0.0816
Density (ρ, kg m^{-3})	F-FNO	13.2	216	5.7e-36	7.35e-05	0.0011
Density (ρ, kg m^{-3})	U-FNO3D	13.4	216	5.7e-36	5.54e-06	8.87e-05
Density (ρ, kg m^{-3})	Ridge	15.5	216	5.7e-36	7.91e-10	1.34e-08
Density (ρ, kg m^{-3})	Mean baseline	17.8	216	5.7e-36	3.18e-11	5.73e-10
Temperature (T, °C)	POD-RBF	6.36	206	6.41e-34	– (Reference)	– (Reference)
Temperature (T, °C)	Domain-informed FiLM-MLP	7.19	206	6.41e-34	0.0568	0.398
Temperature (T, °C)	PINN continuity	7.67	206	6.41e-34	0.0715	0.429
Temperature (T, °C)	DeepONet	7.74	206	6.41e-34	0.0845	0.429
Temperature (T, °C)	Extra Trees	7.79	206	6.41e-34	0.488	0.488
Temperature (T, °C)	POD-GPR	8.05	206	6.41e-34	0.125	0.429
Temperature (T, °C)	Nearest case	8.71	206	6.41e-34	0.046	0.368
Temperature (T, °C)	XGBoost	8.98	206	6.41e-34	0.0966	0.429
Temperature (T, °C)	Random Forest	9.19	206	6.41e-34	0.171	0.429
Temperature (T, °C)	Domain-informed Concat-MLP	9.19	206	6.41e-34	0.0305	0.274
Temperature (T, °C)	PINN data-only	9.31	206	6.41e-34	0.0158	0.174
Temperature (T, °C)	CatBoost	9.55	206	6.41e-34	0.0164	0.174
Temperature (T, °C)	Transolver-style	9.6	206	6.41e-34	0.00347	0.0451
Temperature (T, °C)	Latent Neural Operator	10	206	6.41e-34	0.00243	0.034
Temperature (T, °C)	GAMS-GNN-style	10.2	206	6.41e-34	0.00395	0.0475
Temperature (T, °C)	F-FNO	14.2	206	6.41e-34	4.38e-06	7.01e-05
Temperature (T, °C)	U-FNO3D	14.2	206	6.41e-34	1.81e-05	0.000271
Temperature (T, °C)	Mean baseline	15.2	206	6.41e-34	1.17e-06	1.98e-05
Temperature (T, °C)	Ridge	16.9	206	6.41e-34	8.8e-08	1.58e-06
Turbulence eddy dissipation (ε, m^2 s^{-3})	Domain-informed FiLM-MLP	3.95	379	1.79e-69	– (Reference)	– (Reference)
Turbulence eddy dissipation (ε, m^2 s^{-3})	POD-GPR	5.48	379	1.79e-69	0.612	0.612
Turbulence eddy dissipation (ε, m^2 s^{-3})	Nearest case	6.64	379	1.79e-69	0.152	0.456
Turbulence eddy dissipation (ε, m^2 s^{-3})	XGBoost	6.64	379	1.79e-69	6.97e-06	3.49e-05
Turbulence eddy dissipation (ε, m^2 s^{-3})	POD-RBF	6.83	379	1.79e-69	0.238	0.475
Turbulence eddy dissipation (ε, m^2 s^{-3})	Domain-informed Concat-MLP	6.86	379	1.79e-69	2.71e-06	1.63e-05
Turbulence eddy dissipation (ε, m^2 s^{-3})	Random Forest	7.55	379	1.79e-69	2.56e-05	0.000102
Turbulence eddy dissipation (ε, m^2 s^{-3})	PINN data-only	8.12	379	1.79e-69	2.95e-07	2.36e-06

Target field	Model	Mean rank	Friedman χ^2_F	Friedman p	Wilcoxon raw p	Holm-adjusted p
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	Latent Neural Operator	8.5	379	1.79e-69	7.49e-07	5.25e-06
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	DeepONet	8.79	379	1.79e-69	3.67e-08	4.04e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	CatBoost	9.71	379	1.79e-69	1.33e-07	1.2e-06
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	PINN continuity	10.5	379	1.79e-69	3.67e-08	4.04e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	Transolver-style	11.4	379	1.79e-69	1.83e-08	2.37e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	Extra Trees	12	379	1.79e-69	3.27e-08	3.93e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	GAMS-GNN-style	12.5	379	1.79e-69	7.66e-09	1.23e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	F-FNO	14.8	379	1.79e-69	8.71e-09	1.23e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	U-FNO3D	14.8	379	1.79e-69	7.66e-09	1.23e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	Ridge	16.4	379	1.79e-69	5.91e-09	1e-07
Turbulence eddy dissipation (ε, $m^2\ s^{-3}$)	Mean baseline	18.6	379	1.79e-69	4.55e-13	8.19e-12
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Domain-informed FiLM-MLP	4.57	363	5.08e-66	– (Reference)	– (Reference)
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	POD-GPR	4.79	363	5.08e-66	0.833	0.975
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Domain-informed Concat-MLP	5.83	363	5.08e-66	0.00103	0.00617
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	POD-RBF	6.1	363	5.08e-66	0.488	0.975
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	PINN data-only	7.4	363	5.08e-66	0.00125	0.00617
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	XGBoost	7.55	363	5.08e-66	5.7e-05	0.000513
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Nearest case	7.98	363	5.08e-66	0.0183	0.0548
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Random Forest	8.29	363	5.08e-66	0.000258	0.00195
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Latent Neural Operator	8.64	363	5.08e-66	0.00114	0.00617
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	DeepONet	8.93	363	5.08e-66	0.000244	0.00195
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	CatBoost	10.4	363	5.08e-66	1.39e-06	1.94e-05
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Extra Trees	10.7	363	5.08e-66	4.69e-05	0.000469
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	PINN continuity	10.8	363	5.08e-66	1.57e-05	0.000173
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Transolver-style	12.2	363	5.08e-66	5.54e-06	6.65e-05
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	GAMS-GNN-style	12.7	363	5.08e-66	4.38e-06	5.7e-05
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	F-FNO	14	363	5.08e-66	2.2e-07	3.53e-06
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	U-FNO3D	14	363	5.08e-66	4.74e-07	7.12e-06
Turbulence kinetic energy (k, $m^2\ s^{-2}$)	Ridge	16.7	363	5.08e-66	1.83e-08	3.1e-07

Target field	Model	Mean rank	Friedman χ^2_F	Friedman p	Wilcoxon raw p	Holm-adjusted p
Turbulence kinetic energy (k, m^2 s^{-2})	Mean baseline	18.4	363	5.08e-66	4.55e-13	8.19e-12
Horizontal velocity (u, m s^{-1})	POD-RBF	5.81	296	2.58e-52	– (Reference)	– (Reference)
Horizontal velocity (u, m s^{-1})	Domain-informed FiLM-MLP	6.07	296	2.58e-52	0.333	0.561
Horizontal velocity (u, m s^{-1})	POD-GPR	6.4	296	2.58e-52	0.187	0.561
Horizontal velocity (u, m s^{-1})	XGBoost	6.95	296	2.58e-52	0.046	0.184
Horizontal velocity (u, m s^{-1})	Random Forest	7.14	296	2.58e-52	0.2	0.561
Horizontal velocity (u, m s^{-1})	Nearest case	7.81	296	2.58e-52	0.0325	0.163
Horizontal velocity (u, m s^{-1})	Domain-informed Concat-MLP	8.19	296	2.58e-52	0.025	0.15
Horizontal velocity (u, m s^{-1})	DeepONet	8.71	296	2.58e-52	0.009	0.081
Horizontal velocity (u, m s^{-1})	Latent Neural Operator	8.88	296	2.58e-52	0.017	0.119
Horizontal velocity (u, m s^{-1})	Extra Trees	8.88	296	2.58e-52	0.00211	0.0222
Horizontal velocity (u, m s^{-1})	CatBoost	9.21	296	2.58e-52	0.0118	0.0942
Horizontal velocity (u, m s^{-1})	PINN data-only	9.74	296	2.58e-52	0.000474	0.00569
Horizontal velocity (u, m s^{-1})	PINN continuity	10.1	296	2.58e-52	0.00202	0.0222
Horizontal velocity (u, m s^{-1})	Transolver-style	10.9	296	2.58e-52	0.000121	0.00157
Horizontal velocity (u, m s^{-1})	GAMS-GNN-style	11.7	296	2.58e-52	5.34e-05	0.000747
Horizontal velocity (u, m s^{-1})	U-FNO3D	14.3	296	2.58e-52	4.05e-06	6.08e-05
Horizontal velocity (u, m s^{-1})	F-FNO	15.3	296	2.58e-52	7.91e-08	1.27e-06
Horizontal velocity (u, m s^{-1})	Mean baseline	16.7	296	2.58e-52	6.73e-09	1.14e-07
Horizontal velocity (u, m s^{-1})	Ridge	17.2	296	2.58e-52	5.18e-09	9.32e-08
Vertical velocity (v, m s^{-1})	Domain-informed FiLM-MLP	5.17	337	9.61e-61	– (Reference)	– (Reference)
Vertical velocity (v, m s^{-1})	POD-RBF	5.36	337	9.61e-61	0.62	1
Vertical velocity (v, m s^{-1})	POD-GPR	6.02	337	9.61e-61	0.805	1
Vertical velocity (v, m s^{-1})	Random Forest	7.07	337	9.61e-61	0.0778	0.389
Vertical velocity (v, m s^{-1})	Domain-informed Concat-MLP	7.14	337	9.61e-61	0.00184	0.0129
Vertical velocity (v, m s^{-1})	XGBoost	7.24	337	9.61e-61	0.0966	0.389
Vertical velocity (v, m s^{-1})	Nearest case	7.76	337	9.61e-61	0.315	0.944
Vertical velocity (v, m s^{-1})	Latent Neural Operator	8.57	337	9.61e-61	3.36e-05	0.000303
Vertical velocity (v, m s^{-1})	PINN data-only	8.76	337	9.61e-61	2.95e-07	3.54e-06
Vertical velocity (v, m s^{-1})	DeepONet	8.86	337	9.61e-61	5.99e-06	5.99e-05
Vertical velocity (v, m s^{-1})	CatBoost	9.21	337	9.61e-61	0.00603	0.0362
Vertical velocity (v, m s^{-1})	Extra Trees	9.62	337	9.61e-61	0.000218	0.00174
Vertical velocity (v, m s^{-1})	PINN continuity	10.9	337	9.61e-61	1.48e-07	1.92e-06
Vertical velocity (v, m s^{-1})	Transolver-style	12	337	9.61e-61	1.83e-08	2.74e-07
Vertical velocity (v, m s^{-1})	GAMS-GNN-style	12.5	337	9.61e-61	2.6e-08	3.64e-07
Vertical velocity (v, m s^{-1})	U-FNO3D	14.5	337	9.61e-61	1.43e-08	2.29e-07
Vertical velocity (v, m s^{-1})	F-FNO	15.1	337	9.61e-61	7.66e-09	1.38e-07
Vertical velocity (v, m s^{-1})	Ridge	17.1	337	9.61e-61	5.2e-07	5.73e-06
Vertical velocity (v, m s^{-1})	Mean baseline	17.1	337	9.61e-61	7.66e-09	1.38e-07
Transverse velocity (w, m s^{-1})	POD-GPR	3.71	383	3.17e-70	– (Reference)	– (Reference)
Transverse velocity (w, m s^{-1})	POD-RBF	3.83	383	3.17e-70	0.882	0.882
Transverse velocity (w, m s^{-1})	Nearest case	4.38	383	3.17e-70	0.122	0.244
Transverse velocity (w, m s^{-1})	XGBoost	6.24	383	3.17e-70	5.99e-06	7.78e-05
Transverse velocity (w, m s^{-1})	Domain-informed FiLM-MLP	6.52	383	3.17e-70	2.3e-06	3.22e-05
Transverse velocity (w, m s^{-1})	Random Forest	7.33	383	3.17e-70	4.39e-05	0.000252
Transverse velocity (w, m s^{-1})	Extra Trees	8.07	383	3.17e-70	4.39e-05	0.000252
Transverse velocity (w, m s^{-1})	CatBoost	9.21	383	3.17e-70	3.14e-05	0.000251
Transverse velocity (w, m s^{-1})	Mean baseline	9.86	383	3.17e-70	3.6e-05	0.000252
Transverse velocity (w, m s^{-1})	Domain-informed Concat-MLP	10.7	383	3.17e-70	3.67e-08	6.24e-07
Transverse velocity (w, m s^{-1})	PINN continuity	10.7	383	3.17e-70	3.6e-05	0.000252
Transverse velocity (w, m s^{-1})	Ridge	11.3	383	3.17e-70	3.6e-05	0.000252
Transverse velocity (w, m s^{-1})	PINN data-only	11.4	383	3.17e-70	1.27e-08	2.28e-07
Transverse velocity (w, m s^{-1})	Latent Neural Operator	12.5	383	3.17e-70	5.71e-07	9.13e-06
Transverse velocity (w, m s^{-1})	DeepONet	12.9	383	3.17e-70	7.49e-07	1.12e-05

Target field	Model	Mean rank	Friedman χ^2_F	Friedman p	Wilcoxon raw p	Holm-adjusted p
Transverse velocity (w, m s^{-1})	GAMS-GNN-style	13.5	383	3.17e-70	2.39e-05	0.000215
Transverse velocity (w, m s^{-1})	Transolver-style	14.4	383	3.17e-70	1.94e-05	0.000194
Transverse velocity (w, m s^{-1})	U-FNO3D	16.5	383	3.17e-70	1.18e-05	0.000141
Transverse velocity (w, m s^{-1})	F-FNO	17	383	3.17e-70	1.26e-05	0.000141

Table 11: Table S11: Matched dataset-version sensitivity comparing the legacy unfiltered fluid dataset (6,730,936 nodes including the outer cooling-water annulus) against the clean primary sCO_2 pipe core dataset (5,451,341 nodes, $\rho \leq 950$ kg m^{-3}) across all 17 benchmark models.

Target field	Model	Metric	Legacy unfiltered	Clean sCO_2 (3-seed)	Clean − Legacy
Density (ρ, kg m^{-3})	Mean baseline	Median case nMAE	0.801	6.54	5.74
Temperature (T, °C)	Mean baseline	Median case nMAE	2.31	6.94	4.63
Turbulence eddy dissipation (ε, m^2 s^{-3})	Mean baseline	Median case nMAE	1.3	2.93	1.62
Turbulence kinetic energy (k, m^2 s^{-2})	Mean baseline	Median case nMAE	0.94	2.58	1.64
Horizontal velocity (u, m s^{-1})	Mean baseline	Median case nMAE	0.696	0.709	0.0123
Vertical velocity (v, m s^{-1})	Mean baseline	Median case nMAE	0.688	0.783	0.0948
Transverse velocity (w, m s^{-1})	Mean baseline	Median case nMAE	0.357	0.363	0.00523
Gauge pressure (p_{gauge})	Mean baseline	Centered residual RMSE (Pa)	1.09e+05	2.89e+03	-1.06e+05
Density (ρ, kg m^{-3})	Ridge	Median case nMAE	0.894	5.04	4.15
Temperature (T, °C)	Ridge	Median case nMAE	6.15	8.94	2.79
Turbulence eddy dissipation (ε, m^2 s^{-3})	Ridge	Median case nMAE	0.357	0.395	0.0388
Turbulence kinetic energy (k, m^2 s^{-2})	Ridge	Median case nMAE	0.405	0.622	0.216
Horizontal velocity (u, m s^{-1})	Ridge	Median case nMAE	0.708	0.748	0.0396
Vertical velocity (v, m s^{-1})	Ridge	Median case nMAE	0.703	0.772	0.0694
Transverse velocity (w, m s^{-1})	Ridge	Median case nMAE	0.359	0.364	0.00532
Gauge pressure (p_{gauge})	Ridge	Centered residual RMSE (Pa)	1.15e+05	2.56e+03	-1.13e+05
Density (ρ, kg m^{-3})	Random Forest	Median case nMAE	0.166	1.63	1.47
Temperature (T, °C)	Random Forest	Median case nMAE	0.775	1.45	0.678
Turbulence eddy dissipation (ε, m^2 s^{-3})	Random Forest	Median case nMAE	0.202	0.236	0.0334
Turbulence kinetic energy (k, m^2 s^{-2})	Random Forest	Median case nMAE	0.091	0.312	0.221
Horizontal velocity (u, m s^{-1})	Random Forest	Median case nMAE	0.159	0.215	0.0566
Vertical velocity (v, m s^{-1})	Random Forest	Median case nMAE	0.202	0.251	0.0491
Transverse velocity (w, m s^{-1})	Random Forest	Median case nMAE	0.327	0.33	0.00308
Gauge pressure (p_{gauge})	Random Forest	Centered residual RMSE (Pa)	3.92e+04	9.44e+03	-2.97e+04
Density (ρ, kg m^{-3})	Extra Trees	Median case nMAE	0.202	1.46	1.26
Temperature (T, °C)	Extra Trees	Median case nMAE	0.683	1.44	0.752
Turbulence eddy dissipation (ε, m^2 s^{-3})	Extra Trees	Median case nMAE	0.267	0.322	0.0545
Turbulence kinetic energy (k, m^2 s^{-2})	Extra Trees	Median case nMAE	0.17	0.419	0.249
Horizontal velocity (u, m s^{-1})	Extra Trees	Median case nMAE	0.253	0.291	0.0383
Vertical velocity (v, m s^{-1})	Extra Trees	Median case nMAE	0.294	0.341	0.0467
Transverse velocity (w, m s^{-1})	Extra Trees	Median case nMAE	0.339	0.345	0.00545
Gauge pressure (p_{gauge})	Extra Trees	Centered residual RMSE (Pa)	4.48e+04	1.01e+04	-3.47e+04
Density (ρ, kg m^{-3})	XGBoost	Median case nMAE	0.149	1.42	1.27
Temperature (T, °C)	XGBoost	Median case nMAE	0.968	1.55	0.585
Turbulence eddy dissipation (ε, m^2 s^{-3})	XGBoost	Median case nMAE	0.198	0.221	0.0231
Turbulence kinetic energy (k, m^2 s^{-2})	XGBoost	Median case nMAE	0.114	0.309	0.196
Horizontal velocity (u, m s^{-1})	XGBoost	Median case nMAE	0.17	0.205	0.0359
Vertical velocity (v, m s^{-1})	XGBoost	Median case nMAE	0.19	0.237	0.0468
Transverse velocity (w, m s^{-1})	XGBoost	Median case nMAE	0.317	0.318	0.00129
Gauge pressure (p_{gauge})	XGBoost	Centered residual RMSE (Pa)	3.91e+04	1.01e+03	-3.81e+04

Target field	Model	Metric	Legacy unfiltered	Clean sCO_2 (3-seed)	Clean − Legacy
Density (ρ, kg m^{-3})	CatBoost	Median case nMAE	0.24	1.56	1.32
Temperature (T, °C)	CatBoost	Median case nMAE	0.726	1.46	0.732
Turbulence eddy dissipation (ε, m^2 s^{-3})	CatBoost	Median case nMAE	0.262	0.258	-0.00417
Turbulence kinetic energy (k, m^2 s^{-2})	CatBoost	Median case nMAE	0.183	0.355	0.172
Horizontal velocity (u, m s^{-1})	CatBoost	Median case nMAE	0.25	0.268	0.0179
Vertical velocity (v, m s^{-1})	CatBoost	Median case nMAE	0.298	0.293	-0.00498
Transverse velocity (w, m s^{-1})	CatBoost	Median case nMAE	0.356	0.362	0.0062
Gauge pressure (p_{gauge})	CatBoost	Centered residual RMSE (Pa)	5.1e+04	3.39e+03	-4.76e+04
Density (ρ, kg m^{-3})	DeepONet	Median case nMAE	0.194	0.837	0.643
Temperature (T, °C)	DeepONet	Median case nMAE	0.762	1.42	0.662
Turbulence eddy dissipation (ε, m^2 s^{-3})	DeepONet	Median case nMAE	0.279	0.267	-0.0124
Turbulence kinetic energy (k, m^2 s^{-2})	DeepONet	Median case nMAE	0.167	0.399	0.231
Horizontal velocity (u, m s^{-1})	DeepONet	Median case nMAE	0.244	0.217	-0.0269
Vertical velocity (v, m s^{-1})	DeepONet	Median case nMAE	0.244	0.266	0.0217
Transverse velocity (w, m s^{-1})	DeepONet	Median case nMAE	0.361	0.365	0.00362
Gauge pressure (p_{gauge})	DeepONet	Centered residual RMSE (Pa)	6.07e+04	8.55e+03	-5.21e+04
Density (ρ, kg m^{-3})	PINN data-only	Median case nMAE	0.16	1.16	1
Temperature (T, °C)	PINN data-only	Median case nMAE	1.12	1.75	0.63
Turbulence eddy dissipation (ε, m^2 s^{-3})	PINN data-only	Median case nMAE	0.181	0.25	0.0692
Turbulence kinetic energy (k, m^2 s^{-2})	PINN data-only	Median case nMAE	0.0958	0.326	0.23
Horizontal velocity (u, m s^{-1})	PINN data-only	Median case nMAE	0.24	0.233	-0.00634
Vertical velocity (v, m s^{-1})	PINN data-only	Median case nMAE	0.206	0.253	0.0465
Transverse velocity (w, m s^{-1})	PINN data-only	Median case nMAE	0.306	0.326	0.0196
Gauge pressure (p_{gauge})	PINN data-only	Centered residual RMSE (Pa)	6.17e+04	4.51e+04	-1.66e+04
Density (ρ, kg m^{-3})	PINN continuity	Median case nMAE	0.235	1.17	0.94
Temperature (T, °C)	PINN continuity	Median case nMAE	0.879	1.35	0.471
Turbulence eddy dissipation (ε, m^2 s^{-3})	PINN continuity	Median case nMAE	0.242	0.275	0.0334
Turbulence kinetic energy (k, m^2 s^{-2})	PINN continuity	Median case nMAE	0.193	0.431	0.238
Horizontal velocity (u, m s^{-1})	PINN continuity	Median case nMAE	0.242	0.243	0.000865
Vertical velocity (v, m s^{-1})	PINN continuity	Median case nMAE	0.301	0.322	0.0207
Transverse velocity (w, m s^{-1})	PINN continuity	Median case nMAE	0.357	0.364	0.00702
Gauge pressure (p_{gauge})	PINN continuity	Centered residual RMSE (Pa)	8.04e+04	4.8e+04	-3.24e+04
Density (ρ, kg m^{-3})	Domain-informed FiLM-MLP	Median case nMAE	0.121	1.04	0.916
Temperature (T, °C)	Domain-informed FiLM-MLP	Median case nMAE	0.776	1.47	0.691
Turbulence eddy dissipation (ε, m^2 s^{-3})	Domain-informed FiLM-MLP	Median case nMAE	0.119	0.192	0.0732
Turbulence kinetic energy (k, m^2 s^{-2})	Domain-informed FiLM-MLP	Median case nMAE	0.0698	0.242	0.172
Horizontal velocity (u, m s^{-1})	Domain-informed FiLM-MLP	Median case nMAE	0.167	0.162	-0.00474
Vertical velocity (v, m s^{-1})	Domain-informed FiLM-MLP	Median case nMAE	0.146	0.175	0.0296
Transverse velocity (w, m s^{-1})	Domain-informed FiLM-MLP	Median case nMAE	0.28	0.272	-0.00803
Gauge pressure (p_{gauge})	Domain-informed FiLM-MLP	Centered residual RMSE (Pa)	3.94e+04	4.41e+04	4.7e+03

Target field	Model	Metric	Legacy unfiltered	Clean sCO_2 (3-seed)	Clean − Legacy
Density (ρ, kg m^{-3})	Latent Neural Operator	Median case nMAE	0.202	1.32	1.12
Temperature (T, °C)	Latent Neural Operator	Median case nMAE	1.36	2.19	0.837
Turbulence eddy dissipation (ε, m^2 s^{-3})	Latent Neural Operator	Median case nMAE	0.239	0.261	0.0222
Turbulence kinetic energy (k, m^2 s^{-2})	Latent Neural Operator	Median case nMAE	0.141	0.403	0.263
Horizontal velocity (u, m s^{-1})	Latent Neural Operator	Median case nMAE	0.213	0.221	0.00861
Vertical velocity (v, m s^{-1})	Latent Neural Operator	Median case nMAE	0.26	0.249	-0.0107
Transverse velocity (w, m s^{-1})	Latent Neural Operator	Median case nMAE	0.351	0.355	0.00428
Gauge pressure (p_{gauge})	Latent Neural Operator	Centered residual RMSE (Pa)	6.7e+04	6.05e+04	-6.47e+03
Density (ρ, kg m^{-3})	Transolver-style	Median case nMAE	0.265	1.28	1.02
Temperature (T, °C)	Transolver-style	Median case nMAE	1.04	1.93	0.892
Turbulence eddy dissipation (ε, m^2 s^{-3})	Transolver-style	Median case nMAE	0.27	0.297	0.0268
Turbulence kinetic energy (k, m^2 s^{-2})	Transolver-style	Median case nMAE	0.198	0.447	0.249
Horizontal velocity (u, m s^{-1})	Transolver-style	Median case nMAE	0.307	0.265	-0.0416
Vertical velocity (v, m s^{-1})	Transolver-style	Median case nMAE	0.34	0.351	0.0114
Transverse velocity (w, m s^{-1})	Transolver-style	Median case nMAE	0.372	0.378	0.00591
Gauge pressure (p_{gauge})	Transolver-style	Centered residual RMSE (Pa)	8.82e+04	1.34e+04	-7.48e+04
Density (ρ, kg m^{-3})	GAMS-GNN-style	Median case nMAE	0.278	1.25	0.976
Temperature (T, °C)	GAMS-GNN-style	Median case nMAE	1.08	1.84	0.765
Turbulence eddy dissipation (ε, m^2 s^{-3})	GAMS-GNN-style	Median case nMAE	0.272	0.298	0.0262
Turbulence kinetic energy (k, m^2 s^{-2})	GAMS-GNN-style	Median case nMAE	0.196	0.461	0.264
Horizontal velocity (u, m s^{-1})	GAMS-GNN-style	Median case nMAE	0.318	0.269	-0.0492
Vertical velocity (v, m s^{-1})	GAMS-GNN-style	Median case nMAE	0.339	0.353	0.0141
Transverse velocity (w, m s^{-1})	GAMS-GNN-style	Median case nMAE	0.37	0.376	0.00621
Gauge pressure (p_{gauge})	GAMS-GNN-style	Centered residual RMSE (Pa)	9.12e+04	1.97e+04	-7.15e+04
Density (ρ, kg m^{-3})	F-FNO	Median case nMAE	0.374	2.17	1.8
Temperature (T, °C)	F-FNO	Median case nMAE	2.09	4.13	2.04
Turbulence eddy dissipation (ε, m^2 s^{-3})	F-FNO	Median case nMAE	0.298	0.367	0.0691
Turbulence kinetic energy (k, m^2 s^{-2})	F-FNO	Median case nMAE	0.277	0.52	0.243
Horizontal velocity (u, m s^{-1})	F-FNO	Median case nMAE	0.395	0.396	0.000989
Vertical velocity (v, m s^{-1})	F-FNO	Median case nMAE	0.44	0.452	0.012
Transverse velocity (w, m s^{-1})	F-FNO	Median case nMAE	0.393	0.4	0.00645
Gauge pressure (p_{gauge})	F-FNO	Centered residual RMSE (Pa)	1.03e+05	4.34e+04	-6e+04
Density (ρ, kg m^{-3})	U-FNO3D	Median case nMAE	0.378	1.77	1.4
Temperature (T, °C)	U-FNO3D	Median case nMAE	2.34	3.49	1.16
Turbulence eddy dissipation (ε, m^2 s^{-3})	U-FNO3D	Median case nMAE	0.311	0.366	0.0546
Turbulence kinetic energy (k, m^2 s^{-2})	U-FNO3D	Median case nMAE	0.271	0.523	0.252
Horizontal velocity (u, m s^{-1})	U-FNO3D	Median case nMAE	0.367	0.343	-0.0245
Vertical velocity (v, m s^{-1})	U-FNO3D	Median case nMAE	0.43	0.419	-0.0111
Transverse velocity (w, m s^{-1})	U-FNO3D	Median case nMAE	0.381	0.392	0.0112
Gauge pressure (p_{gauge})	U-FNO3D	Centered residual RMSE (Pa)	9.99e+04	3.47e+04	-6.52e+04
Density (ρ, kg m^{-3})	POD-RBF	Median case nMAE	0.181	0.966	0.784
Temperature (T, °C)	POD-RBF	Median case nMAE	0.646	0.974	0.328
Turbulence eddy dissipation (ε, m^2 s^{-3})	POD-RBF	Median case nMAE	0.122	0.177	0.0549

Target field	Model	Metric	Legacy unfiltered	Clean sCO_2 (3-seed)	Clean − Legacy
Turbulence kinetic energy (k, m^2 s^{-2})	POD-RBF	Median case nMAE	0.0493	0.237	0.188
Horizontal velocity (u, m s^{-1})	POD-RBF	Median case nMAE	0.153	0.167	0.0142
Vertical velocity (v, m s^{-1})	POD-RBF	Median case nMAE	0.127	0.186	0.059
Transverse velocity (w, m s^{-1})	POD-RBF	Median case nMAE	0.191	0.207	0.0164
Gauge pressure (p_{gauge})	POD-RBF	Centered residual RMSE (Pa)	3.34e+04	471	-3.3e+04
Density (ρ, kg m^{-3})	Nearest case	Median case nMAE	0.147	1.18	1.04
Temperature (T, °C)	Nearest case	Median case nMAE	1	1.5	0.503
Turbulence eddy dissipation (ε, m^2 s^{-3})	Nearest case	Median case nMAE	0.161	0.205	0.0441
Turbulence kinetic energy (k, m^2 s^{-2})	Nearest case	Median case nMAE	0.113	0.329	0.217
Horizontal velocity (u, m s^{-1})	Nearest case	Median case nMAE	0.204	0.167	-0.0374
Vertical velocity (v, m s^{-1})	Nearest case	Median case nMAE	0.257	0.192	-0.0651
Transverse velocity (w, m s^{-1})	Nearest case	Median case nMAE	0.192	0.185	-0.00723
Gauge pressure (p_{gauge})	Nearest case	Centered residual RMSE (Pa)	3.71e+04	667	-3.64e+04