## Profile Summary (Total time: 758.974 s)

Generated 28-дек.-2020 05:23:24 using performance time.

| Function Name                                   | Calls     | Total Time (s) | Self Time* (s) | Total Time Plot<br>(dark band = self time) |
|-------------------------------------------------|-----------|----------------|----------------|--------------------------------------------|
| brutForce                                       | 1000      | 535.417        | 348.605        |                                            |
| squeeze                                         | 232750171 | 208.203        | 208.203        |                                            |
| writeXLSFile                                    | 1000      | 145.393        | 121.322        |                                            |
| randPick                                        | 1000      | 70.126         | 48.723         | -                                          |
| createWorkbook>constructWorkbook                | 1000      | 23.522         | 23.522         | I .                                        |
| imagesci\private\pngreadc (MEX-file)            | 1000      | 2.649          | 2.649          |                                            |
| ImageProcessing                                 | 1         | 758.721        | 0.806          |                                            |
| imagesci\private\readpngutil                    | 1000      | 3.246          | 0.540          |                                            |
| writetable                                      | 1000      | 146.263        | 0.330          |                                            |
| <u>parseArgs</u>                                | 3000      | 0.294          | 0.294          |                                            |
| <u>cell.strcat</u>                              | 3000      | 0.263          | 0.245          |                                            |
| int2str                                         | 5000      | 0.229          | 0.229          |                                            |
| imread>get_full_filename                        | 1000      | 0.229          | 0.229          |                                            |
| rgb2gray.                                       | 1000      | 0.250          | 0.221          |                                            |
| writecell                                       | 1000      | 147.488        | 0.220          |                                            |
| table.table>table.table                         | 1000      | 0.879          | 0.182          |                                            |
| imread                                          | 1000      | 3.917          | 0.154          | I                                          |
| string,strcat                                   | 3000      | 0.388          | 0.124          |                                            |
| makeUniqueStrings>makeUnique                    | 2000      | 0.123          | 0.123          |                                            |
| num2str                                         | 5000      | 0.322          | 0.093          |                                            |
| writeXLSFile>getSheetFromBook                   | 1000      | 0.090          | 0.090          |                                            |
| imread>call_format_specific_reader              | 1000      | 3.357          | 0.089          |                                            |
| makeUniqueStrings                               | 2000      | 0.272          | 0.085          |                                            |
| fileparts>legacyPCExecution                     | 3009      | 0.079          | 0.079          |                                            |
| imagesci\private\cachedFormat                   | 2000      | 0.066          | 0.066          |                                            |
| tabular,subsrefDot                              | 2000      | 0.121          | 0.062          |                                            |
| fullfile                                        | 1001      | 0.143          | 0.061          |                                            |
| tabular.tabular>tabular,initInternals           | 1000      | 0.320          | 0.061          |                                            |
| varNamesDim>varNamesDim.validateAndAssignLabels | 1000      | 0.142          | 0.050          |                                            |
| <u>validateSupportedWriteCellType</u>           | 1000      | 0.058          | 0.047          |                                            |
| fullfile>fixIRI                                 | 1001      | 0.045          | 0.045          |                                            |
| table.table>table.getPropertyNamesList          | 1         | 0.045          | 0.045          |                                            |
| tabularDimension>tabularDimension.createLike    | 2000      | 0.237          | 0.044          |                                            |
| writeXLSFile>parseRange                         | 1000      | 0.044          | 0.044          |                                            |
| fileparts                                       | 3009      | 0.117          | 0.039          |                                            |
| tabular.subsref                                 | 2000      | 0.158          | 0.037          |                                            |
| tabular.tabular>tabular.countVarInputs          | 1000      | 0.040          | 0.036          |                                            |
| tabular.getProperty                             | 1000      | 0.055          | 0.034          |                                            |
| tabular.size                                    | 2000      | 0.040          | 0.030          |                                            |
| <u>rgb2gray&gt;parse_inputs</u>                 | 1000      | 0.029          | 0.029          |                                            |
| makeUniqueStrings>truncateString                | 2000      | 0.029          | 0.029          |                                            |
| writeXLSFile>getArgs                            | 1000      | 0.110          | 0.029          |                                            |
| repmat                                          | 1000      | 0.031          | 0.027          |                                            |
| tabularDimension>tabularDimension.setLabels     | 2000      | 0.193          | 0.027          |                                            |
|                                                 |           |                |                |                                            |

| validatestring>checkString                                      | 1000 | 0.027  | 0.027 |  |
|-----------------------------------------------------------------|------|--------|-------|--|
| tabularDimension>tabularDimension.checkDuplicateLabels          | 1000 | 0.027  | 0.027 |  |
| createWorkbook                                                  | 1000 | 23.562 | 0.026 |  |
| imagesci\private\getFileFromURL                                 | 1000 | 0.025  | 0.025 |  |
| RemoteToLocal>RemoteToLocal.RemoteToLocal                       | 1000 | 0.027  | 0.024 |  |
| rowNamesDim>rowNamesDim.validateAndAssignLabels                 | 1000 | 0.024  | 0.024 |  |
| varNamesDim>varNamesDim.createLike                              | 1000 | 0.196  | 0.021 |  |
| <u>ismember&gt;ismemberBuiltinTypes</u>                         | 1000 | 0.020  | 0.020 |  |
| <u>getFileInfoForToolstrip</u>                                  | 1    | 0.225  | 0.020 |  |
| fullfile>refinePath                                             | 1001 | 0.065  | 0.020 |  |
| makeUniqueStrings>validateExclStrOrElemToChk                    | 2000 | 0.025  | 0.020 |  |
| validatestring                                                  | 1000 | 0.060  | 0.020 |  |
| PackageServiceLocator>PackageServiceLocator.locate              | 2    | 0.039  | 0.019 |  |
| tabularDimension>tabularDimension,assignLabels                  | 1000 | 0.019  | 0.019 |  |
| ismember>ismemberR2012a                                         | 1000 | 0.039  | 0.018 |  |
| cellstr                                                         | 1000 | 0.018  | 0.018 |  |
| <u>validateWriteFunctionArgumentOrder</u>                       | 2000 | 0.027  | 0.018 |  |
| <u>testSuiteFileExtensionServices</u>                           | 1    | 0.034  | 0.018 |  |
| imagesci\private\readpng                                        | 1000 | 3.267  | 0.018 |  |
| ismember                                                        | 1000 | 0.057  | 0.018 |  |
| metaDim>metaDim.checkAgainstVarLabels                           | 1000 | 0.154  | 0.017 |  |
| num2cell                                                        | 4001 | 0.017  | 0.017 |  |
| imread>parse_inputs                                             | 1000 | 0.017  | 0.017 |  |
| varNamesDim-varNamesDim,makeValidName                           | 1000 | 0.037  | 0.017 |  |
| tabular.matchPropertyName                                       | 1000 | 0.021  | 0.015 |  |
| cell.ismember                                                   | 1000 | 0.015  | 0.015 |  |
| <u>isCharString</u>                                             | 5000 | 0.014  | 0.014 |  |
| <u>isScalarText</u>                                             | 3000 | 0.014  | 0.014 |  |
| writeXLSFile>createWorkbook                                     | 1000 | 23.576 | 0.014 |  |
| <u>validateVariableNameLength</u>                               | 2001 | 0.014  | 0.014 |  |
| tabular.isempty                                                 | 4000 | 0.014  | 0.014 |  |
| createWorkbook>initLibrary                                      | 1000 | 0.014  | 0.014 |  |
| validatestring>checkInputs                                      | 1000 | 0.014  | 0.014 |  |
| isScalarInt                                                     | 3000 | 0.014  | 0.014 |  |
| <u>pwd</u>                                                      | 1000 | 0.013  | 0.013 |  |
| deg2rad                                                         | 2001 | 0.013  | 0.013 |  |
| writeXLSFile>extractVarChunk                                    | 1000 | 0.013  | 0.013 |  |
| RemoteToLocal>RemoteToLocal.delete                              | 1000 | 0.018  | 0.012 |  |
| kageServiceLocator>PackageServiceLocator.validateInterfaceClass | 2    | 0.020  | 0.012 |  |
| getFunctionFileInfoForToolstrip                                 | 1    | 0.176  | 0.012 |  |
| <u>isSupportedWriteMatrixType</u>                               | 4000 | 0.011  | 0.011 |  |
| fullfile>addTrailingFileSep                                     | 1001 | 0.010  | 0.010 |  |
| isText                                                          | 1000 | 0.010  | 0.010 |  |
| varNamesDim>varNamesDim,checkReservedNames                      | 1000 | 0.014  | 0.009 |  |
| isFunctionBasedTest                                             | 1    | 0.029  | 0.009 |  |
| isSystemObjectCode>plsSystemObjectCode                          | 1    | 0.015  | 0.009 |  |
| getSuiteCreationServicesForToolstrip                            | 1    | 0.046  | 0.009 |  |
| mdbstatus>localGetFileBreakpoints                               | 1    | 0.008  | 0.008 |  |
| @mtree\private\nodeinfo                                         | 1    | 0.009  | 0.008 |  |
| SimulinkTestSuiteCreationService>getFilenameFromParentName      | 1    | 0.016  | 0.007 |  |

| mtree,mtree>mtree,mtree                                          | 2    | 0.013 | 0.007 |
|------------------------------------------------------------------|------|-------|-------|
| @mtree\private\mtree info                                        | 10   | 0.016 | 0.007 |
| writeXLSFile>ncolsCell                                           | 4000 | 0.007 | 0.007 |
| mtree.mtfind                                                     | 2    | 0.015 | 0.007 |
| SuiteCreationLiaison>SuiteCreationLiaison.get,Factory            | 1    | 0,007 | 0,006 |
| makeUniqueStrings>validateMaxStringLength                        | 2000 | 0.006 | 0.006 |
| RemoteToLocal>RemoteToLocal.deletelfLocalCopy                    | 1000 | 0.006 | 0.006 |
| fullfile>ensureTrailingFilesep                                   | 1001 | 0.015 | 0.006 |
| ServiceFactory>ServiceFactory,create                             | 2    | 0.006 | 0.005 |
| mtree.restrict                                                   | 2    | 0.008 | 0,005 |
| tabular,tabular>tabular,tabular                                  | 1000 | 0.009 | 0,005 |
| tabularDimension>tabularDimension.checkReservedNamesImpl         | 1001 | 0.005 | 0.005 |
| validateLogical                                                  | 2000 | 0.004 | 0,004 |
| repmat>checkSizesType                                            | 2000 | 0.004 | 0.004 |
| veLoadCompatibility>saveLoadCompatibility,saveLoadCompatibility  | 1002 | 0.004 | 0,004 |
| ServiceLocator>ServiceLocator.forPackage                         | 2    | 0.004 | 0.004 |
| imagesci\private\readpng>parse_args                              | 1000 | 0.004 | 0.004 |
| matricize                                                        | 1000 | 0.004 | 0.004 |
| on>SuiteCreationLiaison,get,ParentNameMeetsNamingConvention      | 1    | 0.005 | 0,003 |
| ervice>FileBasedStaticAnalysisSuiteCreationService,selectFactory | 1    | 0.074 | 0.003 |
| mtree,pathit                                                     | 2    | 0.003 | 0,003 |
| istable                                                          | 1000 | 0.003 | 0.003 |
|                                                                  | 3    |       |       |
| attributes>checkInputs                                           | 1    | 0.005 | 0.003 |
| strsplit                                                         | 5    | 0.004 | 0.003 |
| mtree.iskind mtree.wholetree                                     | 2    | 0.003 | 0.003 |
|                                                                  |      |       | 0.002 |
| isCharVector                                                     | 1000 | 0.002 | 0.002 |
| SuiteCreationLiaison>SuiteCreationLiaison,fromFilename           |      | 0.017 | 0.002 |
| NameParser-NameParser                                            | 1    | 0.005 | 0.002 |
| isSystemObjectFile                                               | 1    | 0.017 | 0.002 |
| allchild                                                         | 1    | 0.004 | 0.002 |
| SuiteCreationLiaison>isUninitialized                             | 10   | 0.002 | 0.002 |
| strcat                                                           | 1    | 0.002 | 0.002 |
| <u>generateArgumentDescriptor</u>                                | 3    | 0.002 | 0.002 |
| close>safegetchildren                                            | 1    | 0.006 | 0.002 |
| attributes>checkAttrs                                            | 3    | 0.003 | 0.002 |
| allchild>getchildren                                             | 1    | 0.002 | 0.002 |
| FileExtensionService>FileExtensionService.FileExtensionService   | 4    | 0.002 | 0.002 |
| getParentNameFromFilename                                        | 1    | 0.014 | 0.001 |
| getSystemObjectInfo                                              | 1    | 0.019 | 0.001 |
| <u>getCode</u>                                                   | 1    | 0.003 | 0.001 |
| getBaseFolderFromFilename                                        | 1    | 0.012 | 0.001 |
| teCreationService>SimulinkTestSuiteCreationService.selectFactory | 1    | 0.019 | 0.001 |
| SuiteCreationService>SuiteCreationService.fulfill                | 1    | 0.095 | 0.001 |
| getSystemObjectInfo                                              | 1    | 0.020 | 0.001 |
| attributes                                                       | 3    | 0.010 | 0.001 |
| metaDim>metaDim.metaDim                                          | 1    | 0.003 | 0.001 |
| SuiteCreationLiaison>SuiteCreationLiaison.get.SimpleParentName   | 2    | 0.002 | 0.001 |
| rvice>FunctionSuiteCreationService.selectFactoryUsingParseTree   | 1    | 0.030 | 0.001 |
|                                                                  |      |       |       |

| mfile                                                                 | 1  | 0.002 | 0.001 |  |
|-----------------------------------------------------------------------|----|-------|-------|--|
| join                                                                  | 1  | 0.001 | 0.001 |  |
| close                                                                 | 1  | 0.007 | 0.001 |  |
| varNamesDim>varNamesDim.dfltLabels                                    | 1  | 0.001 | 0.001 |  |
| metaDim>metaDim.fixLabelsForCompatibility                             | 1  | 0.002 | 0.001 |  |
| tabularDimension>tabularDimension,init                                | 3  | 0.001 | 0.001 |  |
| ParseTreeUtils>ParseTreeUtils.isTreeError                             | 1  | 0.001 | 0.001 |  |
| mtree.root                                                            | 2  | 0.001 | 0.001 |  |
| Service>Service.Service                                               | 7  | 0.001 | 0.001 |  |
| mtree.Parent                                                          | 1  | 0.001 | 0.001 |  |
| rmfield                                                               | 1  | 0.001 | 0.001 |  |
| mtree,Right                                                           | 1  | 0.001 | 0.001 |  |
| mdbstatus                                                             | 1  | 0.009 | 0.001 |  |
| attributes>checkClass                                                 | 3  | 0.001 | 0.001 |  |
| generateArgumentDescriptor>isCharOrString                             | 9  | 0.001 | 0.001 |  |
| varNamesDim>varNamesDim.varNamesDim                                   | 1  | 0.002 | 0.001 |  |
| mtree.Outs                                                            | 1  | 0.001 | 0.001 |  |
| mtree,Left                                                            | 1  | 0.001 | 0.001 |  |
| fileread                                                              | 1  | 0.001 | 0.001 |  |
| attributes>valueAttributor                                            | 3  | 0.001 | 0.001 |  |
| mtree.mtree>validateInput                                             | 2  | 0.000 | 0.000 |  |
| attributes>findSupportedAttr                                          | 3  | 0.000 | 0.000 |  |
| @mtree\private\collect_qualifiers                                     | 2  | 0.001 | 0.000 |  |
| testSuiteFileExtensionServices>locateAndCreateServices                | 1  | 0.013 | 0.000 |  |
| NamingConventionService>NamingConventionService.fulfill               | 1  | 0.000 | 0.000 |  |
| LABCodeFileExtensionService,MATLABCodeFileExtensionService            | 3  | 0.002 | 0.000 |  |
| SuiteCreationService>SuiteCreationService.SuiteCreationService        | 2  | 0.000 | 0.000 |  |
| NameParser>NameParser,parse                                           | 1  | 0.000 | 0.000 |  |
| geServiceLocator>PackageServiceLocator.PackageServiceLocator          | 2  | 0.000 | 0.000 |  |
| SuiteCreationLiaison>SuiteCreationLiaison,SuiteCreationLiaison        | 1  | 0.000 | 0.000 |  |
| rowNamesDim>rowNamesDim.rowNamesDim                                   | 1  | 0.000 | 0.000 |  |
| mtree,select                                                          | 1  | 0.000 | 0.000 |  |
| isscalar,A,'scalar',fname,'expectedScalar',msgld,argname,argpos)      | 2  | 0.001 | 0.000 |  |
| metaDim>metaDim,checkReservedNames                                    | 1  | 0.000 | 0.000 |  |
| SuiteCreationLiaison>SuiteCreationLiaison.get.Filename                | 2  | 0.001 | 0.000 |  |
| strfun\private\strescape                                              | 2  | 0.000 | 0.000 |  |
| whichFile                                                             | 1  | 0.000 | 0.000 |  |
| close>getEmptyHandleList                                              | 1  | 0.000 | 0.000 |  |
| mtree.string                                                          | 1  | 0.000 | 0.000 |  |
| mustBeTextScalar                                                      | 1  | 0.002 | 0.000 |  |
| SuiteCreationLiaison>SuiteCreationLiaison,get.UsingDefaultFactory     | 3  | 0.002 | 0.000 |  |
| SuiteCreationLiaison>UNINITIALIZED                                    | 16 | 0.000 | 0.000 |  |
|                                                                       |    |       |       |  |
| NonTestFactory>NonTestFactory.NonTestFactory                          | 1  | 0.000 | 0.000 |  |
| FileExtensionService>PFileExtensionService.PFileExtensionService      |    | 0.001 | 0.000 |  |
| metaDim>metaDim.initWithCompatibility                                 | 1  | 0.001 | 0.000 |  |
| SuiteCreationLiaison>SuiteCreationLiaison,get,ParseTree               | 1  | 0.001 | 0.000 |  |
| FileExtensionService>FileExtensionService.findServiceThatSupports     | 1  | 0.000 | 0.000 |  |
| ParseTreeUtils>ParseTreeUtils.getTree                                 | 1  | 0.003 | 0.000 |  |
| <u>rvice&gt;MLDATXFileExtensionService.MLDATXFileExtensionService</u> | 1  | 0.000 | 0.000 |  |
|                                                                       |    |       | '     |  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | varNamesDim>varNamesDim.init                                                                           | 1 | 0.001 | 0.000 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---|-------|-------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | mtree_isempty                                                                                          | 2 | 0.000 | 0.000 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ileExtensionService>MFileExtensionService.MFileExtensionService                                        | 1 | 0.001 | 0.000 |
| ### Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | $ \underline{nsionService} > \underline{MLXFileExtensionService}, \underline{MLXFileExtensionService}$ | 1 | 0.001 | 0.000 |
| numberedNames                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ationLiaison>SuiteCreationLiaison,get,NamingConventionServices                                         | 1 | 0.000 | 0.000 |
| mina Convention Service, Allows Anything Naming Convention Service  is System Chiject Code ncieze Function Sulfuc Trustion Sulfuc Creation Sulfuc Creation Service  1 0.001 0.000  get Simple Perenthlame  1 0.000 0.000  allchildz-(@Ciset (root lob.) Showl-lidden-landlest. Temp)  1 0.000 0.000  allchildz-(@Ciset (root lob.) Showl-lidden-landlest. Temp)  1 0.000 0.000  allchildz-(@Ciset (root lob.) Showl-lidden-landlest. Temp)  1 0.000 0.000 sulfuc (Troation Sprvice File Based Static Analysis Sulfo Creation Service  3 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  3 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  3 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  4 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  5 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  1 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  1 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  1 0.000 0.000 sulfuc Creation Service File Based Static Analysis Sulfo Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 multin Kiteat Sulfa Creation Service Simulin Kiteat Sulfa Creation Service  1 0.000 0.000 mu                                                                               | @mtree\private\collect_qualifiers>is_qual                                                              | 2 | 0.000 | 0.000 |
| is_SystemObjentCode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | numberedNames                                                                                          | 1 | 0.000 | 0.000 |
| vince≥FunctionSurteCreationService, FunctionSurteCreationService   1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | $ \underline{ming Convention Service}, \underline{Allows Anything Naming Convention Service}$          | 1 | 0.000 | 0.000 |
| Designate   Designation   De | <u>isSystemObjectCode</u>                                                                              | 1 | 0.015 | 0.000 |
| Dabbe   Properties   Table   Properties   1   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000  | rvice>FunctionSuiteCreationService,FunctionSuiteCreationService                                        | 1 | 0.001 | 0.000 |
| allchild=@(set(rootob);ShowHiddenHandles*Temp)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <u>getSimpleParentName</u>                                                                             | 1 | 0.000 | 0.000 |
| (x,'sting) (% Aisscalart x) & As-ismissing (x)     (ischartx) & Asize(x, 1) \( \) = 1 \\                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | TableProperties>TableProperties.TableProperties                                                        | 1 | 0.000 | 0.000 |
| SuiteCreationService_FileBasedStaticAnalysisSuiteCreationService  1 0.000 0.000  CustomProperties=CustomProperties CustomProperties 1 0.000 0.000  SuiteCreationService=FunctionSuiteCreationService_getParseTree 1 0.001 0.000  SuiteCreationService=FunctionSuiteCreationService_getParseTree 1 0.001 0.000  SuiteCreationService=FunctionSuiteCreationService_getParseTree 1 0.000 0.000  Indinalses 1 0.000 0.000 0.000  It is in the standing ConventionService 1 0.000 0.000  It is in the standing ConventionService 2 0.000 0.000  Indinalses It in the standing ConventionService 1 0.000 0.000  Indinalses It in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is in the standing Convention Service 1 0.000 0.000  Indinalses It is it                                                                   | allchild>@()set(rootobj,'ShowHiddenHandles',Temp)                                                      | 1 | 0.000 | 0.000 |
| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | $\dots$ (x,'string')&&isscalar(x)&&~ismissing(x))  (ischar(x)&&size(x,1)<=1)                           | 1 | 0.000 | 0.000 |
| CustonProperties>CustomProperties. CustomProperties         1         0.000         0.000          SuiteCreationService>FunctionSuiteCreationService.getParseTree         1         0.001         0.000           Intree.indices         1         0.000         0.000           Intree.indices         1         0.000         0.000           Intronain Convention Service Naming Convention Service         1         0.000         0.000          imulin/TestSuiteCreationService.Simulink TestSuiteCreationService         1         0.000         0.000           mustContain Characters         1         0.000         0.000          intin/Lisison>Naming Convention Liaison.Naming Convention Liaison         1         0.000         0.000          intin/Lisison>Naming Convention Liaison         1         0.000         0.000          intin/Lisison>Naming Convention Liaison         1         0.000         0.000          intin/Lisison Service Lisison Liaison Properties         1         0.000         0.000          intin/Lisison Service Lisison Liaison Properties         1         0.000         0.000          intin/Lisison Liaison                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | $ \underline{SuiteCreationService.FileBasedStaticAnalysisSuiteCreationService}$                        | 1 | 0.000 | 0.000 |
| SuiteCreationService>FunctionSuiteCreationService.getParseTree   1   0.001   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   | mpower                                                                                                 | 3 | 0.000 | 0.000 |
| mtree_indices         1         0.000         0.000           mtree_isnull         2         0.000         0.000          tionService>NamingConventionService.NamingConventionService         1         0.000         0.000          imulinkTestSuiteCreationService,SimulinkTestSuiteCreationService         1         0.000         0.000           mustContainCharacters         1         0.000         0.000          nitionLiaison>NamingConventionLiaison.NamingConventionLiaison         1         0.000         0.000           blanks         1         0.000         0.000         0.000           mtree.count         1         0.000         0.000         0.000           TabularProperties>TabularProperties.TabularProperties         1         0.000         0.000         0.000          )A.'scalartext', fname, exceededScalartext', msgld.argname.argpos)         1         0.000         0.000         0.000          )Pipe_Type_Type.Type         4         0.000         0.000         0.000         0.000           strfunlprivate\underlandtelisTextStrict         1         0.000         0.000         0.000          price>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000         0.000           dose2-requ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | CustomProperties>CustomProperties                                                                      | 1 | 0.000 | 0.000 |
| mtree_isnull         2         0.000         0.000          tionService>NamingConventionService.NamingConventionService         1         0.000         0.000          mulinkTestSuiteCreationService.SimulinkTestSuiteCreationService         1         0.000         0.000           mustContainCharacters         1         0.000         0.000          ntionLiaison>NamingConventionLiaison,NamingConventionLiaison         1         0.000         0.000           blanks         1         0.000         0.000         0.000           mtree.count         1         0.000         0.000         0.000           TabularProperties>TabularProperties, TabularProperties         1         0.000         0.000          )A'scalartext', finame, 'expectedScalartext', msgld.argname.argpos)         1         0.000         0.000          )A'scalartext', finame, 'expectedScalartext', msgld.argname.argpos)         1         0.000         0.000           uitools!private\allalchildRootHelper         1         0.000         0.000           Type>Type.Type         4         0.000         0.000           strfunlprivate\ulletsTxtStrict         1         0.000         0.000          nicle>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000 <td>SuiteCreationService&gt;FunctionSuiteCreationService_getParseTree</td> <td>1</td> <td>0.001</td> <td>0.000</td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SuiteCreationService>FunctionSuiteCreationService_getParseTree                                         | 1 | 0.001 | 0.000 |
| ionService≥NamingConventionService.NamingConventionService         1         0.000         0.000           imulinkTestSuiteCreationService.SimulinkTestSuiteCreationService         1         0.000         0.000           mustContainCharacters         1         0.000         0.000          ntionLiaison>NamingConventionLiaison.NamingConventionLiaison         1         0.000         0.000           blanks         1         0.000         0.000         0.000           mtree.count         1         0.000         0.000         0.000           TabularProperties TabularProperties TabularProperties         1         0.000         0.000          )A'scalartext'.fname 'expectedScalartext',msgld.argname.argpos)         1         0.000         0.000          )A'scalartext'.fname 'expectedScalartext',msgld.argname.argpos)         1         0.000         0.000           uitools\tiprivate\talchildRootHelper         1         0.000         0.000           Type>Type_Type         4         0.000         0.000           strfumprivatetis TextStrict         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set,NamingConventionServices         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set,NamingConventionServices         1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | mtree,indices                                                                                          | 1 | 0.000 | 0.000 |
| imulinkTestSuiteCreationService.SimulinkTestSuiteCreationService  mustContainCharacters ntionLiaison>NamingConventionLiaison.NamingConventionLiaison  thanks  thought in the count  thanks  thanks  thought in the count  thanks  thanks  thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks thanks tha       | mtree.isnull                                                                                           | 2 | 0.000 | 0.000 |
| mustContainCharacters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | tionService>NamingConventionService.NamingConventionService                                            | 1 | 0.000 | 0.000 |
| ntionLiaison>NamingConventionLiaison.NamingConventionLiaison  1 0.000 0.000  mtree.count  1 0.000 0.000  TabularProperties>TabularProperties  1 0.000 0.000 )A.'scalartext'.fname.'expectedScalartext'.msgld.argname.argpos)  1 0.000 0.000 )A.'scalartext'.fname.'expectedScalartext'.msgld.argname.argpos)  1 0.000 0.000 )tooloo 0.000  strfun\private\allchildRootHelper  1 0.000 0.000  strfun\private\isTextStrict  1 0.000 0.000 \text{vice>AllowsAnythingNamingConventionService.meetsConvention} \text{vice>AllowsAnythingNamingConventionServices}}  1 0.000 0.000 \text{ationLiaison>SuiteCreationLiaison.set.NamingConventionServices}}  1 0.000 0.000 \text{dose>checkfigs}  1 0.000 0.000  dose>checkfigs  1 0.000 0.000  dose>request_close  1 0.000 0.000  serviceLocator>ServiceLocator.ServiceLocator  2 0.000 0.000  metaDim>metaDim.orientAs  1 0.000 0.000  yarNamesDim>varNamesDim.orientAs  1 0.000 0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000  0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <u>imulinkTestSuiteCreationService.SimulinkTestSuiteCreationService</u>                                | 1 | 0.000 | 0.000 |
| blanks         1         0.000         0.000           mtree.count         1         0.000         0.000           TabularProperties>TabularProperties         1         0.000         0.000          ).A.'scalartext'.fname.'expectedScalartext'.msgld.argname.argpos)         1         0.000         0.000           uitools\private\allChildRootHelper         1         0.000         0.000           Type>Type.Type         4         0.000         0.000           strfun\private\isTextStrict         1         0.000         0.000          vice>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set,NamingConventionServices         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set,NamingConventionServices         1         0.000         0.000           fullfile>@(x)-iscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           dlose>request_close         1         0.000         0.000           dsbalarDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator ServiceLocator         2         0.000 <td>mustContainCharacters</td> <td>1</td> <td>0.000</td> <td>0.000</td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | mustContainCharacters                                                                                  | 1 | 0.000 | 0.000 |
| mtree.count         1         0.000         0.000           TabularProperties>TabularProperties         1         0.000         0.000          ) A.'scalartext'.fname ,'expectedScalartext'.msgld.argname.argpos)         1         0.000         0.000           uitools\private\allchildRootHelper         1         0.000         0.000           Type>Type, Type         4         0.000         0.000           strfun\private\allchildRootHelper         1         0.000         0.000          rvice>AllowsAnythingNamingConventionService,meetsConvention         1         0.000         0.000          rvice>AllowsAnythingNamingConventionService,meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set.NamingConventionServices         1         0.000         0.000           fullfile>@(x)-iscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           dose>request_close         1         0.000         0.000           dabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator,ServiceLocator         2         0.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ntionLiaison>NamingConventionLiaison.NamingConventionLiaison                                           | 1 | 0.000 | 0.000 |
| TabularProperties>TabularProperties         1         0.000         0.000          )A,'scalartext'.fname,'expectedScalartext'.msgld.argname.argpos)         1         0.000         0.000           uitools\private\allchildRootHelper         1         0.000         0.000           Type>Type.Type         4         0.000         0.000           strfun\private\tisTextStrict         1         0.000         0.000          rvice>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set.NamingConventionServices         1         0.000         0.000           fullfile>@(x)_riscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           dabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator ServiceLocator         2         0.000         0.000           warNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | blanks                                                                                                 | 1 | 0.000 | 0.000 |
| ),A',scalartext',fname,'expectedScalartext',msgld.argname.argpos) 1 0.000 0.000  uitools\private\allchildRootHelper 1 0.000 0.000  Type>Type_Type 4 0.000 0.000  strfun\private\isTextStrict 1 0.000 0.000 \n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | mtree.count                                                                                            | 1 | 0.000 | 0.000 |
| uitools\private\allChildRootHelper         1         0.000         0.000           Type>Type         4         0.000         0.000           strfun\private\isTextStrict         1         0.000         0.000          rvice>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison.set.NamingConventionServices         1         0.000         0.000           fulfile>@(x)~iscell(x)&sisempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator, ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | TabularProperties>TabularProperties_TabularProperties                                                  | 1 | 0.000 | 0.000 |
| Type>Type.Type         4         0.000         0.000           strfun\private\isTextStrict         1         0.000         0.000          rvice>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison,set,NamingConventionServices         1         0.000         0.000           fullfile>@(x)~iscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator, ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim,orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ),A,'scalartext',fname,'expectedScalartext',msgld,argname,argpos)                                      | 1 | 0.000 | 0.000 |
| strfun\private\isTextStrict         1         0.000         0.000          rvice>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison,set,NamingConventionServices         1         0.000         0.000           fullfile>@(x)~iscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator, ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | uitools\private\allchildRootHelper                                                                     | 1 | 0.000 | 0.000 |
| rvice>AllowsAnythingNamingConventionService.meetsConvention         1         0.000         0.000          ationLiaison>SuiteCreationLiaison,set,NamingConventionServices         1         0.000         0.000           fullfile>@(x)=iscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator,ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim,orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <u>Type&gt;Type.Type</u>                                                                               | 4 | 0.000 | 0.000 |
| ationLiaison>SuiteCreationLiaison,set,NamingConventionServices       1       0.000       0.000         fullfile>@(x)~iscell(x)&&isempty(x)       2       0.000       0.000         close>checkfigs       1       0.000       0.000         fliplr       1       0.000       0.000         close>request_close       1       0.000       0.000         tabularDimension>tabularDimension.tabularDimension       3       0.000       0.000         ServiceLocator>ServiceLocator, ServiceLocator       2       0.000       0.000         metaDim>metaDim.orientAs       1       0.000       0.000         varNamesDim>varNamesDim.orientAs       1       0.000       0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | strfun\private\isTextStrict                                                                            | 1 | 0.000 | 0.000 |
| fullfile>@(x)~iscell(x)&&isempty(x)         2         0.000         0.000           close>checkfigs         1         0.000         0.000           fliplr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator,ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | rvice>AllowsAnythingNamingConventionService.meetsConvention                                            | 1 | 0.000 | 0.000 |
| close>checkfigs         1         0.000         0.000           flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension.tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator, ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ationLiaison>SuiteCreationLiaison,set,NamingConventionServices                                         | 1 | 0.000 | 0.000 |
| flipIr         1         0.000         0.000           close>request_close         1         0.000         0.000           tabularDimension>tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator, ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | $\underline{\text{fullfile>@(x)\sim}\text{iscell}(x)\&\&\text{isempty}(x)}$                            | 2 | 0.000 | 0.000 |
| close>request_close         1         0.000         0.000           tabularDimension>tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator, ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | close>checkfigs                                                                                        | 1 | 0.000 | 0.000 |
| tabularDimension>tabularDimension         3         0.000         0.000           ServiceLocator>ServiceLocator.ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | flipIr                                                                                                 | 1 | 0.000 | 0.000 |
| ServiceLocator>ServiceLocator         2         0.000         0.000           metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | close>request_close                                                                                    | 1 | 0.000 | 0.000 |
| metaDim>metaDim.orientAs         1         0.000         0.000           varNamesDim>varNamesDim.orientAs         1         0.000         0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | tabularDimension>tabularDimension.tabularDimension                                                     | 3 | 0.000 | 0.000 |
| varNamesDim>varNamesDim,orientAs 1 0.000 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ServiceLocator>ServiceLocator,ServiceLocator                                                           | 2 | 0.000 | 0.000 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | metaDim>metaDim.orientAs                                                                               | 1 | 0.000 | 0.000 |
| TestSuiteFactory>TestSuiteFactory.TestSuiteFactory 1 0.000 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | varNamesDim>varNamesDim,orientAs                                                                       | 1 | 0.000 | 0.000 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | TestSuiteFactory>TestSuiteFactory.TestSuiteFactory                                                     | 1 | 0.000 | 0.000 |

<sup>\*</sup>Self time is the time spent in a function excluding any time spent in child functions. The time includes any overhead time resulting from the profiling process.