

# Cucumber Report

Jun 27, 2023, 7:31:15 PM

Start : Jun 27, 7:30:58.050 PM

End : Jun 27, 7:31:14.459 PM

Duration : 16.409 s

Features

Scenarios


Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Title of your feature	2	0	2	0	16.409 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	Title of your scenario	1	1	0	0	3.545 s
2	Title of your feature	Title of your scenario	2	2	0	0	12.836 s

**(F)- Title of your feature**

<b>FAILED</b>	<b>DURATION - 16.409 s</b>	Scenarios		Steps	
/ 7:30:58.050 PM // 7:31:14.459 PM /		Total - 2		Total - 3	
		Pass - 0		Pass - 3	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- Title of your scenario**



<div>FAILED</div> <div>DURATION - 3.545 s</div>		<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:30:58.055 PM // 7:31:01.600 PM /</div>				
<div>Title of your feature</div>				
<div>@tag1</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on FirstPage	PASSED	1.672 s
	AFTER - parallelTest.hooks.quitBrowser() org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '3.5.3', revision: 'a88d25fe6b', time: '2017-08-29T12:42:44.417Z' System info: host: 'LAPTOP-MHS7RQK4', ip: '192.168.0.105', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver Capabilities [{networkConnectionEnabled=false, msedge={msedgedriverVersion=114.0.1823.58 (913ab82f672fae52e03cb56700e4b1d2a0a0fa31), userDataDir=C:\Users\Muthu\AppData\Local\Temp\scoped_dir23232_303256443}, timeouts={implicit=0, pageLoad=300000, script=30000}, pageLoadStrategy=normal, unhandledPromptBehavior=dismiss and notify, strictFileInteractability=false, platform=XP, proxy=Proxy(), webauthn:extension:minPinLength=true, webauthn:extension:credBlob=true, webauthn:extension:prf=true, acceptInsecureCerts=false, browserVersion=114.0.1823.58, browserName=msedge, javascriptEnabled=true, platformName=XP, ms:edgeOptions={debuggerAddress=localhost:55570}, setWindowRect=true, webauthn:extension:largeBlob=true, webauthn:virtualAuthenticators=true}] Session ID: 0283a7c72121e6d338a1f63acc01290c at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:703) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:542) at parallelTest.hooks.quitBrowser(hooks.java:55) Caused by: java.lang.RuntimeException: Process refused to die after 10 seconds, and couldn't taskkill it: Couldn't detect pid at org.openqa.selenium.os.ProcessUtils.killWinProcess(ProcessUtils.java:133) at org.openqa.selenium.os.ProcessUtils.killProcess(ProcessUtils.java:81)	FAILED	0.232 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.UnixProcess\$SeleniumWatchDog.destroyHarder(UnixProcess.java:265) at org.openqa.selenium.os.UnixProcess\$SeleniumWatchDog.access\$200(UnixProcess.java:219) at org.openqa.selenium.os.UnixProcess.destroy(UnixProcess.java:127) at org.openqa.selenium.os.CommandLine.destroy(CommandLine.java:153) at org.openqa.selenium.remote.service.DriverService.stop(DriverService.java:220) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:94) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:646) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:703) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:542) at parallelTest.hooks.quitBrowser(hooks.java:55) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.RuntimeException: Couldn't detect pid</p> <pre> at org.openqa.selenium.os.ProcessUtils.getProcessId(ProcessUtils.java:195) at org.openqa.selenium.os.ProcessUtils.killWinProcess(ProcessUtils.java:128) ... 55 more Caused by: java.lang.reflect.InaccessibleObjectException: Unable to make field private final long java.lang.ProcessImpl.handle accessible: module java.base does not "opens java.lang" to unnamed module @548a9f61 at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:354) at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:297) at java.base/java.lang.reflect.Field.checkCanSetAccessible(Field.java:178) at java.base/java.lang.reflect.Field.setAccessible(Field.java:172) at org.openqa.selenium.os.ProcessUtils.getProcessId(ProcessUtils.java:181) </pre>		

**(S)- Title of your scenario**

<b>FAILED</b>	<b>DURATION - 12.836 s</b>		<b>Steps</b> Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:31:01.623 PM // 7:31:14.459 PM /				
Title of your feature				
@tag1				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on Loginpage	PASSED	5.524 s
2	Then - Then Click on About	PASSED	4.755 s
	AFTER - parallelTest.hooks.quitBrowser()	FAILED	0.316 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '3.5.3', revision: 'a88d25fe6b', time: '2017-08-29T12:42:44.417Z' System info: host: 'LAPTOP-MHS7RQK4', ip: '192.168.0.105', os:		

#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver Capabilities [{networkConnectionEnabled=false, msedge={msedgedriverVersion=114.0.1823.58 (913ab82f672fae52e03cb56700e4b1d2a0a0fa31), userDataDir=C:\Users\Muthu\AppData\Local\Temp\scoped_dir27092_1344429748}, timeouts={implicit=0, pageLoad=300000, script=30000}], pageLoadStrategy=normal, unhandledPromptBehavior=dismiss and notify, strictFileInteractability=false, platform=XP, proxy=Proxy(), webauthn:extension:minPinLength=true, webauthn:extension:credBlob=true, webauthn:extension:prf=true, acceptInsecureCerts=false, browserVersion=114.0.1823.58, browserName=msedge, javascriptEnabled=true, platformName=XP, ms:edgeOptions={debuggerAddress=localhost:55611}, setWindowRect=true, webauthn:extension:largeBlob=true, webauthn:virtualAuthenticators=true}] Session ID: adb39077bc0d6ba216467884f4dfb01a</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:703)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:542)  at parallelTest.hooks.quitBrowser(hooks.java:55)</p> <p>Caused by: java.lang.RuntimeException: Process refused to die after 10 seconds, and couldn't taskkill it: Couldn't detect pid</p> <p>at org.openqa.selenium.os.ProcessUtils.killWinProcess(ProcessUtils.java:133)  at org.openqa.selenium.os.ProcessUtils.killProcess(ProcessUtils.java:81)  at org.openqa.selenium.os.UnixProcess\$SeleniumWatchDog.destroyHarder(UnixProcess.java:265)  at org.openqa.selenium.os.UnixProcess\$SeleniumWatchDog.access\$200(UnixProcess.java:219)  at org.openqa.selenium.os.UnixProcess.destroy(UnixProcess.java:127)  at org.openqa.selenium.os.CommandLine.destroy(CommandLine.java:153)  at org.openqa.selenium.remote.service.DriverService.stop(DriverService.java:220)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:94)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:646)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:703)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:542)  at parallelTest.hooks.quitBrowser(hooks.java:55)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)  at io.cucumber.core.runner.TestCase.run(TestCase.java:110)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.RuntimeException: Couldn't detect pid at org.openqa.selenium.os.ProcessUtils.getProcessId(ProcessUtils.java:195) at org.openqa.selenium.os.ProcessUtils.killWinProcess(ProcessUtils.java:128) ... 55 more Caused by: java.lang.reflect.InaccessibleObjectException: Unable to make field private final long java.lang.ProcessImpl.handle accessible: module java.base does not "opens java.lang" to unnamed module @548a9f61 at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:354) at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:297) at java.base/java.lang.reflect.Field.checkCanSetAccessible(Field.java:178) at java.base/java.lang.reflect.Field.setAccessible(Field.java:172) at org.openqa.selenium.os.ProcessUtils.getProcessId(ProcessUtils.java:181) </pre>		