

Cucumber Report

Nov 20, 2023, 8:18:29 PM

Start : Nov 20, 8:18:19.651 PM

End : Nov 20, 8:18:28.935 PM

Duration : 9.284 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Title of your feature	2	0	2	0	9.284 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	Title of your scenario	1	0	0	1	8.313 s
2	Title of your feature	Title of your scenario	2	0	0	2	0.933 s

(F)- Title of your feature

FAILED	DURATION - 9.284 s	Scenarios		Steps	
/ 8:18:19.651 PM // 8:18:28.935 PM /		Total - 2		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 3	



(S)- Title of your scenario

<div>FAILED</div> <div>DURATION - 8.313 s</div>			Steps		
/ 8:18:19.663 PM // 8:18:27.976 PM /			Total - 1		
Title of your feature			Pass - 0		
@tag1			Fail - 0		
			Skip - 1		

#	Step / Hook Details	Status	Duration
	BEFORE - parallelTest.hooks.setUpBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '3.5.3', revision: 'a88d25fe6b', time: '2017-08-29T12:42:44.417Z' System info: host: 'LAPTOP-MHS7RQK4', ip: '172.20.112.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0052A813+48355] (No symbol) [0x004BC4B1] (No symbol) [0x003C5358] (No symbol) [0x003E61AC] (No symbol) [0x003E1EF3] (No symbol) [0x003E0579] (No symbol) [0x00410C55] (No symbol) [0x0041093C] (No symbol) [0x0040A536] (No symbol) [0x003E82DC] (No symbol) [0x003E93DD] GetHandleVerifier [0x0078AABD+2539405] GetHandleVerifier [0x007CA78F+2800735] GetHandleVerifier [0x007C456C+2775612] GetHandleVerifier [0x005B51E0+616112] (No symbol) [0x004C5F8C] (No symbol) [0x004C2328] (No symbol) [0x004C240B] (No symbol) [0x004B4FF7] BaseThreadInitThunk [0x75DBFCC9+25] RtlGetAppContainerNamedObjectPath [0x778A7C6E+286] RtlGetAppContainerNamedObjectPath [0x778A7C3E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$new\$0(W3CHandshakeResponse.java:57) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$getResponseFunction\$2(W3CHandshakeResponse.java:104) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandshake.java:359)	FAILED	8.242 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:362) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:82) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:646) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:255) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:138) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:178) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:167) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:156) at com.plan.Utills.helper.setUpDriver(helper.java:47) at parallelTest.hooks.setUpBrowser(hooks.java:40)		
1	Given - Given User is on FirstPage	SKIPPED	0.001 s
	AFTER - parallelTest.hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallelTest.hooks.tearDown(hooks.java:75)		

(S)- Title of your scenario

<div>FAILED</div> <div>DURATION - 0.933 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 8:18:28.002 PM // 8:18:28.935 PM /				
Title of your feature				
@tag1				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallelTest.hooks.setUpBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '3.5.3', revision: 'a88d25fe6b', time: '2017-08-29T12:42:44.417Z' System info: host: 'LAPTOP-MHS7RQK4', ip: '172.20.112.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0052A813+48355] (No symbol) [0x004BC4B1] (No symbol) [0x003C5358] (No symbol) [0x003E61AC] (No symbol) [0x003E1EF3] (No symbol) [0x003E0579] (No symbol) [0x00410C55] (No symbol) [0x0041093C] (No symbol) [0x0040A536] (No symbol) [0x003E82DC] (No symbol) [0x003E93DD] GetHandleVerifier [0x0078AABD+2539405] GetHandleVerifier [0x007CA78F+2800735] GetHandleVerifier [0x007C456C+2775612] GetHandleVerifier [0x005B51E0+616112] (No symbol) [0x004C5F8C] (No symbol) [0x004C2328] (No symbol) [0x004C240B] (No symbol) [0x004B4FF7] BaseThreadInitThunk [0x75DBFCC9+25] RtlGetAppContainerNamedObjectPath [0x778A7C6E+286] RtlGetAppContainerNamedObjectPath [0x778A7C3E+238]</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$new\$0(W3CHandshakeResponse.java:57) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$getResponseFunction\$2(W3CHandshakeResponse.java:104) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandshake.java:359) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:362) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:82) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:646) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:255) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:138) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:178) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:167) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:156) at com.plan.Utills.helper.setUpDriver(helper.java:47) at parallelTest.hooks.setUpBrowser(hooks.java:40)</p>	FAILED	0.919 s
1	Given - Given User is on Loginpage	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
2	Then - Then Click on About	SKIPPED	0.001 s
	AFTER - parallelTest.hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallelTest.hooks.tearDown(hooks.java:75)		