


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	0.859 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Title of your feature	Calculator Application	1	0	0	1	0.849 s	

DETAILED SECTION -- 4 --

(F)- Title of your feature

FAILED	DURATION - 0.859 s	Scenarios		Steps	
		Total - 1		Total - 1	
/ 7:57:55.033 PN	1 // 7:57:55.892 PM /	Pass - 0	1	Pass - 0	1
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 1	

(S)- Calculator Application



#	Step / Hook Details	Status	Duration
	BEFORE - parallelTest.hooks.setUpBrowser()	FAILED	0.799 s
	BEFORE - parallelTest.hooks.setUpBrowser() org.openqa.selenium.WebDriverException: Connection refused: no further information Build info: version: '3.5.3', revision: 'a88d25fe6b', time: '2017-08-29T12:42:44.417Z' System info: host: 'LAPTOP-MHS7RQK4', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: WindowsDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$2(AppiumCommandExecutor.java:101) at java.base/java.util.Optional.orElseGet(Optional.java:364) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:100) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:646) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:255) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)	FAILED	0.799 s
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:138)</init>		
	at io.appium.java_client.DefaultGenericMobileDriver. <init>(DefaultGenericMobileDriver.java:38)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:87)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:111)</init>		
	at io.appium.java_client.windows.WindowsDriver. <init>(WindowsDriver.java:43)</init>		
	at com.plan.Utils.helper.desktopApp(helper.java:70)		

#	Step / Hook Details	Status	Duration
	at parallelTest.hooks.setUpBrowser(hooks.java:40)		
	Caused by: java.net.ConnectException: Connection refused: no further information		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672)		
	at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597)		
	at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327)		
	at java.base/java.net.Socket.connect(Socket.java:633)		
	at org.apache.http.conn.socket.PlainConnectionSocketFactory.connectSocket(PlainConnectionSocketFactory.java:75)		
	at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:142)		
	at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:359)		
	at org.apache.http.impl.execchain.MainClientExec.establishRoute(MainClientExec.java:381)		
	at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:237)		
	at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:185)		
	at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:89)		
	at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:111)		
	at org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:185)		
	at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:72)		
	at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:56)		
	at org.openqa.selenium.remote.internal.ApacheHttpClient.fallBackExecute(ApacheHttpClient.java:139)		
	at org.openqa.selenium.remote.internal.ApacheHttpClient.execute(ApacheHttpClient.java:87)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:337)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:142)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:89)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:646)		
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:255)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:138)</init>		
	at io.appium.java_client.DefaultGenericMobileDriver. <init>(DefaultGenericMobileDriver.java:38)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:87)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:111)</init>		
	at io.appium.java_client.windows.WindowsDriver. <init>(WindowsDriver.java:43)</init>		
	at com.plan.Utils.helper.desktopApp(helper.java:70)		
	at parallelTest.hooks.setUpBrowser(hooks.java:40)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:98)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given - Given User is on Calculatorapp	SKIPPED	0.001 s
	AFTER - parallelTest.hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallelTest.hooks.tearDown(hooks.java:67)		
	AFTER - parallelTest.hooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.windows.WindowsDriver.quit()" because "this.driver1" is null at parallelTest.hooks.quitBrowser(hooks.java:56)		