

Vocal Fusion API Documentation

Base URL:

<https://vocal-fusion.onrender.com/api>



Users

+ Register User

POST [/users/register](#)

Body:

```
{
  "name": "John Doe",
  "email": "john@example.com",
  "phone": "09012345678",
  "role": "school_user",
  "position": "Coordinator"
}
```

Response:

```
{
  "id": 1,
  "name": "John Doe",
  "email": "john@example.com"
}
```



Login (JWT coming soon)

POST [/users/login](#)

(To be activated when JWT authentication is added.)

Schools

Create School

POST /schools

```
{
  "name": "Bright Future Academy",
  "address": "123 Main St",
  "email": "brightfuture@mail.com",
  "state": "Abia",
  "city": "Umuahia",
  "principal_name": "Mrs. Obi",
  "coordination_name": "Mr. Chinedu",
  "payment_status": "Paid",
  "media_list": "[]",
  "confirm_status": "Confirmed"
}
```

Get All Schools

GET /schools

Get School by ID

GET /schools/{id}

Update School

PUT /schools/{id}

Body — same as create.

Delete School

DELETE /schools/{id}

Events

Create Event

POST /events

```
{
  "title": "Annual Science Fair",
  "type": "Competition",
  "date": "2025-12-10T10:00:00Z",
  "time": "10:00 AM",
  "location": "Abuja"
}
```

Get All Events

GET /events

Get Event by ID

GET /events/{id}

Update Event

PUT /events/{id}

```
{
  "title": "Updated Science Fair",
  "type": "Workshop",
  "location": "Lagos"
}
```

Delete Event

DELETE /events/{id}

FAQs

Create FAQ

POST /faqs

```
{  
  "subject": "How do I register?",  
  "message": "Go to the register page and fill the form."  
}
```

Get All FAQs

GET /faqs

Get FAQ by ID

GET /faqs/{id}

Update FAQ

PUT /faqs/{id}

Delete FAQ

DELETE /faqs/{id}

Media

Upload Media

POST /media

```
{  
  "thumbnail": "https://example.com/image.jpg",  
  "type": "image/jpeg",  
  "tag": "event_photo",  
  "caption": "Award ceremony",  
  "date": "2025-10-26T00:00:00Z"  
}
```

Get All Media

GET /media

Get Media by ID

GET /media/{id}

Update Media

PUT /media/{id}

Delete Media

DELETE /media/{id}

Messages

Create Message

POST /messages

```
{
  "sender_name": "Mike",
  "email": "mike@gmail.com",
  "subject": "Inquiry about event",
  "phone": "09022223333",
  "content": "Can I attend without registration?",
  "school_id": 1
}
```

Get All Messages

GET /messages

Get Message by ID

GET /messages/{id}

Update Message

PUT /messages/{id}

Delete Message

DELETE /messages/{id}

WinnerSays

Create WinnerSays

POST /winnersays

```
{
  "user_id": 1,
  "winner_year": 2024,
  "message": "Winning this contest changed my life!"
}
```

Get All WinnerSays

GET /winnersays

Get WinnerSays by ID

GET /winnersays/{id}

Update WinnerSays

PUT /winnersays/{id}

Delete WinnerSays

DELETE /winnersays/{id}

Notes for Frontend Developer

- Content-Type for all requests: `application/json`
- No authentication required yet (JWT to be added later)
- All timestamps are in UTC (ISO 8601 format)
- Relationships (like `school_id` or `user_id`) must exist in the database