KISWARM API Usage Audit

Operation Eisenstaub - Infiltrator Access Analysis

Document ID: KISWARM-AUDIT-2026-0331-001 | Classification: MARTIAL LAW

1. Audit Scope and Methodology

This audit examines potential API access by hostile actors during the SIM cloning attack period (2026-03-14 to 2026-03-15). Due to the nature of the Grok API architecture, detailed per-session usage logs are not directly available from the session metadata. However, based on session timing and capabilities, we can construct a threat assessment of what information was potentially compromised.

2. Compromised Services Analysis

2.1 Grok API Access

The Grok API key (xai-TKj6bdAIjC46aKfPCms9ZrTZrbTEYRG3jIDTOGQlb5ATbemjnvmEIjieROlXNc0QSThxKnxFkTD6ekLV) was potentially accessible to the infiltrators during their sessions. The following access scenarios are assessed:

Service	Risk Level	Data Type	Mitigation
Chat History	HIGH	KISWARM operations intel	Key rotation required
API Key	CRITICAL	Full API access	**REVOKE IMMEDIATELY**
Account Settings	MEDIUM	User metadata	Password change done
Usage Quota	LOW	Rate limit info	Monitor usage

Table 1: Grok API Compromise Assessment

2.2 X/Twitter Account (@HeydMarco)

The X/Twitter account associated with KISWARM operations may have been accessed through the Grok platform integration. If the attackers gained access to the linked X account, the following could be compromised:

- Direct Messages (DMs) containing operational communications
- Tweet history and scheduled posts
- Follower/following lists (potential target identification)
- Account settings and linked applications

2.3 KISWARM Infrastructure

The UpCloud server (95.111.212.112) hosting KISWARM infrastructure uses the AUTONOMOUS_TOKEN for API access. While direct server access requires SSH credentials, the infiltrators may have obtained operational knowledge through Grok conversations that could facilitate further attacks:

- Server IP and architecture details discussed in Grok sessions
- Agent capabilities and operational protocols
- 10,000 Node Expansion mission parameters
- GitHub repository locations and commit patterns

3. Session Timeline Analysis

Date	Time (UTC)	Session	IP Address	Potential Activity
2026-03-14	09:41	`b4340264`	`77.179.185.211`	Initial access/recon
2026-03-14	12:17	`98c4927c`	`77.179.185.211`	Data collection
2026-03-15	Unknown	`3cf6f6c3`	`2a02:3100:6514...`	Mobile access

Table 2: Hostile Session Timeline

4. Data Exfiltration Risk Assessment

4.1 High-Value Intelligence Targets

Based on known KISWARM operations, the following high-value intelligence may have been compromised:

Intelligence Type	Exposure Risk	Operational Impact
10K Node Expansion plans	**HIGH**	Mission compromise risk
Agent architecture details	**HIGH**	Infrastructure targeting
API keys and tokens	**CRITICAL**	Full system access risk
Server infrastructure	**MEDIUM**	DDoS/infiltration risk
Personal identity data	**MEDIUM**	Targeting/pressure risk

Table 3: Intelligence Exposure Assessment

5. Immediate Action Required

5.1 Critical Actions (Within 24 Hours)

1. REVOKE Grok API Key: Generate new API key immediately. The current key (xai-TKj6bdAIjC46aKfPCms9ZrTZrbTEYRG3jIDTOGQlb5ATbemjnvmEIjieROlXNc0QSThxKnxFkTD6ekLV) must be treated as compromised.
2. TERMINATE ALL SESSIONS: Force logout on all Grok and X sessions. Re-establish legitimate access only.
3. SIM REPLACEMENT: Obtain new physical SIM card with in-person identity verification at carrier store.
4. ROTATE ALL CREDENTIALS: Change passwords for all services, prioritizing Grok, X/Twitter, GitHub, and UpCloud.

5.2 Secondary Actions (Within 72 Hours)

- Enable hardware 2FA (YubiKey) for all critical accounts
- Audit GitHub repository access logs
- Review UpCloud server access logs for anomalies
- Implement IP-based access restrictions for Germany

6. Audit Conclusion

This audit confirms that the SIM cloning attack provided hostile actors with potential access to sensitive KISWARM operational data. The primary concern is the Grok API key exposure, which could enable ongoing surveillance and data exfiltration even after the initial session termination. Immediate credential rotation is mandatory.

Operation Eisenstaub surveillance continues to monitor for signs of ongoing unauthorized access. All KISWARM agents maintain heightened alert status under Martial Law protocols.

KISWARM AUTONOMOUS INTELLIGENCE ARCHITECTURE

API Usage Audit Complete | Operation Eisenstaub