- 1 [1] J. R. Coura and J. C. P. Dias, "Epidemiology, control and surveillance of Chagas disease—100 years after its discovery," *Memorias do Instituto Oswaldo Cruz*, vol. 104, no. 1, pp. 31–40, 2009.
- Wilson SE. Actualización del manejo de la enfermedad de Chagas . Revista Médica Sinergia. 2019;4(11):291.
- 6 [3] WHO . First WHO report on neglected tropical diseases. WHO; Geneva, Switzerland: 2010.
- Moncayo A, Silveira AC. Current epidemiological trends for Chagas disease in Latin America and future challenges in epidemiology, surveillance and health policy. Mem Inst Oswaldo Cruz. 2009; 104(1): 17–30.
- 10 [5] Meira WS, Galvao LM, Gontijo ED, Machado-Coelho GL, Norris KA, Chiari E. Trypanosoma cruzi 11 recombinant complement regulatory protein: a novel antigen for use in an enzyme-linked 12 immunosorbent assay for diagnosis of Chagas' disease. J Clin Microbiol. 2002; 40: 3735–40.
- 13 [6] Marcon GE, Andrade PD, de Albuquerque DM, Wanderley J da S, de Almeida EA, Guariento ME, 14 et al. Use of a nested polymerase chain reaction (N-PCR) to detect Trypanosoma cruzi in blood 15 samples from chronic chagasic patients and patients with doubtful serologies. Diagn Microbiol 16 Infect Dis. 2002; 43: 39–43.
- 17 [7] Hunt, S. A. (2005). ACC/AHA 2005 Guideline Update for the Diagnosis and Management of
 18 Chronic Heart Failure in the Adult: A Report of the American College of Cardiology/American
 19 Heart Association Task Force on Practice Guidelines (Circulation, 112(12), e154–e235.
 20 doi:10.1161/circulationaha.105.167586
- 21 [8] Añez N, Carrasco H, Parada H, Crisante G, Rojas A, Gonzalez N, Ramirez JL, Guevara P, Rivero C,
 22 Borges R, Scorza JV. Acute Chagas' disease in western Venezuela: a clinical, seroparásitologic,
 23 and epidemiologic study. Am J Trop Med Hyg. 1999 Feb;60(2):215-22. doi:
 24 10.4269/ajtmh.1999.60.215. PMID: 10072139.
- 25 [9] Bestetti RB, Cardinalli-Neto A. Sudden cardiac death in Chagas' heart disease in the 26 contemporary era. Int J Cardiol. 2008 Dec 17;131(1):9-17. doi: 10.1016/j.ijcard.2008.05.024. 27 Epub 2008 Aug 9. PMID: 18692919.
- 28 [10] Rivera S, O'Dalys J, Fuenmayor A, Briceño O, Abdul M, Calderón C, Molero T, Urdaneta N.
 29 Estudio comparativo de las técnicas de Machado Guerreiro y Elisa en el diagnóstico de
 30 infección chagásica. Kasmera [Internet]. 1 [citado 24 de abril de 2021];23(2):153-70. Disponible
 31 en: https://produccioncientificaluz.org/index.php/kasmera/article/view/4599
- 32 [11] Dias JC, Ramos AN Jr, Gontijo ED, Luquetti A, Shikanai-Yasuda MA, Coura JR, Torres RM, Melo 33 JR, Almeida EA, Oliveira W Jr, Silveira AC, Rezende JM, Pinto FS, Ferreira AW, Rassi A, Fragata 34 AA Filho, Sousa AS, Correia D, Jansen AM, Andrade GM, Britto CF, Pinto AY, Rassi A Jr, Campos 35 DE, Abad-Franch F, Santos SE, Chiari E, Hasslocher-Moreno AM, Moreira EF, Marques DS, Silva 36 EL, Marin-Neto JA, Galvão LM, Xavier SS, Valente SA, Carvalho NB, Cardoso AV, Silva RA, Costa 37 VM, Vivaldini SM, Oliveira SM, Valente VD, Lima MM, Alves RV. 2 nd Brazilian Consensus on 38 Chagas Disease, 2015. Rev Soc Bras Med Trop. 2016 Dec;49Suppl 1(Suppl 1):3-60. doi: 39 10.1590/0037-8682-0505-2016. Erratum in: Rev Soc Bras Med Trop. 2017 Jan-Feb;50(1):149. 40 PMID: 27982292.
- 41 [12] DVORAK, J. A., HALL, T. E., CRANE, M. S. J., ENGEL, J. C., McDANIEL, J. P., & URIEGAS, R. 42 (1982). *Trypanosoma cruzi: Flow Cytometric Analysis. I. Analysis of Total DNA/Organism by*

43 44	Means of Mithramycin-Induced Fluorescence1,2. The Journal of Protozoology, 29(3), 430–437. doi:10.1111/j.1550-7408.1982.tb05427.x
45	
46 47	[13] Tibayrenc, M., Ayala, F.J., 2002. The clonal theory of parasitic protozoa: 12 years on. Trends Parasitol. 18, 405–410.
48 49 50 51 52	[14] Zingales B, Andrade SG, Briones MR, Campbell DA, Chiari E, Fernandes O, Guhl F, Lages-Silva E, Macedo AM, Machado CR, Miles MA, Romanha AJ, Sturm NR, Tibayrenc M, Schijman AG; Second Satellite Meeting. A new consensus for Trypanosoma cruzi intraspecific nomenclature: second revision meeting recommends Tcl to TcVI. Mem Inst Oswaldo Cruz. 2009 Nov;104(7):1051-4. doi: 10.1590/s0074-02762009000700021. PMID: 20027478.
53 54 55 56 57	[15] Zingales B, Miles MA, Campbell DA, Tibayrenc M, Macedo AM, Teixeira MM, Schijman AG, Llewellyn MS, Lages-Silva E, Machado CR, Andrade SG, Sturm NR. The revised Trypanosoma cruzi subspecific nomenclature: rationale, epidemiological relevance and research applications. Infect Genet Evol. 2012 Mar;12(2):240-53. doi: 10.1016/j.meegid.2011.12.009. Epub 2011 Dec 27. PMID: 22226704.
58 59 60 61	[16] Zingales, B., Andrade, S., Briones, M., Campbell, D., Chiari, E., Fernandes, O., Schijman, A. (2009). A new consensus for Trypanosoma cruzi intraspecific nomenclature: second revision meeting recommends Tcl to TcVI. Memórias Do Instituto Oswaldo Cruz, 104(7), 1051–1054. doi:10.1590/s0074-02762009000700021
62	
63 64 65 66	[17] Marcili, A., Lima, L., Cavazzana, M., et al., 2009a. A new genotype of Trypanosoma cruzi associated with bats evidenced by phylogenetic analyses using SSU rDNA, cytochromeb and Histone H2 B genes and genotyping based on ITS1 rDNA. Parasitology 136, 641–655.
67 68 69 70	[18] Yeo, M., Mauricio, I. L., Messenger, L. A., Lewis, M. D., Llewellyn, M. S., Acosta, N., Miles, M. A. (2011). Multilocus Sequence Typing (MLST) for Lineage Assignment and High Resolution Diversity Studies in Trypanosoma cruzi. PLoS Neglected Tropical Diseases, 5(6), e1049. doi:10.1371/journal.pntd.0001049
72 73 74 75 76 77	[19] Verani, Jennifer R., Amy Seitz, Robert H. Gilman, Carlos LaFuente, Gerson Galdos-Cardenas, Vivian Kawai, Elizabeth de LaFuente, Lisbeth Ferrufino, Natalie M. Bowman, Viviana Pinedo-Cancino, Michael Z. Levy, Francis Steurer, Charles W. Todd, Louis V. Kirchhoff, Lilia Cabrera, Manuela Verastegui, and Caryn Bern. "Geographic Variation in the Sensitivity of Recombinant Antigen-based Rapid Tests for Chronic Trypanosoma cruzi Infection", The American Journal of Tropical Medicine and Hygiene Am J Trop Med Hyg 80, 3 (2009): 410-415, accessed May 28, 2021, https://doi.org/10.4269/ajtmh.2009.80.410
79	
80 81 82	[20] Filardi, L. S., & Brener, Z. (1987). Susceptibility and natural resistance of Trypanosoma cruzi strains to drugs used clinically in Chagas disease. Transactions of the Royal Society of Tropical Medicine and Hygiene, 81(5), 755–759. doi:10.1016/0035-9203(87)90020-4

83 84 85 86	[21] Sánchez, L. V., Bautista, D. C., Corredor, A. F., Herrera, V. M., Martinez, L. X., Villar, J. C., & Ramírez, J. D. (2013). Temporal variation of Trypanosoma cruzi discrete typing units in asymptomatic Chagas disease patients. Microbes and Infection, 15(10-11), 745–748. doi:10.1016/j.micinf.2013.06.008
87 88	[22] A. Assal and C. Corbi, "Chagas disease and blood transfusion:an emerging issue in non-endemic countries," Transfusion Clinique et Biologique, vol. 18, no. 2, pp. 286–291, 2011.
89 90 91	[23] M. Frank, B. Hegenscheid, K. Janitschke, and T. Weinke, "Prevalence and epidemiological significance of Trypanosoma cruzi infection among Latin American immigrants in Berlin, Germany," Infection, vol. 25, no. 6, pp. 355–358, 1997.
92 93	[24] C. Bern, S. Kjos, M. J. Yabsley et al., "Trypanosoma cruzi and Chagas' disease in the United States," Clinical Microbiology Reviews, vol. 24, no. 4, pp. 655–681, 2011.
94	
95 96	[25] Jenny Telleria, Michel Tibayrenc American Trypanosomiasis Chagas Disease 2017
97	[26] Brener Z, Andrade AZ. Trypanosoma cruzi e Doença de Chagas. Guanabara: Koogan SA, 1979
98	
99 100	[27] A. Romero-Davalos, Enfermedad de Chagas, Editorial Los Amigos del Libro, La Paz, Bolivia, 1979.
101	
102 103 104	[28] T. Pizzi and R. Prager, "Immunity to infection induced by culture of Trypanosoma cruzi of atenuated virulence; preliminary communication," Bolet in Informativo de Parásitolg ia Chilena, vol. 7, no. 2, pp. 20–21, 1952.
105	
106 107 108	[29] H. Menezes, "Protective effect of an avirulent (cultivated) strainof Trypanosoma cruzi against experimental infection in mice," Revista do Instituto de Medicina Tropical de Sao Paulo, vol. 10, no. 1, pp. 1–4, 1968.
109	
110 111 112	[30] M. V. Introini, B. Basso, and E. Moretti, "Experimental Chagas' disease: I. Study of different immunization conditions in the infection course," Bolet'ın chileno de parásitolog'ıa, vol. 53, no. 3- 4, pp. 45–51, 1998
113	
114 115 116 117	[31]] J. W. Bregano, R. C. Pic´ao, V. K. Grac´, a et al., "Phytomonasserpens, a tomato parasite, shares antigens with Trypanosoma cruzi that are recognized by human sera and induce protective immunity in mice," FEMS Immunology & Medical Microbiology, vol. 39, no. 3, pp. 257–264, 2003.
118	

119 120 121	[32] P. Pinge-Filho, J. P. S. Peron, T. R. de Moura et al., "Protective immunity against Trypanosoma cruzi provided by oral immunization with Phytomonas serpens: role of nitric oxide," Immunology Letters, vol. 96, no. 2, pp. 283–290, 2005
122	
123 124 125 126	[33] C. Perez Brandan, A. M. Padilla, D. Xu, R. L. Tarleton, and M. A. Basombrio, "Knockout of the dhfr-ts gene in Trypanosoma cruzi generates attenuated parasites able to confer protection against a virulent challenge," PLoS Neglected Tropical Diseases, vol. 5, no. 12, article e1418, 2011.
127	
128 129 130	[34] D. Snary, "Cell surface glycoproteins of Trypanosoma cruzi: protective immunity in mice and antibody levels in human chagasic sera," Transactions of the Royal Society of Tropical Medicine and Hygiene, vol. 77, no. 1, pp. 126–129, 1983.
131	
132 133 134	[35] F. G. Araujo and B. Morein, "Immunization with Trypanosoma cruzi epimastigote antigens incorporated into iscoms protects against letal challenge in mice," Infection and Immunity, vol. 59, no. 9, pp. 2909–2914, 1991
135	
136 137 138	[36] A. Gruppi, F. Cerban, M. C. Pistoresi-Palencia, and E. VotteroCima, "Trypanosoma cruzi: transfer of protection by lymph node cells obtained from mice immunized with exoantigens of pl 4.5," Experimental Parasitology, vol. 80, no. 3, pp. 382–389, 1995.
139	
140 141 142	[37] V. R. A. Pereira, V. M. B. Lorena, A. F. A. Verc¸osa et al., "Antibody isotype responses in BALB/c mice immunized with the cytoplasmic repetitive antigen and flagellar repetitive antigen of Trypanosoma cruzi," Memorias do Instituto Oswaldo Cruz, vol. 98, no. 6, pp. 823–825, 2003.
143	
144 145 146 147	[38] Marilanda Ferreira Bellini, Rosana Silistino-Souza, Marileila Varella-Garcia, Maria Tercília Vilela de Azeredo-Oliveira, Ana Elizabete Silva, "Biologic and Genetics Aspects of Chagas Disease at Endemic Areas", Journal of Tropical Medicine, vol. 2012, Article ID 357948, 11 pages, 2012. https://doi.org/10.1155/2012/357948
148	
149 150 151 152	[39] Wright AD, Li S, Feng S, Martin DS, Lynn DH. Phylogenetic position of the kinetoplastids, Cryptobia bullocki, Cryptobia catostomi, and Cryptobia salmositica and monophyly of the genus Trypanosoma inferred from small subunit ribosomal RNA sequences. Mol Biochem Parasitol. 1999 Mar 15;99(1):69-76. doi: 10.1016/s0166-6851(98)00184-4. PMID: 10215025.
153	
154 155	[40] De Souza, W., de Carvalho, T. M. U., & Barrias, E. S. (2010). Review on Trypanosoma cruzi: Host Cell Interaction. International Journal of Cell Biology, 2010, 1–18. doi:10.1155/2010/295394
156	

157 158 159	[41] Klein, N., Hurwitz, I., & Durvasula, R. (2012). Globalization of Chagas Disease: A Growing Concern in Nonendemic Countries. Epidemiology Research International, 2012, 1–13. doi:10.1155/2012/136793
160	
161 162	[42] Andres caicedo, (2017), evaluacion rendimiento diagnostic de tecinicas ELISA para la enfermedad de Chagas en Colombia
163	