

Data Preparation

1a Copy SalesOrderDetail table from one database to another

The screenshot shows the Alteryx Designer interface with a workflow titled "wks database 1a.yxd". The workflow starts with a "MySQL" input tool connected to a "Join" tool. The "Join" tool is configured with "DL_CreateDT = DateTruncated". The output of the "Join" tool is connected to a "PostgreSQL" output tool. The "PostgreSQL" tool is configured with "Query=OrderSalesDetail". The "Results - Output Data (5) - Input" pane shows a table with 10 fields and 542 records displayed.

Record	RecordID	SalesOrderID	SalesOrderDetailID	OrderQty	ProductID	UnitPrice	UnitPriceDiscount	LineTotal	ModifiedDate	DL_CreateDT
1	71774	110562	1	836	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03	
2	71774	110563	1	822	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03	
3	71776	110567	1	907	63.9000	0.0000	63.900000	2008-06-01 00:00:00	2023-02-12 19:59:03	
4	71780	110616	4	905	218.4540	0.0000	873.816000	2008-06-01 00:00:00	2023-02-12 19:59:03	
5	71780	110617	2	983	461.6940	0.0000	923.388000	2008-06-01 00:00:00	2023-02-12 19:59:03	
6	71780	110618	6	988	112.9980	0.4000	406.792800	2008-06-01 00:00:00	2023-02-12 19:59:03	
7	71780	110619	2	748	816.7000	0.0000	1637.400000	2008-06-01 00:00:00	2023-02-12 19:59:03	
8	71780	110620	1	990	323.9940	0.0000	323.994000	2008-06-01 00:00:00	2023-02-12 19:59:03	
9	71780	110621	1	926	149.8740	0.0000	149.874000	2008-06-01 00:00:00	2023-02-12 19:59:03	

The screenshot shows the Alteryx Designer interface with a workflow titled "wks database 1b.yxd". The workflow starts with a "PostgreSQL" input tool connected to a "Join" tool. The "Join" tool is configured with "DL_CreateDT = DateTruncated". The output of the "Join" tool is connected to a "MySQL" output tool. The "MySQL" tool is configured with "Query=OrderSalesDetail". The "Results - Output Data (8) - Input" pane shows a table with 10 fields and 542 records displayed.

Record	RecordID	SalesOrderID	SalesOrderDetailID	OrderQty	ProductID	UnitPrice	UnitPriceDiscount	LineTotal	ModifiedDate	DL_CreateDT
1	71774	110562	1	836	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03	
2	71774	110563	1	822	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03	
3	71776	110567	1	907	63.9000	0.0000	63.900000	2008-06-01 00:00:00	2023-02-12 19:59:03	
4	71780	110616	4	905	218.4540	0.0000	873.816000	2008-06-01 00:00:00	2023-02-12 19:59:03	
5	71780	110617	2	983	461.6940	0.0000	923.388000	2008-06-01 00:00:00	2023-02-12 19:59:03	
6	71780	110618	6	988	112.9980	0.4000	406.792800	2008-06-01 00:00:00	2023-02-12 19:59:03	
7	71780	110619	2	748	816.7000	0.0000	1637.400000	2008-06-01 00:00:00	2023-02-12 19:59:03	
8	71780	110620	1	990	323.9940	0.0000	323.994000	2008-06-01 00:00:00	2023-02-12 19:59:03	
9	71780	110621	1	926	149.8740	0.0000	149.874000	2008-06-01 00:00:00	2023-02-12 19:59:03	

Alteryx Designer x64 - wks database 1a.yxmd

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigation

Basic Data Profile Field Summary Pearson Correlation Spearman Correlation

Output Data (7) - Configuration

Write to File or Database

odbc: DSN=PostgreSQL35AWIDOrderSalesDetail

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Overwrite Table (Drop)
4 Append Field Map	By Field Name
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (7) - Input

10 of 10 Fields | Cell Viewer | 542 records displayed

Record	RecordID	SalesOrderID	SalesOrderDetailID	OrderQty	ProductID	UnitPrice	UnitPriceDiscount	LineTotal	ModifiedDate	DL_CreateDT
1	1	71774	110562	1	836	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03
2	2	71774	110563	1	822	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03
3	3	71776	110567	1	907	63.9000	0.0000	63.900000	2008-06-01 00:00:00	2023-02-12 19:59:03
4	4	71780	110616	4	905	218.4540	0.0000	873.816000	2008-06-01 00:00:00	2023-02-12 19:59:03
5	5	71780	110617	2	983	461.6940	0.0000	923.388000	2008-06-01 00:00:00	2023-02-12 19:59:03
6	6	71780	110618	6	988	112.9980	0.4000	406.792800	2008-06-01 00:00:00	2023-02-12 19:59:03
7	7	71780	110619	2	748	818.7000	0.0000	1637.400000	2008-06-01 00:00:00	2023-02-12 19:59:03
8	8	71780	110620	1	990	323.9940	0.0000	323.994000	2008-06-01 00:00:00	2023-02-12 19:59:03
9	9	71780	110621	1	926	149.8740	0.0000	149.874000	2008-06-01 00:00:00	2023-02-12 19:59:03

Alteryx Designer x64 - wks database 1a.yxmd

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigation

Basic Data Profile Field Summary Pearson Correlation Spearman Correlation

Output Data (9) - Configuration

Write to File or Database

aka wks azure dang7370 schema\\OrderSalesDetail

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Overwrite Table (Drop)
4 Append Field Map	By Field Name
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (9) - Input

10 of 10 Fields | Cell Viewer | 542 records displayed

Record	RecordID	SalesOrderID	SalesOrderDetailID	OrderQty	ProductID	UnitPrice	UnitPriceDiscount	LineTotal	ModifiedDate	DL_CreateDT
1	1	71774	110562	1	836	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03
2	2	71774	110563	1	822	356.8980	0.0000	356.898000	2008-06-01 00:00:00	2023-02-12 19:59:03
3	3	71776	110567	1	907	63.9000	0.0000	63.900000	2008-06-01 00:00:00	2023-02-12 19:59:03
4	4	71780	110616	4	905	218.4540	0.0000	873.816000	2008-06-01 00:00:00	2023-02-12 19:59:03
5	5	71780	110617	2	983	461.6940	0.0000	923.388000	2008-06-01 00:00:00	2023-02-12 19:59:03
6	6	71780	110618	6	988	112.9980	0.4000	406.792800	2008-06-01 00:00:00	2023-02-12 19:59:03
7	7	71780	110619	2	748	818.7000	0.0000	1637.400000	2008-06-01 00:00:00	2023-02-12 19:59:03
8	8	71780	110620	1	990	323.9940	0.0000	323.994000	2008-06-01 00:00:00	2023-02-12 19:59:03
9	9	71780	110621	1	926	149.8740	0.0000	149.874000	2008-06-01 00:00:00	2023-02-12 19:59:03

1b - Join SalesOrderHeader & SalesOrderDetail tables

Alteryx Designer x64 - wks database join 1b.yxmd

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigation

Output Data (7) - Configuration

Write to File or Database

aka wks azure sql akshita22SalesOrderLine

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Overwrite Table (Drop)
4 Append Field Map	By Field Name
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (7) - Input

28 of 28 Fields | Cell Viewer | 542 records displayed

Record	RecordID	SalesOrderID	SalesOrderDetailID	RevisionNumber	OrderDate	DueDate	ShipDate	Status	OnlineOrderFlag	SalesOrderNumber	PurchaseOrderNumber	AccountNur
1	1	71782	110667	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
2	2	71782	110668	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
3	3	71782	110669	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
4	4	71782	110670	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
5	5	71782	110671	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
6	6	71782	110672	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
7	7	71782	110673	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
8	8	71782	110674	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
9	9	71782	110675	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000

Alteryx Designer x64 - wks database join 1b.yxmd

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigation

Output Data (8) - Configuration

Write to File or Database

odbc:DSN=mysqldb\SalesOrderLine

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Overwrite Table (Drop)
4 Append Field Map	By Field Name
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (8) - Input

28 of 28 Fields | Cell Viewer | 542 records displayed

Record	RecordID	SalesOrderID	SalesOrderDetailID	RevisionNumber	OrderDate	DueDate	ShipDate	Status	OnlineOrderFlag	SalesOrderNumber	PurchaseOrderNumber	AccountNur
1	1	71782	110667	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
2	2	71782	110668	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
3	3	71782	110669	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
4	4	71782	110670	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
5	5	71782	110671	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
6	6	71782	110672	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
7	7	71782	110673	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
8	8	71782	110674	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
9	9	71782	110675	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000

Alteryx Designer x64 - wks database join 1b.yxmd*

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigation

Basic Data Profile Field Summary Pearson Correlation Spearman Correlation

Output Data (9) - Configuration

Write to File or Database

odbc:DSN=PostgreSQL35A\\SalesOrderLine

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Overwrite Table (Drop)
4 Append Field Map	By Field Name
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (9) - Input

28 of 28 Fields | Cell Viewer | 542 records displayed

Record	RecordID	SalesOrderID	SalesOrderDetailID	RevisionNumber	OrderDate	DueDate	ShipDate	Status	OnlineOrderFlag	SalesOrderNumber	PurchaseOrderNumber	AccountNum
1	1	71782	110667	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
2	2	71782	110668	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
3	3	71782	110669	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
4	4	71782	110670	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
5	5	71782	110671	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
6	6	71782	110672	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
7	7	71782	110673	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
8	8	71782	110674	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
9	9	71782	110675	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000

Alteryx Designer x64 - wks database join 1b.yxmd*

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigation

Basic Data Profile Field Summary Pearson Correlation Spearman Correlation

Output Data (14) - Configuration

Write to File or Database

C:\Users\akash\Downloads\SalesOrderLine.csv

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	Comma Separated Value (*.csv)
3 Delimiters	,
4 First Row Contains Field Names	<input checked="" type="checkbox"/>
5 Quote Output Fields	Auto
6 Code Page	ISO 8859-1 (win)

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (14) - Input

28 of 28 Fields | Cell Viewer | 542 records displayed

Record	RecordID	SalesOrderID	SalesOrderDetailID	RevisionNumber	OrderDate	DueDate	ShipDate	Status	OnlineOrderFlag	SalesOrderNumber	PurchaseOrderNumber	AccountNum
1	1	71782	110667	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
2	2	71782	110668	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
3	3	71782	110669	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
4	4	71782	110670	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
5	5	71782	110671	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
6	6	71782	110672	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
7	7	71782	110673	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
8	8	71782	110674	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000
9	9	71782	110675	2	2008-06-01 00:00:00	2008-06-13 00:00:00	2008-06-08 00:00:00	5	False	SOT1782	PO19372114749	10-4020-000

1c. Copy Product table to a modified product table

Alteryx Designer x64 - wks database 1c.yxmd*

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended In/Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigator

Basic Data Profile Field Summary Pearson Correlation Spearman Correlation

Output Data (3) - Configuration

Write to File or Database

odbc:DSN=mysql|product

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Delete Data & Append
4 Append Field Map	Custom
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (3) - Input

14 of 14 Fields Cell Viewer 295 records displayed

Record	ProductID	Name	ProductNumber	Color	StandardCost	ListPrice	Size	Weight	ProductCategoryID	ProductModelID	SellStartDate	SellEndDate	Discontinued
1	680	HL Road Frame - Black, 58	FR-R92B-58	Black	1059.3100	1431.5000	S8	1016.04	18	6	2002-06-01 00:00:00	[Null]	[Null]
2	706	HL Road Frame - Red, 58	FR-R92R-58	Red	1059.3100	1431.5000	S8	1016.04	18	6	2002-06-01 00:00:00	[Null]	[Null]
3	707	Sport-100 Helmet, Red	HL-US09-R	Red	13.0863	34.9900	[Null]	[Null]	35	33	2005-07-01 00:00:00	[Null]	[Null]
4	708	Sport-100 Helmet, Black	HL-US09	Black	13.0863	34.9900	[Null]	[Null]	35	33	2005-07-01 00:00:00	[Null]	[Null]
5	709	Mountain Bike Socks, M	SO-B909-M	White	3.3963	9.5000	M	[Null]	27	18	2005-07-01 00:00:00	2006-06-30 00:00:00	[Null]
6	710	Mountain Bike Socks, L	SO-B909-L	White	3.3963	9.5000	L	[Null]	27	18	2005-07-01 00:00:00	2006-06-30 00:00:00	[Null]
7	711	Sport-100 Helmet, Blue	HL-US09-B	Blue	13.0863	34.9900	[Null]	[Null]	35	33	2005-07-01 00:00:00	[Null]	[Null]
8	712	AWC Logo Cap	CA-1098	Multi	6.9223	8.9900	[Null]	[Null]	23	2	2005-07-01 00:00:00	[Null]	[Null]
9	713	Long-Sleeve Logo Jersey, S	LI-0192-S	Multi	38.4923	49.9900	S	[Null]	25	11	2005-07-01 00:00:00	[Null]	[Null]

Alteryx Designer x64 - wks database 1c.yxmd*

File Edit View Options Help

Search for tools, help, and resources...

Favorites Recommended In/Out Preparation Join Parse Transform In-Database Reporting Documentation Spatial Machine Learning Text Mining Computer Vision Interface Data Investigator

Basic Data Profile Field Summary Pearson Correlation Spearman Correlation

Output Data (4) - Configuration

Write to File or Database

odbc:DSN=PostgreSQL35AW|product

Set Up a Connection

Use Data Connection Manager (DCM)

Options

Name	Value
1 Max Records Per File	
2 File Format	ODBC Database (odbc:)
3 Output Options	Delete Data & Append
4 Append Field Map	Custom
5 Key for Update	Pick Key for Update Field(s)
6 Pre Create SQL Statement	

Take File/Table Name From Field

Append Suffix to File/Table Name

Field Containing File Name or Part of File Name

Keep Field in Output

Disable Tool

Results - Output Data (4) - Input

14 of 14 Fields Cell Viewer 295 records displayed

Record	ProductID	Name	ProductNumber	Color	StandardCost	ListPrice	Size	Weight	ProductCategoryID	ProductModelID	SellStartDate	SellEndDate	Discontinued
1	680	HL Road Frame - Black, 58	FR-R92B-58	Black	1059.3100	1431.5000	S8	1016.04	18	6	2002-06-01 00:00:00	[Null]	[Null]
2	706	HL Road Frame - Red, 58	FR-R92R-58	Red	1059.3100	1431.5000	S8	1016.04	18	6	2002-06-01 00:00:00	[Null]	[Null]
3	707	Sport-100 Helmet, Red	HL-US09-R	Red	13.0863	34.9900	[Null]	[Null]	35	33	2005-07-01 00:00:00	[Null]	[Null]
4	708	Sport-100 Helmet, Black	HL-US09	Black	13.0863	34.9900	[Null]	[Null]	35	33	2005-07-01 00:00:00	[Null]	[Null]
5	709	Mountain Bike Socks, M	SO-B909-M	White	3.3963	9.5000	M	[Null]	27	18	2005-07-01 00:00:00	2006-06-30 00:00:00	[Null]
6	710	Mountain Bike Socks, L	SO-B909-L	White	3.3963	9.5000	L	[Null]	27	18	2005-07-01 00:00:00	2006-06-30 00:00:00	[Null]
7	711	Sport-100 Helmet, Blue	HL-US09-B	Blue	13.0863	34.9900	[Null]	[Null]	35	33	2005-07-01 00:00:00	[Null]	[Null]
8	712	AWC Logo Cap	CA-1098	Multi	6.9223	8.9900	[Null]	[Null]	23	2	2005-07-01 00:00:00	[Null]	[Null]
9	713	Long-Sleeve Logo Jersey, S	LI-0192-S	Multi	38.4923	49.9900	S	[Null]	25	11	2005-07-01 00:00:00	[Null]	[Null]