










Sheet: /		File: Tartarus Liquid Rocketry Control System.kicad_sch	
Title: Vulcan		Designed by Barrett Twining	
Size: A4	Date:	Rev:	
KiCad E.D.A. 9.0.0		Id: 1/35	

EXCEEDING 100V INPUT WILL CAUSE PERMANENT DAMAGE TO THE SYSTEM



Main Power Connection
Functional voltage range: 10–26V
Absolute maximum input voltage: 100 V DC

DC POWER ONLY!



TARTARUS


AD ASTRA FROM THE ABYSS

Sheet: /Power Supply/
File: Liquid Rocketry Power Supplies.kicad_sch

Title:

Size: A4	Date:
KiCad E.D.A. 9.0.0	

Rev:
Id: 2/35



TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /LC_Input_1/
File: page3.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:

Id: 3/35



TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /LC_Input_2/
File: page3.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:

Id: 4/35

Resistors for setting I2C address. Value Varies.
Refer to page 44 of MCP9601 datasheet




TABLE 6-2: RECOMMENDED RESISTOR VALUES FOR I²C ADDRESSING

Device #	Command Byte	Values	
		R _{XA} (kΩ)	R _{XB} (kΩ)
1	1100 000x	ADDR Pin Tied to GND	
2	1100 001x	R _{2A} = 10	R _{2B} = 2.2
3	1100 010x	R _{3A} = 10	R _{3B} = 4.3
4	1100 011x	R _{4A} = 10	R _{4B} = 7.5
5	1100 100x	R _{5A} = 10	R _{5B} = 13
6	1100 101x	R _{6A} = 10	R _{6B} = 22
7	1100 110x	R _{7A} = 10	R _{7B} = 43
8	1100 111x	ADDR Pin Tied to V _{DD}	

Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.




Sheet: /TC_Input1/
File: TC_Input1.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 5/35



Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.






Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.






Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.






Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.






Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.






Note: Standard 5% tolerance resistors are used in the table; however, 1% tolerance resistors provide better ratio matching.






TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /PT Input 1/ File: PT_Input.kicad_sch	
Title:	
Size: A4	Date:
KiCad E.D.A. 9.0.0	Rev: Id: 13/35



TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /PT Input 2/ File: PT_Input.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.0		Id: 14/35



TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /PT Input 3/
File: PT_Input.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:


Rev:
Id: 15/35





TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /PT Input 5/ File: PT_Input.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.0		Id: 17/35




TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /PT Input 6/
File: PT_Input.kicad_sch

Title:

Size: A4 Date: Rev:
KiCad E.D.A. 9.0.0

Id: 18/35



TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /PT Input 7/
File: PT_Input.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0


Date:

Rev:
Id: 19/35



TARTARUS
AD ASTRA FROM THE ABYSS

Sheet: /PT Input 8/ File: PT_Input.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.0		Id: 20/35



Sheet: /Microcontroller Page 1 (PA_PB)/
File: Liquid Rocketry Microcontroller P1.kicad_sch

Title:


Size: A4 Date: Rev:

KiCad E.D.A. 9.0.0 Id: 21/35



Rev:
Id: 22/35





TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /Relay_1/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 24/35






TARTARUS

AD ASTRA FROM THE ABYSS

Sheet: /Relay_2/		
File: Liquid Rocketry Relays.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.0		Id: 25/35



TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /Relay_3/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 26/35



TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /Relay_4/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 27/35



TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /Relay_5/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 28/35



TARTARUS
AD ASTRA FROM THE ABYSS


Sheet: /Relay_6/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 29/35





TARTARUS


AD ASTRA FROM THE ABYSS

Sheet: /Relay_7/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4 Date: **Rev:**

KiCad E.D.A. 9.0.0 Id: 30/35






TARTARUS



AD ASTRA FROM THE ABYSS

Sheet: /Relay_8/
File: Liquid Rocketry Relays.kicad_sch

Title:

Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.0		Id: 31/35





TARTARUS
AD ASTRA FROM THE ABYSS



Sheet: /Data Storage/
File: Liquid Rocketry uSD Card.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 33/35




Sheet: /Valve Sensing/
File: Liquid Rocketry Valve Sensing.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 34/35



Sheet: /Expansion Ports/
File: Liquid Rocketry Expansion Ports.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:

Id: 35/35