ARMSTRONG / PRODUCT CATALOGUE

YEW-3000E

Computer Controlled Compression Testing Machine

YEW-3000E 3000kN Computer Controlled Compression Testing Machine





012-2201096 | Barry, Product Specialist
012-6280096 | Jackie, Marketing Manager
hungtatest@yahoo.com

HUNG TA INSTRUMENT
www.hungtainstrument.com.my
109, Taman A.S.T., Jalan Sungai Ujong,
70200 Seremban, Negeri Sembilan, Malaysia

Product description

The machine can realize electro-hydraulic loading, sensor force measurement, digital display force value. The force value data can be printed, and conversion of compression strength can also be realized. This type of machine conforms to the national standard "standard for mechanical properties of ordinary concrete test method", automatic computer controlled loading speed, and with load speed indicator device, peak maintenance, overload protection function, is the construction, building materials, highway and bridge engineering units necessary test testing equipment.

Technical specifications

Capacity	3,000 kN
Control	Computer controlled
Machine type	Compression testing machine
Load capacity (source kgf value)	300000 kgf
Calibration standard	Class 1
Testing load accuracy	+/-1%
Load measuring range	2%-100% F.S.
Minimum resolution (source value)	0.01 N
Maximum plate distance	300 mm
Pressure plate	260 x 260 mm
Piston diameter / maximum stroke	310 mm / 50 mm
Control cabinet dimensions	600 x 755 x 1310 mm
Load frame dimensions	620 x 720 x 1600 mm
Power supply	3-phase 380 V +/-10%, 50-60 Hz
Net weight	1000 kg
Operating temperature	0 to +38 degrees C (+32 to +100 degrees F)
Humidity	10%-90%, non-condensing

Extra wide and/or extra height frames are available. The power supply system is customisable.

012-2201096 | Barry, Product Specialist
012-6280096 | Jackie, Marketing Manager
hungtatest@yahoo.com

HUNG TA INSTRUMENT
www.hungtainstrument.com.my
109, Taman A.S.T., Jalan Sungai Ujong,
70200 Seremban, Negeri Sembilan, Malaysia

The source lists both 3000 kN and 300000 kgf, and a minimum resolution of 0.01 N. Confirm these numerical values for the supplied configuration before ordering.

Machine Accessories

	1.Load Frame		
1.1	Host Frame	3000kN, High intensity testing machine structure, high stiffness to assure accuracy.	1 set
1.2	Compression Fixture	260*260mm	1 set
1.3	Safety Screening	Independent research and development	1 set
	2.Servo Oil Power System		
2.1	Control Cabinet	Max. Pressure:30MPa Max. Flow:3.6L/min Power:1.5KW	1 set
2.2	Hydraulic Integrated Valve Block	10μm, Includes precision oil filter	1 set

012-2201096 | Barry, Product Specialist
012-6280096 | Jackie, Marketing Manager
hungtatest@yahoo.com

HUNG TA INSTRUMENT
www.hungtainstrument.com.my
109, Taman A.S.T., Jalan Sungai Ujong,
70200 Seremban, Negeri Sembilan, Malaysia

Accessory reference images


Host Frame


Compression Fixture


Safety Screening


Control Cabinet


Hydraulic Integrated
Valve Block

2.3	High-Pressure Oil Pipe	The max. pressure it can safely withstand is 25MPa	1 set
2.4	Magnetic Exchange Valve	Pressure 20Mpa	1 set
	3.Measurement and Control Part		
3.1	Measure and Control Software	Standard English, Can optional English,Russia,Chinese etc	1 set
3.2	Control System	3 closed loop (force, deformation, displacement) control system	1 set
3.3	Load Cell	Max. Load Capacity :3000kN	1 set
3.5	Computer	HP	1 set
3.6	Printer	HP	1 set
4.Other			

012-2201096 | Barry, Product Specialist
012-6280096 | Jackie, Marketing Manager
hungtatest@yahoo.com


HUNG TA INSTRUMENT
www.hungtainstrument.com.my
109, Taman A.S.T., Jalan Sungai Ujong,
70200 Seremban, Negeri Sembilan, Malaysia

	Instruction Manual, Packing List, Certificate	1 set /each

Accessory reference images


High-Pressure Oil Pipe


Magnetic Exchange Valve



Measure and Control Software


Control System


Load Cell


Computer


Printer

Configuration notes

Technical values, standards references, software functions and accessory information are reproduced from the supplied product catalogue. Confirm the applicable standards, current numerical values and supplied configuration with the quotation.

012-2201096 | Barry, Product Specialist
012-6280096 | Jackie, Marketing Manager
hungtatest@yahoo.com

HUNG TA INSTRUMENT
www.hungtainstrument.com.my
109, Taman A.S.T., Jalan Sungai Ujong,
70200 Seremban, Negeri Sembilan, Malaysia