ASE TEAM 1

USER Manual

HUSACCT -GENERAL GUI & CONTROL

June 24, 2013

CONTENTS

INTRODUCTION	
GETTING STARTED	3
CREATING A WORKSPACE	
SAVING A WORKSPACE	
OPENING A WORKSPACE	
APPLICATION ANALYSIS HISTORY	
ACTION LOG	


INTRODUCTION

This document will contain the user documentation regarding the general graphical user interface and control of HUSACCT.

GETTING STARTED

CREATING A WORKSPACE


- 1. To create a workspace, go to file => New workspace.
- 2. Choose a name for you workspace and select "Analyse Application".
- 3. Give the application you want to analyse a name.
- 4. Select the programming language.
- 5. Give your application a version number (not the Java version number).
- 6. Click on "Add" and select your project you want to analyse.
- 7. Your workspace settings should look like something like this:



- 8. Click "OK" and HUSACCT starts analysing your selected project.
- 9. During this process, you can start defining your architecture in the define screen that is also opened by HUSACCT.


SAVING A WORKSPACE

- 1. To save a workspace, go to file => Save workspace
- 2. Select the file type (currently only xml available)
- 3. Choose a path using the "Browse" button
- 4. There are a couple of options available:
- Compress: Compresses the file to lower the required disk space
- Password protection: Protect the file with a password, this makes the file unreadable when opening with a text editor
- 5. Click "Save" and your workspace will be saved



OPENING A WORKSPACE

- 1. To open a workspace, go to file => Open workspace
- 2. Select the file type (current only xml available)
- 3. Choose the file you want to open using the "browse" button
- 4. Click open
- 5. When the file is password protected, you will be prompted for a password



APPLICATION ANALYSIS HISTORY

After analyzing any source code, HUSACCT saves information about the analysis in its App Data folder. This allows you to view the evolution of the software while your optimizing your code to get as few violations as possible. This analysis information can be found under Analyse -> Analysis History and looks like this:

Application	Path	Date/Time ▼	Packages	Classes	Interfaces	Dependencies	
Java Benchmark	D:\Software\Installed\D	31-01-45447 12:01:26	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	31-01-45447 11:01:12	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	31-01-45447 07:01:31	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	30-01-45447 08:01:31	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	29-06-45433 02:06:58	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	23-01-45447 09:01:01	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	23-01-45447 02:01:08	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	22-01-45447 06:01:24	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	22-01-45447 04:01:16	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	21-01-45447 03:01:31	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	17-04-45436 02:04:53	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	16-10-45392 01:10:25	13	149	30	821	
Java Benchmark	D:\Software\Installed\D	14-04-45436 11:04:18	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	14-01-45447 09:01:51	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	13-10-45392 10:10:14	13	149	30	821	
Java Benchmark	D:\Software\Installed\D	13-01-45447 05:01:36	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	13-01-45447 01:01:16	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	12-01-45447 10:01:08	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	11-01-45447 10:01:14	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	10-01-45447 04:01:44	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	09-02-45447 08:02:03	13	149	30	414	
Java Benchmark	D:\Software\Installed\D	09-02-45447 01:02:56	13	149	30	414	

ACTION LOG

The action log will show primary actions you've taken in HUSACCT. Say for example you've analysed a project. After analysing you'll see a message appear in the Action Log showing you the time you've analysed. The same goes for defining or validating. It is disabled by default and can be enabled in Tools -> Options -> General.

