

N_subjects=12 | mode=gc | topk=10 | p0=0.100806 | FDR=True

BothStartLoadPhase__LiftOff | pc1 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	8/12	3.629e-06	9.541e-06	***
PO10->P8	8/12	3.629e-06	9.541e-06	***
PO9 ->Oz	7/12	5.288e-05	0.0001078	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc1 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	10/12	5.902e-09	2.479e-08	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc1 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	10/12	5.902e-09	2.479e-08	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc1 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc1 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->P8	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc2 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
O1 ->Oz	9/12	1.778e-07	5.866e-07	***
Oz ->O1	9/12	1.778e-07	5.866e-07	***
Oz ->O2	9/12	1.778e-07	5.866e-07	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)

Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc2 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O2	12/12	1.101e-12	8.717e-12	***
O2 ->Oz	12/12	1.101e-12	8.717e-12	***
Oz ->O1	10/12	5.902e-09	2.479e-08	***
dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)				

Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc2 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
O2 ->PO10	10/12	5.902e-09	2.479e-08	***
Oz ->O2	9/12	1.778e-07	5.866e-07	***
O1 ->PO9	9/12	1.778e-07	5.866e-07	***
dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)				

Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc2 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
O2 ->PO10	11/12	1.19e-10	6.677e-10	***
O2 ->Oz	11/12	1.19e-10	6.677e-10	***
O1 ->PO9	10/12	5.902e-09	2.479e-08	***
dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)				

Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc2 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
O2 ->PO10	11/12	1.19e-10	6.677e-10	***
O2 ->Oz	11/12	1.19e-10	6.677e-10	***
O1 ->Oz	10/12	5.902e-09	2.479e-08	***
dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)				

Recurrent processing within the visual network supporting stable representation.

BothStartLoadPhase__LiftOff | pc3 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	7/12	5.288e-05	0.0001078	***
O1 ->FC1	6/12	0.0005654	0.0009576	***
P7 ->O1	5/12	0.004484	0.006065	**
dominant_flow F_Motor->F_Motor DI=+0.00 (INTRA-MOTOR COORDINATION)				

Coordination and synchronization within the motor planning/execution network.

BothStartLoadPhase__LiftOff | pc3 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
O1 ->FC1	8/12	3.629e-06	9.541e-06	***
C4 ->FC2	8/12	3.629e-06	9.541e-06	***
P4 ->P8	7/12	5.288e-05	0.0001078	***

dominant_flow O_Vis->F_Motor DI=+0.91 (VISUO-MOTOR TRANSFORMATION)
Transformation of visual information into spatial/motor coordinates.

BothStartLoadPhase__LiftOff | pc3 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
CP6 ->C4	9/12	1.778e-07	5.866e-07	***
P4 ->P8	6/12	0.0005654	0.0009576	***
C4 ->FC2	6/12	0.0005654	0.0009576	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)

Integration of multisensory inputs into a coherent body/world spatial map.

BothStartLoadPhase__LiftOff | pc3 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	9/12	1.778e-07	5.866e-07	***
P7 ->O1	7/12	5.288e-05	0.0001078	***
CP6 ->P8	7/12	5.288e-05	0.0001078	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)

Integration of multisensory inputs into a coherent body/world spatial map.

BothStartLoadPhase__LiftOff | pc3 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	9/12	1.778e-07	5.866e-07	***
CP6 ->C4	8/12	3.629e-06	9.541e-06	***
P4 ->CP6	7/12	5.288e-05	0.0001078	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)

Integration of multisensory inputs into a coherent body/world spatial map.

FirstDigitTouch__BothStartLoadPhase | pc1 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	8/12	3.629e-06	9.541e-06	***
PO10->P8	8/12	3.629e-06	9.541e-06	***
PO9 ->Oz	7/12	5.288e-05	0.0001078	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)

Recurrent processing within the visual network supporting stable representation.

FirstDigitTouch__BothStartLoadPhase | pc1 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)

Recurrent processing within the visual network supporting stable representation.

FirstDigitTouch__BothStartLoadPhase | pc1 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

FirstDigitTouch__BothStartLoadPhase | pc1 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

FirstDigitTouch__BothStartLoadPhase | pc1 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

FirstDigitTouch__BothStartLoadPhase | pc2 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
O1 ->Oz	9/12	1.778e-07	5.866e-07	***
O2 ->Oz	9/12	1.778e-07	5.866e-07	***
Oz ->O2	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

FirstDigitTouch__BothStartLoadPhase | pc2 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O2	12/12	1.101e-12	8.717e-12	***
O2 ->Oz	12/12	1.101e-12	8.717e-12	***
Oz ->O1	10/12	5.902e-09	2.479e-08	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

FirstDigitTouch__BothStartLoadPhase | pc2 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
O2 ->PO10	9/12	1.778e-07	5.866e-07	***
O1 ->PO9	9/12	1.778e-07	5.866e-07	***
Oz ->O1	9/12	1.778e-07	5.866e-07	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

FirstDigitTouch__BothStartLoadPhase | pc2 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
O2 ->Oz	11/12	1.19e-10	6.677e-10	***
Oz ->O2	10/12	5.902e-09	2.479e-08	***

O2 ->PO10 10/12 5.902e-09 2.479e-08 ***
dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

FirstDigitTouch__BothStartLoadPhase | pc2 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
O1 ->Oz	11/12	1.19e-10	6.677e-10	***
O2 ->Oz	11/12	1.19e-10	6.677e-10	***
O2 ->PO10	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

FirstDigitTouch__BothStartLoadPhase | pc3 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	7/12	5.288e-05	0.0001078	***
O1 ->FC1	6/12	0.0005654	0.0009576	***
P7 ->O1	5/12	0.004484	0.006065	**

dominant_flow F_Motor->F_Motor DI=+0.00 (INTRA-MOTOR COORDINATION)
Coordination and synchronization within the motor planning/execution network.

FirstDigitTouch__BothStartLoadPhase | pc3 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	8/12	3.629e-06	9.541e-06	***
O2 ->C3	7/12	5.288e-05	0.0001078	***
C4 ->FC2	7/12	5.288e-05	0.0001078	***

dominant_flow O_Vis->F_Motor DI=+1.00 (VISUO-MOTOR TRANSFORMATION)
Transformation of visual information into spatial/motor coordinates.

FirstDigitTouch__BothStartLoadPhase | pc3 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
CP6 ->C4	9/12	1.778e-07	5.866e-07	***
P4 ->P8	5/12	0.004484	0.006065	**
C4 ->FC2	5/12	0.004484	0.006065	**

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

FirstDigitTouch__BothStartLoadPhase | pc3 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	8/12	3.629e-06	9.541e-06	***
O2 ->C3	7/12	5.288e-05	0.0001078	***
P8 ->PO10	6/12	0.0005654	0.0009576	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

FirstDigitTouch__BothStartLoadPhase | pc3 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	8/12	3.629e-06	9.541e-06	***
CP6 ->C4	7/12	5.288e-05	0.0001078	***

P7 ->O1 5/12 0.004484 0.006065 **
 dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
 Integration of multisensory inputs into a coherent body/world spatial
 map.

HandStart__FirstDigitTouch | pc1 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
PO10->P8	9/12	1.778e-07	5.866e-07	***
PO9 ->O1	8/12	3.629e-06	9.541e-06	***
PO10->O2	7/12	5.288e-05	0.0001078	***

 dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

HandStart__FirstDigitTouch | pc1 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	11/12	1.19e-10	6.677e-10	***

 dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

HandStart__FirstDigitTouch | pc1 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO10->Oz	12/12	1.101e-12	8.717e-12	***

 dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

HandStart__FirstDigitTouch | pc1 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	12/12	1.101e-12	8.717e-12	***

 dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

HandStart__FirstDigitTouch | pc1 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	12/12	1.101e-12	8.717e-12	***

 dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
 Recurrent processing within the visual network supporting stable
 representation.

HandStart__FirstDigitTouch | pc2 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
O2 ->Oz	9/12	1.778e-07	5.866e-07	***

Oz	->O2	8/12	3.629e-06	9.541e-06	***
O2	->PO10	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

HandStart__FirstDigitTouch | pc2 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
Oz	->O2	12/12	1.101e-12	8.717e-12 ***
O2	->Oz	12/12	1.101e-12	8.717e-12 ***
Oz	->O1	12/12	1.101e-12	8.717e-12 ***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

HandStart__FirstDigitTouch | pc2 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
Oz	->O2	12/12	1.101e-12	8.717e-12 ***
Oz	->O1	12/12	1.101e-12	8.717e-12 ***
O1	->Oz	11/12	1.19e-10	6.677e-10 ***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

HandStart__FirstDigitTouch | pc2 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
Oz	->O2	12/12	1.101e-12	8.717e-12 ***
O1	->Oz	12/12	1.101e-12	8.717e-12 ***
O2	->Oz	12/12	1.101e-12	8.717e-12 ***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

HandStart__FirstDigitTouch | pc2 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
Oz	->O2	12/12	1.101e-12	8.717e-12 ***
O1	->Oz	12/12	1.101e-12	8.717e-12 ***
O2	->Oz	12/12	1.101e-12	8.717e-12 ***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

HandStart__FirstDigitTouch | pc3 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
P4	->P8	7/12	5.288e-05	0.0001078 ***
O1	->FC1	6/12	0.0005654	0.0009576 ***
CP6	->P8	5/12	0.004484	0.006065 **

dominant_flow F_Motor->F_Motor DI=+0.00 (INTRA-MOTOR COORDINATION)
Coordination and synchronization within the motor planning/execution network.

HandStart__FirstDigitTouch | pc3 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
------	-----	---------	--------	-----

O2	->Cz	10/12	5.902e-09	2.479e-08	***
O1	->FC1	9/12	1.778e-07	5.866e-07	***
O2	->C3	7/12	5.288e-05	0.0001078	***

dominant_flow O_Vis->F_Motor DI=+1.00 (VISUO-MOTOR TRANSFORMATION)
Transformation of visual information into spatial/motor coordinates.

HandStart__FirstDigitTouch | pc3 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
CP6 ->C4	8/12	3.629e-06	9.541e-06	***
Fp1 ->PO10	6/12	0.0005654	0.0009576	***
P4 ->CP6	6/12	0.0005654	0.0009576	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

HandStart__FirstDigitTouch | pc3 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
P8 ->O2	8/12	3.629e-06	9.541e-06	***
P4 ->P8	8/12	3.629e-06	9.541e-06	***
P7 ->O1	7/12	5.288e-05	0.0001078	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

HandStart__FirstDigitTouch | pc3 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
P7 ->O1	8/12	3.629e-06	9.541e-06	***
CP6 ->C4	7/12	5.288e-05	0.0001078	***
P4 ->P8	7/12	5.288e-05	0.0001078	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

LiftOff__Replace | pc1 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	8/12	3.629e-06	9.541e-06	***
PO9 ->Oz	8/12	3.629e-06	9.541e-06	***
PO9 ->P7	7/12	5.288e-05	0.0001078	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc1 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	11/12	1.19e-10	6.677e-10	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc1 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
------	-----	---------	--------	-----

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc1 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->Oz	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc1 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	12/12	1.101e-12	8.717e-12	***
PO10->Oz	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc2 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O1	9/12	1.778e-07	5.866e-07	***
O1 ->Oz	9/12	1.778e-07	5.866e-07	***
Oz ->O2	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc2 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O2	12/12	1.101e-12	8.717e-12	***
O2 ->Oz	12/12	1.101e-12	8.717e-12	***
Oz ->O1	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc2 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O2	12/12	1.101e-12	8.717e-12	***
Oz ->O1	12/12	1.101e-12	8.717e-12	***
O2 ->Oz	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc2 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
O2 ->PO10	12/12	1.101e-12	8.717e-12	***
O1 ->PO9	12/12	1.101e-12	8.717e-12	***
Oz ->O2	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc2 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
O2 ->PO10	12/12	1.101e-12	8.717e-12	***
O1 ->PO9	12/12	1.101e-12	8.717e-12	***
Oz ->O2	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

LiftOff__Replace | pc3 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
CP6 ->C4	6/12	0.0005654	0.0009576	***
P4 ->CP6	6/12	0.0005654	0.0009576	***
P4 ->P8	6/12	0.0005654	0.0009576	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

LiftOff__Replace | pc3 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
O1 ->FC1	10/12	5.902e-09	2.479e-08	***
C4 ->FC2	9/12	1.778e-07	5.866e-07	***
P4 ->P8	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->F_Motor DI=+1.00 (VISUO-MOTOR TRANSFORMATION)
Transformation of visual information into spatial/motor coordinates.

LiftOff__Replace | pc3 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
P7 ->O1	9/12	1.778e-07	5.866e-07	***
P4 ->P8	8/12	3.629e-06	9.541e-06	***
CP6 ->P8	8/12	3.629e-06	9.541e-06	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

LiftOff__Replace | pc3 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
P8 ->PO10	11/12	1.19e-10	6.677e-10	***
P4 ->P8	10/12	5.902e-09	2.479e-08	***
P7 ->O1	9/12	1.778e-07	5.866e-07	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

LiftOff__Replace | pc3 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	11/12	1.19e-10	6.677e-10	***
P7 ->O1	10/12	5.902e-09	2.479e-08	***
P4 ->CP6	10/12	5.902e-09	2.479e-08	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

Replace__BothReleased | pc1 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	9/12	1.778e-07	5.866e-07	***
PO10->O2	8/12	3.629e-06	9.541e-06	***
PO10->P8	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc1 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	10/12	5.902e-09	2.479e-08	***
PO9 ->O1	8/12	3.629e-06	9.541e-06	***
PO9 ->Oz	6/12	0.0005654	0.0009576	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc1 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	9/12	1.778e-07	5.866e-07	***
PO10->O2	9/12	1.778e-07	5.866e-07	***
PO9 ->Oz	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc1 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
PO9 ->O1	10/12	5.902e-09	2.479e-08	***
PO10->O2	10/12	5.902e-09	2.479e-08	***
PO9 ->Oz	8/12	3.629e-06	9.541e-06	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc1 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
PO10->O2	12/12	1.101e-12	8.717e-12	***
PO9 ->O1	11/12	1.19e-10	6.677e-10	***
PO9 ->Oz	9/12	1.778e-07	5.866e-07	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc2 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O1	10/12	5.902e-09	2.479e-08	***
O2 ->Oz	10/12	5.902e-09	2.479e-08	***
Oz ->O2	9/12	1.778e-07	5.866e-07	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc2 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
O2 ->Oz	9/12	1.778e-07	5.866e-07	***
O1 ->Oz	9/12	1.778e-07	5.866e-07	***
O1 ->PO9	9/12	1.778e-07	5.866e-07	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc2 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
O1 ->Oz	10/12	5.902e-09	2.479e-08	***
Oz ->O2	9/12	1.778e-07	5.866e-07	***
O1 ->PO9	9/12	1.778e-07	5.866e-07	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc2 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O2	12/12	1.101e-12	8.717e-12	***
O2 ->Oz	12/12	1.101e-12	8.717e-12	***
O1 ->Oz	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc2 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
Oz ->O2	12/12	1.101e-12	8.717e-12	***
O2 ->PO10	12/12	1.101e-12	8.717e-12	***
O2 ->Oz	12/12	1.101e-12	8.717e-12	***

dominant_flow O_Vis->O_Vis DI=+0.00 (VISUAL RECURRENCE / BINDING)
Recurrent processing within the visual network supporting stable representation.

Replace__BothReleased | pc3 | lag=0ms

edge	k/N	p-value	q(FDR)	sig
P8 ->PO10	7/12	5.288e-05	0.0001078	***
CP6 ->P8	6/12	0.0005654	0.0009576	***
P4 ->P8	6/12	0.0005654	0.0009576	***

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)
Integration of multisensory inputs into a coherent body/world spatial map.

Replace__BothReleased | pc3 | lag=50ms

edge	k/N	p-value	q(FDR)	sig
C4 ->FC2	7/12	5.288e-05	0.0001078	***
Fp2 ->Fp1	6/12	0.0005654	0.0009576	***
Fp1 ->T7	5/12	0.004484	0.006065	**

dominant_flow F_Motor->F_Motor DI=+0.00 (INTRA-MOTOR COORDINATION)

Coordination and synchronization within the motor planning/execution network.

Replace__BothReleased | pc3 | lag=100ms

edge	k/N	p-value	q(FDR)	sig
Fp2 ->Fp1	7/12	5.288e-05	0.0001078	***
Fp1 ->T7	5/12	0.004484	0.006065	**
P7 ->O1	5/12	0.004484	0.006065	**

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)

Integration of multisensory inputs into a coherent body/world spatial map.

Replace__BothReleased | pc3 | lag=150ms

edge	k/N	p-value	q(FDR)	sig
P4 ->P8	7/12	5.288e-05	0.0001078	***
P7 ->O1	6/12	0.0005654	0.0009576	***
Fp2 ->Fp1	5/12	0.004484	0.006065	**

dominant_flow P_Space->P_Space DI=+0.00 (SPATIAL INTEGRATION)

Integration of multisensory inputs into a coherent body/world spatial map.

Replace__BothReleased | pc3 | lag=200ms

edge	k/N	p-value	q(FDR)	sig
P7 ->O1	8/12	3.629e-06	9.541e-06	***
P4 ->P8	7/12	5.288e-05	0.0001078	***
P8 ->O2	7/12	5.288e-05	0.0001078	***

dominant_flow P_Space->O_Vis DI=+0.90 (TOP-DOWN VISUAL ATTENTION)

Top-down feedback from parietal areas biasing visual processing (predictive attention).