Databases
SQL

Hans Philippi

February 24, 2025

SQL

SQL: Structured Query Language

- IBM, seventies: SEQUEL
- First standard: ANSI 1986
- Updated in 1992, 1999, 2003
- Data definition language (DDL)
- Constraint definition language (DDL)
- Data query language (DQL)
- Data manipulation language (DML)
- Collection model: bags/multisets instead of sets

SQL DDL

SQL DDL

```
CREATE TABLE Book (
bookid              integer       not null,
title               varchar(100)  not null,
author              varchar(100)  not null,
price               float,
date_of_purchase    date,
publisher_id        varchar(6),
CONSTRAINT Book_pk PRIMARY KEY (bookid),
CONSTRAINT Book_fk_Publisher FOREIGN KEY (publisher_id)
    REFERENCES Publisher(publisher_id)
);
```

SQL DML: updating

INSERT command

```
INSERT INTO Book VALUES
  (9876543210, 'The name of the rose', 'Umberto Eco',
   '11.33', NULL, 'Warner');
```

SQL DML: updating

INSERT command

```
CREATE TABLE Eco_Titles (title  varchar(100));

INSERT INTO Eco_Titles
  SELECT title FROM Book
  WHERE author =  'Umberto Eco';
```

UPDATE and DELETE command

```
UPDATE Artist
   SET name = 'TAFKAP'
   WHERE name = 'Prince';

DELETE FROM Article
   WHERE author = 'Diederik Stapel';
```

Basic template SQL query

```
SELECT <attribute_list>
FROM   <table_list>
WHERE  <condition>
```

Condition:

- comparison attribute with value
- complex conditions, possibly with subqueries

Basic structure has been extended with non-essential syntactic sugar

Example database (inspired by imdb.com)

Movie (*filmid*, title, year, rating, genre, dirid, company, length)
Actor (*pid*, name, birth_year)
Cast (*filmid, pid, character*)
Director (*pid*, name, birth_year)
Series (*filmid*, title)
Episode (*filmid, epno*, year, rating, dirid, company)

SQL DQL

Q_1 : give names of all actors *(projection)*

```
SELECT name
FROM Actor
```

Q_2 : give all production companies *(projection)*

```
SELECT DISTINCT company
FROM Movie
```

Q_3 : give all info about directors born before 1940 *(selection)*

```
SELECT *
FROM Director
WHERE birth_year < 1940
```

Q_4 : all info about actors with year of birth unknown

```
SELECT *
FROM  Actor
WHERE birth_year IS NULL
```

Q_5 : names of actors who played character 'Tarzan'
  (selection - projection - natural join)

```
SELECT name FROM Actor, Cast
WHERE Actor.pid = Cast.pid
AND character = 'Tarzan'
```

Q_5 : actors who played character 'Tarzan'

```
SELECT name FROM Actor
WHERE pid IN (
    SELECT pid FROM Cast
    WHERE character = 'Tarzan' )

SELECT name FROM Actor
WHERE EXISTS (
    SELECT * FROM Cast
    WHERE character = 'Tarzan'
    AND Actor.pid = Cast.pid
)
```

Q_5 : actors who played character 'Tarzan'

algebra inspired syntactic sugar
$\pi_{name}(\sigma_{character='Tarzan'}(Actor \bowtie Cast))$

```
SELECT name
FROM Actor NATURAL JOIN Cast
WHERE character = 'Tarzan'
```

SQL DQL

Q_6 : names of actors who did not play in a movie since 1920

```
SELECT name FROM Actor
WHERE pid NOT IN (
    SELECT pid FROM Cast, Movie
    WHERE Cast.filmid = Movie.filmid
    AND year >= 1920
)

SELECT name FROM Actor
WHERE NOT EXISTS (
    SELECT * FROM Cast, Movie
    WHERE Cast.filmid = Movie.filmid
    AND Actor.pid = Cast.pid
    AND year >= 1920
)
```

Q_7 : give names of actors who are also directors

```
(SELECT name FROM Actor)
    INTERSECT
(SELECT name FROM Director)
```

SQL also knows UNION and EXCEPT

Member (mno, name, address)
Book (bno, author, title, publisher)
Loan (mno, bno, ldate, rdate)

```
-- Q101
SELECT name FROM Member M, Loan L, Book B
WHERE author = 'James'
```

```
-- Q102
SELECT name FROM Member M
WHERE EXISTS (
   SELECT * FROM Loan L, Book B
   WHERE B.bno = L.bno AND B.author = 'James'
)
```

```
-- Q103
SELECT name FROM Member M, Loan L
WHERE M.mno = L.mno
AND EXISTS (
   SELECT * FROM Loan L, Book B
   WHERE B.bno = L.bno AND B.author = 'James'
)
```

```
-- Q104
SELECT name FROM Member M
WHERE mno IN (
    SELECT mno FROM Loan L, Book B
    WHERE B.bno = L.bno AND B.author = 'James'
)

-- Q105
SELECT name FROM Member M
WHERE mno IN (
    SELECT mno FROM Loan L, Book B
    WHERE B.bno = L.bno AND M.mno = L.mno
    AND author = 'James'
)
```

Q_8 : actors born in 1980 who never played in thrillers

```
SELECT name FROM Actor A
WHERE birth_year = 1980
AND NOT EXISTS (
    SELECT *
    FROM Cast C, Movie M
    WHERE  C.filmid = M.filmid
    AND C.pid = A.pid
    AND genre = 'thriller'
)
```

Q_9 : actors born in 1980 who played in thrillers only

```
SELECT name FROM Actor A
WHERE birth_year = 1980
AND NOT EXISTS (
    SELECT *
    FROM Cast C, Movie M
    WHERE  C.filmid = M.filmid
    AND C.pid = A.pid
    AND genre <> 'thriller'
)
```

Q_{10} : actors who played in every episode of 'Twin Peaks'

Rephrase as:

The actors
    for whom there exists no episode of Twin Peaks
        such that they do not play in that episode

Q_{10} : actors who played in every episode of 'Twin Peaks'

Rephrase as:

$\{< a.name > \mid a \in Actor \,\wedge$
$\quad \forall e \in Episode, s \in Series \,($
$\qquad (s.title = {}'Twin\ Peaks' \wedge e.filmid = s.filmid) \Rightarrow$
$\qquad\quad \exists c \in Cast \,(c.filmid = e.filmid \wedge c.pid = a.pid)$
$\quad)$
$\}$

SQL does not support universal quantification, so you will have to rewrite this expression using the equivalence of

$$\forall x(P(x) \Rightarrow Q(x))$$

and

$$\neg \exists x(P(x) \land \neg Q(x))$$

$\{< a.name > \mid a \in Actor \wedge$
$\quad \forall e \in Episode, s \in Series ($
$\quad\quad (s.title = \ 'Twin \ Peaks' \wedge e.filmid = s.filmid) \Rightarrow$
$\quad\quad\quad \exists c \in Cast \ (c.filmid = e.filmid \wedge c.pid = a.pid)$
$\quad)$
$\}$

becomes

$\{< a.name > \mid a \in Actor \wedge$
$\quad \neg\exists e \in Episode, s \in Series ($
$\quad\quad (s.title = \ 'Twin \ Peaks' \wedge e.filmid = s.filmid) \wedge$
$\quad\quad\quad \neg\exists c \in Cast \ (c.filmid = e.filmid \wedge c.pid = a.pid)$
$\quad)$
$\}$

Q_{10} : actors who played in every episode of 'Twin Peaks'

```
SELECT name FROM Actor A
WHERE NOT EXISTS (
    SELECT * FROM Episode E, Series S
    WHERE E.filmid = S.filmid
    AND title = 'Twin Peaks'
    AND NOT EXISTS (
        SELECT * FROM Cast C
        WHERE C.filmid = E.filmid
        AND E.pid = A.pid
    )
)
```

```
-- Q106
SELECT name FROM Member M
WHERE mno NOT IN (
    SELECT mno FROM Loan L, Book B
    WHERE B.bno = L.bno AND author = 'James' )
```

```
-- Q107
SELECT name FROM Member M
WHERE NOT EXISTS (
   SELECT * FROM Book B
   WHERE author = 'James'
   AND NOT EXISTS (
      SELECT * FROM Loan L
      WHERE L.bno = B.bno
      AND L.mno = M.mno ))
```

```
-- Q108
SELECT name FROM Member M
WHERE NOT EXISTS (
    SELECT * FROM Book B
    WHERE author = 'James'
    AND NOT EXISTS (
        SELECT * FROM Loan L
        WHERE L.bno = B.bno ))
```

```
-- Q109
SELECT name FROM Member M
WHERE NOT EXISTS (
   SELECT * FROM Loan L
   WHERE L.mno = M.mno
   AND NOT EXISTS (
      SELECT * FROM Book B
      WHERE L.bno = B.bno
      AND author = 'James' ))
```

Q_{11} : all pairs of movies with the same genre

```
SELECT X.title, Y.title
FROM Movie X, Movie Y
WHERE X.genre = Y.genre
```

Q_{12} : the longest movie

```
SELECT * FROM Movie
WHERE length >= ALL
    (SELECT length FROM Movie)
```

Q_{13} : give all movies except the shortest one(s)

```
SELECT * FROM Movie
WHERE length > ANY
    (SELECT length FROM Movie)
```

Q_{14} : give all thrillers from 2012 ordered by length (longest first)

```
SELECT * FROM Movie
WHERE genre = 'thriller' AND year = 2012
ORDER BY length DESC, title ASC
```

Q_{15} : how many thrillers were made in 2012

```
SELECT count(*) FROM Movie
WHERE genre = 'thriller' AND year = 2012
```

GROUP BY and aggregate functions:

R

A	B
a	10
b	30
c	40
a	20
b	20

SELECT A, SUM(B) FROM R

A	SUM_B
a	120
b	120
c	120
a	120
b	120

SELECT A, SUM(B) FROM R

GROUP BY A

A	SUM_B
a	30
b	50
c	40

SQL DQL

Q_{16} : give for each actor the average rating of movies (s)he played in

```
SELECT pid, name, avg(rating)
FROM Movie M, Cast C, Actor A
WHERE M.filmid = C.filmid AND C.pid = A.pid
GROUP BY pid, name
```

aggregate functions:

```
COUNT, SUM, MIN, MAX, AVG
```

$Q_{16'}$: give for each actor the average rating of movies (s)he played in, if this average exceeds 7

```
SELECT pid, name, avg(rating)
FROM Movie M, Cast C, Actor A
WHERE M.filmid = C.filmid AND C.pid = A.pid
GROUP BY pid, name
HAVING avg(rating) > 7
```

Q_{17} : give the actor with the highest average movie rating

```
SELECT pid, name, avg(rating)
FROM Movie M, Cast C, Actor A
WHERE M.filmid = C.filmid AND C.pid = A.pid
GROUP BY pid, name
HAVING avg(rating) >= ALL (
   SELECT avg(rating)
   FROM Movie M, Cast C
   WHERE M.filmid = C.filmid
   GROUP BY pid
)
```

Q_{18} : the length of 'Avatar' in hours instead of minutes

```
SELECT length/60
FROM Movie
WHERE title = 'Avatar'
```

Q_{19} : give the directors whose name ends with 'Coen'

```
SELECT *
FROM Director
WHERE name LIKE '%Coen'
```

SQL: references

- http://www.w3schools.com/sql
- https://en.wikipedia.org/wiki/SQL