



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/3

Analytical report

AR-26-TH-002042-01-PTH04



Sample Code

296-2026-00001897

¹ Sample name	4/02/2029/NK - Origin:Poland 005-10530-0005063955
Packaging	Squeezer
Product	Honey
Sampler	Client
¹ Origin	POLAND
Number sample tubes	1
Type of seal	Without seal
Amount	approx.360 g
Reception temperature	room temperature
Reception date time	05.02.2026
Start / End of analysis	05.02.2026 / 12.02.2026

Test results

Sensory analysis

THH25	Sensory Analysis of Honey (#)
Method	ICS SOP 520-02 (2024-01)

sensory indication

Color: very light
Consistency: viscous
Odor: typical for honey
Taste: sweet, bloomy, herbal, cabbage-like, typical for honey

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Microscopy

THH21 Pollen Analysis - Bot. & Geogr. Origin (ADV) (#)

Method DIN 10760 mod. (2002-05) [ICS SOP 520-11 (2024-01)]

Modification: Sample amount

Microscopic examination of pollen

Number of pollen counted: 500

Number of types of pollen identified: 23

Other components of sediment: elements of fungus, spores, bee hair, crystals, wax particles, plant tissue, vegetable fibers, black particles

Yeast content / 10 g honey: 100.000 - 500.000 (medium)

Starch content: < 5/500* Pollen

Amount of honeydew particles: low

Pollen from nectarless plants: 8

Very frequent pollen > 46 %

95% Brassicaceae/Brassica napus/Raps/Rape

Frequent pollen 16 - 45 %

none

Single pollen 3 - 15%

none

Isolated pollen < 3 %

1% Rosaceae/Pyrus/Prunus-T/Obst

1% Sapindaceae/Acer spec./Ahorn/Maple

Amaranthaceae/Chenopodiaceae/Gänsefuß/Goosefoot°

Asteraceae /Artemisia spec./Wermut/Mugwort°

Asteraceae/Achillea spec./Anthemis Schafgarbe/Yarrow/Chamomile

Asteraceae/Aster-Type

Asteraceae/Carduus spec./Ringdistel/Plumeless Thistle

Asteraceae/Centaurea cyanus/Kornblume/Cornflower

Asteraceae/Helianthus spec./Sonnenblume/Sunflower

Boraginaceae/Phacelia spec./Bienenweide/Phacelia

Fabaceae/Galega officinalis/Echte Geißraute/Galega°

Fumariaceae/Corydalis/Lerchensporne°

Papaveraceae/Papaver spec./Mohn/Poppy°

Pinaceae/Pinus/Pinie/Pine°

Plantaginaceae/Plantago spec./Wegerich/Fleawort°

Poaceae/diff.genera/Süßgräser/Graminea°

Poaceae/Zea mays/Mais/Sweetcorn°

Polygonaceae/Fagopyrum spec./Buchweizen/Buckwheat

Polygonaceae/Rumex spec./Ampfer/Sorrel°

Rosaceae/Filipendula/Mädesüß/Dropwort°

Salicaceae/Salix/Weide/ Willow

Sapindaceae/Aesculus hippocastanum/Rosskastanie/Horse-chestnut

°nectarless plants

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH - Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Physico-chemical analysis**THH05 Electrical conductivity (20 °C) (#)**
Method ICS SOP 510-06 (2021-04)

Conductivity at 20°C

Result	Uncertainty	Unit
0.24	(± 0.02)	mS/cm

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

According to the pollen-analysis, organoleptic properties and corresponding physical-chemical parameters (electrical conductivity) the above-mentioned sample may be called "Blossom Honey with Rape Honey" (Honey directive 2001/110/EU, Article 2 from June 23rd, 2014, in connection with Annex I and relevant literature: BMEL (2022). Neufassung der Leitsätze des Deutschen Lebensmittelbuchs für Honig. GMBI 2022, S. 429-430).

Based on the current scientific knowledge, the analyzed pollen spectrum indicates "Central Europe (Poland possible)" as regional origin (Honey Directive 2001/110/EC; Article 2 in connection with Annex I and relevant literature). There is no objection against the declaration of origin "Poland" based on the above-mentioned pollen analysis.

The analyzed yeast content is medium and can give a hint towards a start of fermentation or a stopped fermentation. However, the organoleptic properties do not provide an additional hint towards such fermentation. So, the sample corresponds to the legal regulations (Honey directive 2001/110/EU, Article 1 in connection with Annex II).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THAM2



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THAM2 Amphenicols (LOQ 0.05 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

	Result	Uncertainty	Unit
Chloramphenicol (CAP)	<0.05 *		µg/kg
Florfenicol	<0.1 *		µg/kg
Thiamphenicol	<0.1 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THNF2



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THNF2 Nitrofurantol metabolites in honey (LOQ 0.2 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

	Result	Uncertainty	Unit
AHD (1-Aminohydantoin)	<0.2 *		µg/kg
AMAZ (3-Amino-5-morpholinomethyl-2-oxazol)	<0.2 *		µg/kg
AOZ (3-Amino-2-oxazolidinone)	<0.2 *		µg/kg
DNSH (3,5-Dinitrosalicylic acid hydrazide)	<0.3 *		µg/kg
SEM (Semicarbazide)	<0.2 *		µg/kg

* = below indicated quantification level

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THNI3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THNI3 Nitroimidazoles in honey (LOQ 0.1 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

	Result	Uncertainty	Unit
Dimetridazole (DMZ)	<0.1 *		µg/kg
Dimetridazole-OH	<0.1 *		µg/kg
Iprnidazole (IPZ)	<0.1 *		µg/kg
Iprnidazole-OH	<0.1 *		µg/kg
Metronidazole (MNZ)	<0.1 *		µg/kg
Metronidazole-OH	<0.1 *		µg/kg
Nimorazole	<0.1 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Ornidazole	<0.1 *	µg/kg
Ronidazole	<0.1 *	µg/kg
Tinidazole	<0.1 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THDA3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THDA3 **Dapson (LOQ 0.1 µg/kg) (#)**
Method ICS SOP 530-16 (2021-04)

Dapsone

Result	Uncertainty	Unit
<0.1 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THSU3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THSU3 Sulfonamides in honey (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Succinylsulfathiazole	<0.5 *		µg/kg
Sulfabenzamide	<0.5 *		µg/kg
Sulfacetamide	<0.5 *		µg/kg
Sulfachloropyridazine	<0.5 *		µg/kg
Sulfaclozine (Sulfachlorpyrazine)	<0.5 *		µg/kg
Sulfadiazine	<0.5 *		µg/kg
Sulfadimethoxine	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Sulfadimidine (Sulfamethazine)	<0.5 *	µg/kg
Sulfadoxine	<0.5 *	µg/kg
Sulfaguanidine	<0.5 *	µg/kg
Sulfamerazine	<0.5 *	µg/kg
Sulfameter	<0.5 *	µg/kg
Sulfamethizole	<0.5 *	µg/kg
Sulfamethoxazole	<0.5 *	µg/kg
Sulfamethoxypyridazine	<0.5 *	µg/kg
Sulfamonomethoxine	<0.5 *	µg/kg
Sulfamoxole	<0.5 *	µg/kg
Sulfanilamide	<0.5 *	µg/kg
Sulfaphenazole	<0.5 *	µg/kg
Sulfapyridine	<0.5 *	µg/kg
Sulfaquinoxaline	<0.5 *	µg/kg
Sulfathiazole	<0.5 *	µg/kg
Sulfisomidine	<0.5 *	µg/kg
Sulfisoxazole	<0.5 *	µg/kg
Sulfisozole	<0.5 *	µg/kg
Trimethoprim	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature

Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THST3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THST3 Strepto-/Dihydrostreptomycin (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Streptomycin	<0.5 *		µg/kg
Dihydro-streptomycin	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDE3317 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THTE3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THTE3 Tetracyclines in honey (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Tetracycline	<0.5 *		µg/kg
Oxytetracycline	<0.5 *		µg/kg
Chlortetracycline	<0.5 *		µg/kg
Doxycycline	<0.5 *		µg/kg
Demeclocycline	<0.5 *		µg/kg
Minocycline	<0.5 *		µg/kg
Metacycline	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THFL3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THFL3 Fluoroquinolones (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Carbadox	<0.5 *		µg/kg
Cinoxacin	<0.5 *		µg/kg
Ciprofloxacin	<0.5 *		µg/kg
Danofloxacin	<0.5 *		µg/kg
Difloxacin	<0.5 *		µg/kg
Enoxacin	<0.5 *		µg/kg
Enrofloxacin	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Fleroxacin	<0.5 *	µg/kg
Flumequin	<0.5 *	µg/kg
Lomefloxacin	<0.5 *	µg/kg
Marbofloxacin	<0.5 *	µg/kg
Nadifloxacin	<0.5 *	µg/kg
Nalidixic acid	<0.5 *	µg/kg
Norfloxacin	<0.5 *	µg/kg
Ofloxacin	<0.5 *	µg/kg
Orbifloxacin	<0.5 *	µg/kg
Oxolinic acid	<0.5 *	µg/kg
Pazufloxacin	<0.5 *	µg/kg
Pefloxacin	<0.5 *	µg/kg
Pipemidic acid	<0.5 *	µg/kg
Sarafloxacin	<0.5 *	µg/kg
Sparfloxacin	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature

Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THMA3



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 13.02.2026

Test results

LC-MS

THMA3 Macrolides (LOQ 0.5 µg/kg) (#)

Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Clindamycin	<0.5 *		µg/kg
Desmycosin	<0.5 *		µg/kg
Josamycin	<0.5 *		µg/kg
Lincomycin	<0.5 *		µg/kg
Spiramycin	<0.5 *		µg/kg
Tilmicosin	<0.5 *		µg/kg
Troleandomycin	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Leucomycin	<0.5 *	µg/kg
Oleandomycin	<0.5 *	µg/kg
Erythromycin A (incl. Anhydroerythromycin)	<0.5 *	µg/kg
Azithromycin	<0.5 *	µg/kg
Tylosin A (incl. Tylosin B)	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature

Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THH26



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 09.02.2026

Test results

Authenticity

THH26 C4/C3 Sugars in Honey (13C EA/LC-IRMS) (#)
Method ICS SOP 520-13 (2025-09)

	Result	Uncertainty	Unit
Delta 13C (Protein/VPDB)	-26.9	(± 0.3)	‰
Delta 13C (Honey/VPDB)	-27.3	(± 0.3)	‰
Delta 13C (Fructose/VPDB)	-27.28	(± 0.43)	‰
Delta 13C (Glucose/VPDB)	-27.48	(± 0.43)	‰
Delta 13C (Disaccharides/VPDB)	-26.87	(± 0.62)	‰
Delta 13C (Trisaccharides/VPDB)	-25.89	(± 0.69)	‰
Delta 13C (Oligosaccharides/VPDB)	na		‰

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Delta 13C (F-G)	0.20	‰
Delta 13C (max.)	-1.59 (± 0.40)	‰
Percentage of C4 sugar	0.00	%
Disaccharides rel. to total sugar content	8.81	%
Trisaccharides rel. to total sugar content	2.77	%
Oligosaccharides rel. to total sugar content	nd	%
F/G-ratio	1.04	

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The sample meets the specifications of pure honey. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Assessment criteria for pure honey (Apidologie 39 (2008) 574-587):

Delta 13C (F-G): not higher than $\pm 1,0$ ‰

Delta 13C (max): not higher than $\pm 2,1$ ‰

C4 sugar (calculated): < 7 %

Oligosaccharides: not detected (nd) (rel. amount $< 0.7\%$ related to the total sugar content of all sugar species (LC-IRMS))

Remark:

na: not analyzed

nd: not detected (rel. amount $< 1.0\%$ related to the total sugar content of all sugar species (LC-IRMS))

Values in brackets: expanded measurement uncertainty ($F = 2.58$; 99%)

Signature

Responsible Scientist Residues and Contaminants (Anna Eberle)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-AA0SG



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 10.02.2026

Test results

Authenticity

AA0SG 1H-NMR profiling of honey (sugars, HMF, sugar add)

Method Internal

Subcontracted to a Eurofins laboratory accredited for this test.

	Result	Uncertainty	Unit
Fructose	38.9	(± 2.0)	g/100 g
Glucose	35.6	(± 2.0)	g/100 g
Fructose / Glucose	1.09	(± 0.05)	
Glucose+Fructose	74.5	(± 4.0)	g/100 g
Sucrose	1.5	(± 0.6)	g/100 g
Turanose	1.40	(± 0.19)	g/100 g
5-HMF	<5		mg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

Mannose	<500		mg/kg
Dihydroxyacetone	<20		mg/kg
Citric acid	<50		mg/kg
Ethanol	51	(± 8)	mg/kg
Acetic acid	23	(± 9)	mg/kg
Lactic acid	69	(± 13)	mg/kg
Succinic acid	22	(± 5)	mg/kg
Proline	306	(± 51)	mg/kg
Spectral fingerprint	typical / not adulterated		

Assessment

The NMR profiling test did not reveal any anomalies. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THP01



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 10.02.2026

Test results

Authenticity

THP01 Honey Authenticity by LC-HRMS (#)

Method ICS SOP 520-17 (2025-10), LC-Orbitrap-HRMS

Exogenous sugar

Result	Uncertainty	Unit
Not detected		

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Exogenous sugar could not be detected. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/2

Analytical report

AR-26-TH-002042-01-THU19



Sample Code

296-2026-00001897

¹ Sample name	4/02/2029/NK - Origin:Poland 005-10530-0005063955
Packaging	Squeezer
Product	Honey
Sampler	Client
¹ Origin	POLAND
Number sample tubes	1
Type of seal	Without seal
Amount	approx.360 g
Reception temperature	room temperature
Reception date time	05.02.2026
Start / End of analysis	05.02.2026 / 09.02.2026

Test results

Heavy Metals

THU19 Lead analysis in honey

Method

Subcontracted to an external laboratory accredited for this test

Lead (Pb)

Result	Uncertainty	Unit
<0.01 *		mg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

* = below indicated quantification level

Assessment

Regarding the examined parameter the sample corresponds to the legal regulations (Regulation (EEC) No. 315/93 from August 07th, 2009 in connection with EU Regulation (EC) 2023/915 from April 25th, 2024).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 13.02.2026

Page 1/14

Analytical report

AR-26-TH-002042-01-PXPH1



Sample Code

296-2026-00001897

¹ Sample name 4/02/2029/NK - Origin:Poland
005-10530-0005063955
Packaging Squeezer
Product Honey
Sampler Client
¹Origin POLAND
Number sample tubes 1
Type of seal Without seal
Amount approx.360 g
Reception temperature room temperature
Reception date time 05.02.2026
Start / End of analysis 05.02.2026 / 09.02.2026

Test results

Pesticides

SP931 Pesticides Quechers LC-MS/MS

Method DIN EN 15662:2018-07 mod.

Modification: Automated sample processing with ultrasonic extraction

	Result	Uncertainty	Unit
Subcontracted to a Eurofins laboratory			
Acetamiprid	0.052	(± 0.026)	mg/kg
Sum of acetamiprid and N-desmethyl-acetamiprid (II)	0.052	(± 0.026)	mg/kg
Other screened pesticides	< reporting limit		

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Wołoszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDE33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Method DIN EN 15662:2018-07 mod.

Modification: Automated sample processing with ultrasonic extraction

Subcontracted to a Eurofins laboratory

Screened pesticides

Result

Uncertainty

Unit

< reporting limit

SPSM9 Matrine

Method Internal Method GSP-14.188-2

Subcontracted to a Eurofins laboratory accredited for this test.

Result

Uncertainty

Unit

Oxymatrine

< 0.01

mg/kg

Matrine

< 0.01

mg/kg

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in connection with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 396/2005 from February 2nd, 2024).

Signature



Responsible Scientist Residues and Contaminants (Anna Eberle)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

List of analysed substances:

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
1,2-Benzoisothiazolin-3-one (BIT)	0.01	1-Naphthylacetamide	0.01
1-Naphthylacetic acid	0.1	2,4,5-T	0.01
2,4-D	0.01	2,4-DB	0.1
2,4-Dimethylaniline	0.01	2,4'-Formoxylidid (Amitraz Metabolite)	0.01
2,6-Dichlorobenzamide	0.01	2-Naphthyloxyacetic acid	0.01
3-Hydroxycarbofuran	0.001	4-(3-Indole)-Butyric acid	0.01
4,6-Dihydroxy-Tembotrione	0.01	4-Amino-3-methylbenzoic acid	0.01
4-Bromo-2-Chlorophenol	0.01	4-Bromophenylurea	0.01
4-CPA	0.01	5-Nitroguaiacol sodium salt	0.01
6-Benzyladenine	0.01	Acephate	0.01
Acetamiprid	0.01	Acetamiprid-N-desmethyl	0.01
Acetochlor	0.01	Acibenzolar-s-methyl	0.01
Acifluorfen	0.05	Acrinathrin	0.01
Afidopyropen	0.01	Alanycarb	0.01
Aldicarb	0.02	Aldicarb-sulfone	0.01
Aldicarb-sulfoxide	0.05	Ametoctradin	0.01
Aminocarb	0.01	Amisulbrom	0.01
Amitraz	0.01	Anilofos	0.01
Anthraquinone	0.01	Atrazin, desisopropyl-	0.01
Atrazine	0.01	Avermectin B1a	0.005
Avermectin B1b	0.1	Azaconazole	0.01
Azadirachtin	0.05	Azinphos-methyl	0.01
Azoxystrobin	0.01	BAC C10 -	0.02
		Benzyl dimethyldecylammonium chloride	
BAC C18 -	0.02	Benalaxyl including other mixtures of constituent	0.01
Benzyl dimethyloctadecylammonium		Benfuracarb	0.01
Bendiocarb	0.01	Benodanil	0.01
Benfuresate	0.02	Bensulide	0.01
Benoxacor	0.01	Benthiavalicarb	0.01
Bentazone	0.01	(Benthiavalicarb-isopropyl)(KIF-230	
Benthiavalicarb, isopropyl-	0.01	Benzethonium Chloride	0.02
Benzovindiflupyr	0.01	Benzoximate	0.01
Benzyl dimethyldodecylammonium chloride (BAC C12)	0.02	Benzyl dimethylhexadecylammonium chloride (BAC C16)	0.02

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Benzyldimethyloctylammonium chloride (BAC C8)	0.02	Benzyldimethyltetradecylammonium chloride (BAC C14)	0.02
Bifenazate	0.01	Bifenazate-diazene	0.01
Bispyribac Sodium	0.01	Bitertanol	0.01
Bixafen	0.01	Boscalid	0.01
Broflanilide	0.01	Bromoxynil	0.01
Bromuconazole, cis-	0.01	Bromuconazole, trans-	0.01
BTS 27271 (Amitraz Metabolite)	0.01	BTS 44595	0.01
BTS 44596	0.01	Bupirimate	0.01
Buprofezin	0.01	Butocarboxim-sulfoxide	0.01
Buturon	0.01	Butylate	0.02
Cadusafos	0.02	Carbaryl	0.01
Carbendazim	0.005	Carbetamide	0.01
Carbofuran	0.001	Carbosulfan	0.01
Carboxin	0.01	Carboxin-Sulfoxide	0.01
Carfentrazone-ethyl	0.01	Carpropamid	0.01
Cetrimonium (Sum of all salts)	0.02	Chlorantraniliprole	0.01
Chlorbromuron	0.01	Chlorbufam	0.01
Chlorempenthrin	0.01	Chlorfluazuron	0.01
Chloridazon	0.02	Chloridazon-desphenyl	0.01
Chlorotoluron	0.01	Chloroxuron	0.01
Chlorpropham	0.01	Chlorpyrifos (-ethyl)	0.01
Chlorpyrifos-methyl	0.01	Chromafenozide	0.01
Cinerin I	0.1	Cinerin II	0.1
Cinidon-ethyl	0.01	Clefoxydim	0.01
Clethodim	0.01	Clethodim sulfone	0.01
Clethodim sulfoxide	0.01	Climbazole	0.01
Clofentezine	0.01	Clomazone	0.01
Clomeprop	0.1	Cloprop	0.01
Clopyralid	0.01	Clothianidin	0.01
Coumaphos	0.01	Coumoxystrobin	0.01
Crimidine	0.01	Cyanofenphos	0.01
Cyantraniliprole	0.01	Cyazofamid	0.01
Cycloate	0.01	Cycloxydim	0.01
Cyflumetofen	0.01	Cyhalodiamide	0.01
Cyhalofop	0.01	Cyhalofop-butyl	0.05
Cyhexatin	0.01	Cymiazol	0.01
Cymoxanil	0.01	Cyphenothrin	0.05
Cyproconazole	0.01	Cyprodinil	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Cyprofuram	0.01	Cyromazine	0.05
Dazomet	0.01	DDAC C10 - Didecyldimethylammoniumchloride	0.02
DDAC C12 - Didodecyl dimethyl ammonium chloride	0.02	DDAC C8 - Dioctyldimethylammonium chloride	0.02
Demeton-S-methyl	0.02	Demeton-S-methyl-sulfone	0.01
Denatonium benzoate (Bitrex)	0.01	Desmedipham	0.01
Diafenthuron	0.01	Diallate	0.01
Diazinon	0.01	Dicamba	0.1
Dichlofenthion	0.01	Dichlormid	0.01
Dichlorprop	0.01	Dichlorprop-butoxyethyl ester	0.01
Dichlorvos	0.02	Diclofop-methyl	0.01
Dicrotophos	0.01	Diethofencarb	0.01
Diethyltoluamide	0.01	Difenacoum	0.01
Difenoconazole	0.01	Difenoxyuron	0.01
Diflubenzuron	0.01	Diflufenican	0.01
Dimefox	0.01	Dimefuron	0.1
Dimepiperate	0.01	Dimethachlor	0.01
Dimethenamid including other mixtures of constitue	0.01	Dimethoate	0.01
Dimethomorph (sum of isomers)	0.01	Dimethrin	0.01
Dimetilan	0.01	Dimoxystrobin	0.01
Dimpropyridaz	0.01	Diniconazole	0.01
Dinocap (sum of dinocap isomers and their correspo	0.05	Dinoseb	0.01
Dinotefuran	0.05	Dinoterb	0.01
Dioxacarb	0.01	Dioxathion	0.01
Diphenamid	0.01	Diphenylamine	0.02
Disulfoton	0.01	Disulfoton-sulfon	0.01
Disulfoton-sulfoxide	0.01	Dithianon	0.01
Diuron	0.01	Dodecyltrimethylammonium chloride	0.01
Dodemorph	0.01	Dodine	0.01
Emamectin B1a	0.005	Enestroburin	0.01
EPN	0.01	Epoxiconazole	0.01
EPTC	0.01	Ethiofencarb	0.01
Ethiofencarb-sulfone	0.01	Ethiofencarb-sulfoxide	0.01
Ethion	0.01	Ethiprole	0.01
Ethirimol	0.01	Ethofumesate	0.01
Ethoprophos	0.01	Ethoxyquin	0.01
Ethychlozate	0.01	Etofenprox	0.01

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Fenamidone	0.01	Fenaminstrobin	0.01
Fenamiphos	0.01	Fenamiphos-sulfone	0.01
Fenamiphos-sulfoxide	0.01	Fenarimol	0.01
Fenazaquin	0.01	Fenbuconazole (sum of constituent enantiomers)	0.01
Fenbutatin oxide	0.01	Fenhexamid	0.01
Fenobucarb	0.01	Fenoprop	0.01
Fenoxaprop-P	0.01	Fenoxycarb	0.01
Fenpiclonil	0.01	Fenpicoxamid	0.01
Fenpropidin	0.01	Fenpropimorph	0.01
Fenpyrazamine	0.01	Fenpyroximate	0.01
Fensulfothion	0.01	Fenthion	0.01
Fenthion-oxon	0.01	Fenthion-oxon-sulfone	0.01
Fenthion-oxon-sulfoxide	0.01	Fenthion-sulfone	0.01
Fenthion-sulfoxide	0.01	Fentin (including its salts)	0.01
Fipronil	0.005	Fipronil, desulfinyl-	0.01
Fipronil-sulfide	0.005	Fipronil-sulfone	0.005
Flamprop	0.01	Flometoquin	0.01
Flonicamid	0.02	Florpyrauxifen-benzyl	0.01
Fluazifop-P	0.01	Fluazifop-P-butyl	0.01
Fluazinam	0.01	Fluazuron	0.01
Flubendiamide	0.01	Flucycloxuron	0.01
Fludioxonil	0.01	Flufenacet	0.01
Flufenacet ESA	0.01	Flufenacet OXA	0.005
Flufenacet-alcohol	0.01	Flufenacet-methylsulfone	0.01
Flufenacet-Thioglycolat-Sulfoxide	0.01	Flufenoxuron	0.01
Flufenzine	0.01	Flumethrin	0.01
Fluometuron	0.01	Fluopicolide	0.01
Fluopyram	0.01	Fluoxapiprolin	0.01
Fluoxastrobin	0.01	Flupyradifurone	0.01
Flupyrimin	0.01	Flurochloridone	0.01
Fluroxypyr	0.01	Fluroxypyr-Methylheptyl	0.01
Flurprimidol	0.01	Flurtamone	0.01
Flusilazole	0.01	Fluthiacet-methyl	0.01
Flutianil	0.01	Flutolanil	0.01
Flutriafol	0.01	Fluxapyroxad	0.01
FM-6-1 (metabolite triflumizole)	0.01	Fomesafen	0.01
Forchlorfenuron	0.01	Formetanate	0.01
Fosthiazate	0.01	Fuberidazole	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Furalaxyl	0.01	Furametpyr	0.01
Furathiocarb	0.01	Halauxifen	0.01
Haloxypop	0.01	Heptenophos	0.01
Hexaconazole	0.01	Hexaflumuron	0.01
Hexazinone	0.01	Hexythiazox (any ratio of constituent isomers)	0.01
Hymexazol	0.01	Icaridin	0.01
Imazalil (any ratio of constituent isomers)	0.01	Imazamox	0.01
Imazapyr	0.01	Imazaquin	0.01
Imazethapyr	0.01	Imibenconazole	0.01
Imidacloprid	0.01	Indaziflam	0.01
Indoxacarb (sum, R+S isomers)	0.01	Iodosulfuron methyl	0.01
Ioxynil (sum of ioxynil and its salts, expressed a	0.01	Iprodione	0.01
Iprovalicarb	0.01	Isazofos	0.01
Isofenphos	0.01	Isofenphos-methyl	0.01
Isofetamid	0.01	Isoprocab	0.01
Isoprothiolane	0.01	Isoproturon	0.01
Isoprazam	0.01	Isotianil	0.01
Isouron	0.01	Isoxaben	0.01
Isoxaflutole	0.01	Isoxaflutole diketonitrile	0.01
Jasmolin I	0.1	Jasmolin II	0.1
Karanjin	0.01	Kresoxim-methyl	0.01
Lenacil	0.01	Linuron	0.01
Lufenuron	0.01	Malaoxon	0.01
Malathion	0.01	Mandipropamid (any ratio of constituent isomers)	0.01
MCPA	0.01	MCPA-2-ethylhexyl	0.01
MCPB	0.01	Mecoprop (sum of mecoprop-p and mecoprop expressed	0.01
Mefentrifluconazole	0.01	Mepanipyrim	0.01
Mesotrione	0.01	Metaflumizone (sum of E- and Z-isomers)	0.01
Metalaxyl and metalaxyl-M (metalaxyl including oth	0.01	Metaldehyde	0.01
Metamitron	0.01	Metazachlor Metabolite 479M08	0.01
Metazachlor Metabolite 479M16	0.01	Metazachlor OA (479M04)	0.01
Metconazole (sum of isomers)	0.01	Methabenzthiazuron	0.01
Methacrifos	0.01	Methamidophos	0.02

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Methidathion	0.02	Methiocarb	0.01
Methiocarb-sulfone	0.01	Methiocarb-sulfoxide	0.01
Methomyl	0.01	Methomyl-oxim	0.01
Methoxyfenozide	0.01	Metobromuron	0.01
Metolachlor and S-metolachlor (metolachlor includi	0.01	Metolcarb	0.01
Metosulam	0.01	Metoxuron	0.01
Metribuzin	0.01	Milbemectin A3	0.1
Milbemectin A4	0.1	Molinate	0.01
Monocrotophos	0.01	Monolinuron	0.01
Monuron	0.01	Myclobutanil (sum of constituent isomers)	0.01
Napropamide	0.01	Neburon	0.01
Niclosamid	0.01	Nicosulfuron	0.01
Nitenpyram	0.1	Novaluron	0.01
Noviflumuron	0.01	Nuarimol	0.01
Ofurace	0.01	Omethoate	0.01
Orysastobin	0.01	Oryzalin	0.01
Oxadiazon	0.01	Oxadixyl	0.01
Oxamyl	0.001	Oxamyl-oxime	0.01
Oxathiapiprolin	0.01	Oxaziclomefone	0.01
Oxfendazole	0.01	Oxycarboxin	0.01
Oxydemeton-methyl	0.02	Paclobutrazol	0.01
Paraoxon-ethyl	0.01	Paraoxon-methyl	0.01
Parathion-methyl	0.05	Pebulate	0.01
Penconazole (sum of constituent isomers)	0.01	Pencycuron	0.01
Pencycuron-PB-amine	0.01	Pendimethalin	0.01
Penflufen	0.01	Penoxsulam	0.01
Pentachlorophenol	0.01	Pentanochlor	0.01
Penthiopyrad	0.01	Pethoxamid	0.01
Phenmedipham	0.01	Phenothrin (phenothrin including other mixtures of	0.01
Phenthoate	0.01	Phorate	0.01
Phorate-sulfone	0.01	Phorate-sulfoxide	0.01
Phosalone	0.01	Phosmet	0.005
Phosmet-oxon	0.01	Phosphamidon	0.01
Phoxim	0.01	Picloram	0.1
Pinoxaden	0.01	Piperonyl butoxide	0.01
Pirimicarb	0.01	Pirimicarb, desmethyl-	0.01

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Pirimicarb, desmethyl-formamido-	0.01	Pirimiphos-methyl	0.01
Prochloraz	0.01	Procymidone	0.01
Profenofos	0.01	Prohexadione	0.01
Promecarb	0.01	Prometon	0.01
Propamocarb (Sum of propamocarb and its salts, exp	0.01	Propanil	0.01
Propaquizafop	0.01	Propargite	0.01
Propham	0.01	Propiconazole (sum of isomers)	0.01
Propoxur	0.005	Propoxycarbazon-2-hydroxy	0.01
Propoxycarbazone	0.01	Propyzamide	0.01
Proquinazid	0.02	Prosulfocarb	0.01
Prothioconazole	0.01	Prothioconazole-desthio	0.01
Pydiflumetofen	0.01	Pymetrozine	0.01
Pyraclostrobin	0.01	Pyraflufen, desethyl-	0.01
Pyraflufen-ethyl	0.01	Pyrametostrobin	0.01
Pyraoxystrobin	0.01	Pyrasulfotole	0.01
Pyrethrin I	0.1	Pyrethrin II	0.1
Pyrethrins	0.1	Pyribencarb	0.01
Pyridaben	0.01	Pyridate	0.01
Pyrifluquinazon	0.01	Pyrimethanil	0.01
Pyrimidifen	0.01	Pyriminostrobin	0.01
Pyriofenone	0.01	Pyriproxyfen	0.01
Pyrisoxazole	0.01	Pyroxsulam	0.01
Quinclorac	0.01	Quinmerac	0.01
Quinoclamine	0.01	Quinoxifen	0.01
Quizalofop	0.01	Quizalofop-P-tefuryl	0.01
Resmethrin (resmethrin including other mixtures of	0.01	Rimsulfuron	0.01
Rotenone	0.01	Saflufenacil	0.01
Sedaxane, cis-	0.01	Sedaxane, trans-	0.01
Sethoxydim	0.01	Silafluofen	0.01
Simazine	0.01	Simeconazole	0.01
Simetryn	0.01	Sintofen	0.01
Spidoxamat	0.01	Spinetoram J	0.01
Spinetoram L	0.01	Spinosyn A	0.01
Spinosyn D	0.01	Spirodiclofen	0.01
Spiromesifen	0.05	Spirotetramat	0.01
Spirotetramat-enol	0.01	Spirotetramat-enolglucoside	0.02
Spirotetramat-ketohydroxy	0.01	Spirotetramat-monohydroxy	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Spiroxamine	0.01	Sulcotrione	0.05
Sulfentrazone	0.01	Sulfotep	0.01
Sulfoxaflor	0.01	Sulprofos-sulfoxide	0.01
Tebuconazole	0.01	Tebufenozide	0.01
Tebuflufenpyrad	0.01	Tebuflufenquin	0.01
Teflubenzuron	0.01	Tembotrione	0.01
Temephos	0.01	Tepraloxymid	0.01
Terbacil	0.01	Terbufos	0.01
Terbufos-sulfone	0.01	Terbufos-sulfoxide	0.01
Terbumeton	0.01	Terbutylazine	0.01
Tetraconazole	0.01	Tetradecyltrimethylammonium chloride	0.01
TFNA	0.02	TFNG	0.02
Thiabendazole	0.01	Thiacloprid	0.01
Thiamethoxam	0.01	Thiobencarb	0.01
Thiocyclam	0.02	Thiodicarb	0.01
Thiofanox	0.02	Thiofanox-sulfone	0.01
Thiofanox-sulfone	0.01	Thiofanox-sulfoxide	0.01
Thiofanox-sulfoxide	0.01	Thiophanate-methyl	0.005
Tioxazafen	0.01	Tolclofos-methyl	0.01
Tolfenpyrad	0.01	Tralkoxydim	0.01
Triadimefon	0.01	Triadimenol (any ratio of constituent isomers)	0.01
Triamiphos	0.01	Triasulfuron	0.01
Triazophos	0.01	Trichlorfon	0.05
Triclopyr	0.01	Triclopyricarb	0.01
Tricyclazole	0.01	Tridemorph	0.01
Trifloxystrobin	0.01	Triflumezopyrim	0.01
Triflumizole	0.01	Triflumuron	0.01
Triflurosulfuron-methyl	0.01	Triforine	0.01
Trimethacarb, 3,4,5-	0.01	Trinexapac (free acid)	0.01
Trinexapac-ethyl	0.02	Triticonazole	0.01
Valifenalate	0.01	Vamidothion	0.01
Vamidothion-sulfone	0.01	Vamidothion-sulfoxide	0.01
XMC	0.01	Xylylcarb	0.01
Zoxamide	0.01		

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
1,4-dimethylnaphthalene	0.01	2,6-Dichlorobenzamide	0.01
2,6-Dimethylnaphthalene	0.01	2-Phenylphenol	0.01
Acephate	0.01	Acetochlor	0.02
Aclonifen	0.01	Acrinathrin	0.01
Alachlor	0.01	Aldrin	0.01
Allethrin	0.01	Ametryn	0.01
Atrazin, desethyl-	0.01	Atrazin, desisopropyl-	0.02
Atrazine	0.01	Azaconazole	0.01
Azinphos-ethyl	0.01	Azoxystrobin	0.01
Benalaxyl including other mixtures of constituent	0.01	Benfluralin	0.01
Bifenthrin	0.01	Biphenyl	0.01
Boscalid	0.01	Bromacil	0.02
Bromocyclen	0.02	Bromophos-ethyl	0.02
Bromophos-methyl	0.02	Bromopropylate	0.01
Butachlor	0.01	Butafenacil	0.01
Captan	0.02	Carbophenothion	0.01
Carbophenothion-methyl	0.01	Carboxin	0.01
Chlordane, cis-	0.01	Chlordane, trans-	0.01
Chlorfenapyr	0.01	Chlorfenvinphos	0.01
Chlorobenzilate/Chloropropylate	0.01	Chloroneb	0.01
Chlorothalonil	0.01	Chlorpyrifos (-ethyl)	0.01
Chlorpyrifos-methyl	0.01	Chlorthal-dimethyl	0.01
Chlorthion	0.01	Chlozolate	0.01
Clodinafop-propargyl	0.01	Clomazone	0.01
Cloquintocet-mexyl	0.01	Cyanazine	0.02
Cyanophos	0.02	Cyflufenamid	0.01
Cyfluthrin	0.01	Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)	0.01
Cypermethrin (sum of isomers)	0.01	Cypermethrin, alpha-	0.01
Cyprodinil	0.01	DDD, o,p-	0.01
DDD, p,p'-	0.01	DDE, o,p-	0.01
DDE, p,p'-	0.01	DDT, o,p'-	0.01
DDT, p,p'-	0.01	Deltamethrin	0.01
Desmetryn	0.01	Diazinon	0.01
Dibromobenzophenone, p,p-	0.01	Dichlobenil	0.01
Dichlofluanid	0.01	Dichlorvos	0.01
Diclobutrazol	0.01	Dicloran	0.01
Dicofol, o,p-	0.01	Dicofol, p,p-	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Dieldrin	0.02	Diflufenican	0.01
Dimethenamid including other mixtures of constitue	0.01	Dimethylaminosulphotoluidide (DMST)	0.05
Dimoxystrobin	0.01	Dioxacarb	0.02
Diphenylamine	0.02	Dipropetryn	0.03
Edifenphos	0.01	Endosulfan sulphate	0.01
Endosulfan, alpha-	0.01	Endosulfan, beta-	0.01
Endrin	0.01	Etaconazole	0.01
Ethion	0.01	Ethofumesat-2-keto	0.05
Etoxazole	0.01	Etridiazole	0.01
Etrimfos	0.01	Famophos	0.05
Famoxadone	0.01	Fenamidone	0.01
Fenamiphos	0.02	Fenarimol	0.01
Fenfluthrin	0.03	Fenitrothion	0.01
Fenoxycarb	0.01	Fenpropathrin	0.01
Fenson	0.01	Fenthion	0.01
Fenvalerate (RR-/SS-Isomers)	0.01	Fenvalerate (RS-/SR-Isomers)	0.01
Fipronil	0.01	Fipronil-sulfone	0.01
Flamprop-methyl	0.01	Fluazifop-P-butyl	0.01
Fluazolate	0.01	Flucythrinate	0.01
Flumioxazin	0.01	Fluotrimazole	0.01
Fluquinconazole	0.01	Flurenol-butyl	0.03
Flutriafol	0.02	Fluvalinate (sum of isomers)	0.01
Folpet	0.02	Fonofos	0.01
Formothion	0.01	Furathiocarb	0.01
Haloxypop-methyl	0.03	HCH, alpha-	0.01
HCH, beta-	0.01	HCH, delta-	0.01
HCH, epsilon-	0.01	Heptachlor	0.01
Heptachlor epoxide, cis-	0.01	Heptachlor epoxide, trans-	0.01
Hexachlorobenzene (HCB)	0.01	Hexazinone	0.01
Iodofenphos	0.03	Iprobenfos	0.01
Iprodione	0.02	Isocarbofos	0.01
Isodrin	0.03	Isofenphos	0.01
Isofenphos-methyl	0.01	Isoprothiolane	0.01
Isoxadifen-ethyl	0.01	Isoxathion	0.05
Lenacil	0.02	Leptophos	0.02
Lindane (gamma-HCH)	0.01	Malaoxon	0.02
Malathion	0.01	Mandestrobin	0.01
Mecarbam	0.01	Mefenpyr-diethyl	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Mepanipyrim	0.02	Mepronil	0.01
Metazachlor	0.01	Metconazole, cis-	0.01
Metconazole, trans-	0.01	Methacrifos	0.05
Methoprotryne	0.05	Methoxychlor	0.01
Metolachlor and S-metolachlor (metolachlor includi	0.01	Metrafenone	0.01
Metribuzin	0.01	Mevinphos	0.01
Mirex	0.05	Monalide	0.05
Monocrotophos	0.02	Napropamide	0.01
Nitrapyrin	0.01	Nitrofen	0.01
Nitrothal-isopropyl	0.01	Norflurazon	0.01
Ofurace	0.02	Oxadiazon	0.02
Oxyfluorfen	0.01	Paclobutrazol	0.01
Paraoxon-methyl	0.02	Parathion	0.01
Parathion-methyl	0.02	Pebulate	0.01
Pentachloroaniline	0.01	Pentachloroanisole	0.01
Permethrin (sum of isomers)	0.01	Perthane	0.03
Phenkapton	0.02	Phenthoate	0.01
Phorate	0.02	Phosalone	0.02
Phosmet	0.01	Phosphamidon	0.02
Phthalimide (PI)	0.01	Picolinafen	0.01
Picoxystrobin	0.01	Pirimiphos-ethyl	0.01
Pirimiphos-methyl	0.01	Procymidone	0.01
Profenofos	0.02	Profluralin	0.03
Prometryn	0.01	Propachlor	0.03
Propanil	0.02	Propazine	0.01
Propetamphos	0.01	Propyzamide	0.01
Prothiofos	0.01	Pyrazophos	0.01
Pyridalyl	0.01	Pyridaphenthion	0.01
Pyrifenox	0.02	Pyrimethanil	0.01
Quinalphos	0.01	Quintozene	0.01
Quizalofop-P-ethyl	0.01	S 421	0.01
Sebuthylazine	0.01	Secbumeton	0.03
Silafluofen	0.01	Silthiofam	0.01
Simazine	0.01	Spiromesifen	0.02
Sulprofos	0.01	Tecnazene	0.03
Tefluthrin	0.01	Terbacil	0.02
Terbufos	0.01	Terbuthylazine	0.01
Terbuthylazine, desethyl-	0.01	Terbutryn	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg
Tetrachlorvinphos	0.01
Tetrahydrophthalimide (THPI)	0.01
Tolylfluanid	0.01
Tri-allate	0.01
Triazophos	0.01
Trifluralin	0.01
Triticonazole	0.01
Vinclozolin	0.01

Substance	Reporting Limit mg/kg
Tetradifon	0.01
Tetramethrin	0.02
Transfluthrin	0.01
Triazamate	0.01
Trifloxystrobin	0.01
Trinexapac-ethyl	0.02
Uniconazole	0.01

SPSM9 Matrine

Substance	Reporting Limit mg/kg
Matrine	0.01

Substance	Reporting Limit mg/kg
Oxymatrine	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.