



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/3

Analytical report

AR-24-TH-000962-02-PTH04



This report replaces report number: AR-24-TH-000962-01-PTH04

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging Sampler

Plastic cup
Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

18.01.2024 / 25.01.2024

Test results

Sensory analysis

THH25 Sensory Analysis of Honey (#)
Method ICS SOP 520-02 (2024-01)

sensory indication

Color: very light

Consistency: viscous, starting crystallization

Odor: slightly honey-specific

Taste: sweet, bitter, minty, slightly metallic, slightly source-specific

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude
The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Microscopy

THH21 Pollen Analysis - Bot. & Geogr. Origin (ADV) (#)

Method DIN 10760 mod. (2002-05) [ICS SOP 520-11 (2024-01)]

Modification: Sample amount

Microscopic examination of pollen
Number of pollen counted: 500

Number of types of pollen identified: 19

Other components of sediment: elements of fungus, spores, bee hair, crystals, wax particles, plant tissue, vegetable fibers, black particles

Yeast content / 10 g honey: >1.000.000 (extremely high)

Starch content: < 5/500* Pollen (*BG: 5/500 Pollen)

Amount of honeydew particles: low

Pollen from nectarless plants: 289

Very frequent pollen > 46 %

53% Malvaceae/Tilia spec./Linde/Linden

Frequent pollen 16 - 45 %

none

Single pollen 3 - 15%

12% Asteraceae/Aster-Type

9% Brassicaceae/Brassica spec./Kohl-Pflanzen/Cabbage

6% Rutaceae/Tetradium daniellii/Samthaarige Stinkesche/Samthaarige Stinkesche

5% Paulowniaceae/Paulownia/Blauglockenbaum/Foxglove Tree

3% Fabaceae/Astragalus spec./Berglinse/Milk Vetch

Isolated pollen < 3 %

Actinidiaceae/Actinidia spec./Kiwi/Kiwi°

Alismataceae/Sagittaria spec.

Amaranthaceae/Chenopodiaceae/Gänsefuss/Goosefoot°

Apiaceae/diff.genera/Doldenblütler/Parsley Family

Asteraceae/Taraxacum/Löwenzahn/Dandelion

Caprifoliaceae/Lonicera spec./Geißblatt/Honeysuckle

Fabaceae/Genista/Ginster/Greenweed

Fabaceae/Medicago spec./Luzerne/Bur Clover

Fabaceae/Vicia spec./Bohne/Bean

Phyllanthaceae/Flueggea/Buschkraut/Bushweed

Rosaceae/Pyrus/Prunus-T/Obst

Sapindaceae/Acer spec./Ahorn/Maple

Unknown pollen

°nectarless plants

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Physico-chemical analysis
THH05 Electrical conductivity (20 °C) (#)

Method ICS SOP 510-06 (2021-04)

Conductivity at 20°C

Result	Uncertainty	Unit
0.18	(± 0.01)	mS/cm

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

According to the pollen-analysis, organoleptic properties and corresponding physical-chemical parameters (electrical conductivity) the above mentioned sample may be called "Blossom Honey with Linden Honey" (Honey directive 2001/110/EU, Article 2 from June 23rd, 2014 in connection with Annex I and relevant literature BMEL (2022). Neufassung der Leitsätze des Deutschen Lebensmittelbuchs für Honig. GMBI 2022 S. 429-430). It may not be called Linden honey due to the low electrical conductivity.

Based on the current scientific knowledge, the analyzed pollen spectrum indicates "China" as regional origin (Honey Directive 2001/110/EC; Article 2 in connection with Annex I and relevant literature).

The analyzed yeast content is extremely increased and can give a hint towards a fermentation or a stopped fermentation. However, the organoleptic properties do not provide an additional hint towards such fermentation. So, the sample corresponds to the legal regulations (Honey directive 2001/110/EU, Article 1 in connection with Annex II with relevant literature: Rußmann, H. (1998). Hefen und Glycerin in Blütenhonigen - Nachweis einer Gärung oder einer abgestoppten Gärung. Lebensmittelchemie 52, 116-117).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation. The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THDA3



This report replaces report number: AR-24-TH-000962-01-THDA3

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 31.01.2024

Test results

LC-MS

THDA3 Dapson (LOQ 0.1 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

Dapsone

Result	Uncertainty	Unit
<0.1 *		µg/kg

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude
The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THDA3

* = below indicated quantification level

= Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from May 09th, 2022 and Regulation (EU) 2019/1871 from November 07th, 2019).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THFL3



This report replaces report number: AR-24-TH-000962-01-THFL3

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 31.01.2024

Test results

LC-MS

THFL3 Fluoroquinolones (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2021-04)

	Result	Uncertainty	Unit
Cinoxacin	<0.5 *		µg/kg
Ciprofloxacin	<0.5 *		µg/kg
Danofloxacin	<0.5 *		µg/kg
Difloxacin	<0.5 *		µg/kg
Enoxacin	<0.5 *		µg/kg

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6)

requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THFL3

Enrofloxacin	<0.5 *	µg/kg
Fleroxacin	<0.5 *	µg/kg
Flumequin	<0.5 *	µg/kg
Lomefloxacin	<0.5 *	µg/kg
Marbofloxacin	<0.5 *	µg/kg
Nadifloxacin	<0.5 *	µg/kg
Nalidixic acid	<0.5 *	µg/kg
Norfloxacin	<0.5 *	µg/kg
Ofloxacin	<0.5 *	µg/kg
Orbifloxacin	<0.5 *	µg/kg
Oxolinic acid	<0.5 *	µg/kg
Pazufloxacin	<0.5 *	µg/kg
Pefloxacin	<0.5 *	µg/kg
Pipemidic acid	<0.5 *	µg/kg
Sarafloxacin	<0.5 *	µg/kg
Sparfloxacin	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from May 09th, 2022).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THMA3



This report replaces report number: AR-24-TH-000962-01-THMA3

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 31.01.2024

Test results

LC-MS

THMA3 Macrolides (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2021-04)

	Result	Uncertainty	Unit
Clindamycin	<0.5 *		µg/kg
Desmicosin	<0.5 *		µg/kg
Erythromycin A (incl. Anhydroerythromycin)	<0.5 *		µg/kg
Josamycin	<0.5 *		µg/kg
Leucomycin	<0.5 *		µg/kg

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THMA3

Lincomycin	<0.5 *	µg/kg
Oleandomycin	<0.5 *	µg/kg
Spiramycin	<0.5 *	µg/kg
Tilmicosin	<0.5 *	µg/kg
Troleandomycin	<0.5 *	µg/kg
Tylosin A (incl. Tylosin B)	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from May 09th, 2022).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation. The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THH32



This report replaces report number: AR-24-TH-000962-01-THH32

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 31.01.2024

Test results

Authenticity

THH32 Foreign Oligosaccharides in Honey (LC-ELSD) (#)

Method ICS SOP 520-09 (2022-10)

Foreign oligosaccharides

Result	Uncertainty	Unit
<0.1 *		%

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THH32

* = below indicated quantification level

= Eurofins Food Integrity Control Services is accredited for this test.

Assessment

No foreign oligosaccharides (an indicator of adulteration with starch-based sugar syrups) were detected. Regarding the examined parameter the sample corresponds to the legal regulations (EU Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Remark:Values in brackets: expanded measurement uncertainty ($F = 2.58$; 99%).**Version history:**

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation. The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THH46



This report replaces report number: AR-24-TH-000962-01-THH46

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging Sampler

Plastic cup
Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 31.01.2024

Test results

Authenticity

THH46 Specific marker rice syrup (SM-R) (#)
Method ICS SOP 520-06 (2018-08)

Specific Marker Rice Syrup (SM-R)

Result Uncertainty Unit

Not detected

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude
The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THH46

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The result does not indicate an unauthorized addition of rice syrup in the investigated honey sample. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THH84



This report replaces report number: AR-24-TH-000962-01-THH84

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging Sampler

Plastic cup
Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 31.01.2024

Test results

Authenticity

THH84 SM-B (#)

Method ICS SOP 520-19 (2019-09)

Syrup Marker Beet sugar (SM-B)

Result Uncertainty Unit

not detected

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THH84

(H) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The result does not indicate an unauthorized addition of beet syrup in the investigated honey sample. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

I = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation. The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-THH26



This report replaces report number: AR-24-TH-000962-01-THH26

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 01.02.2024

Test results

Authenticity

THH26 C4/C3 Sugars in Honey (13C EA/LC-IRMS) (#)
Method ICS SOP 520-13 (2021-03)

	Result	Uncertainty	Unit
Delta 13C (Protein/VPDB)	-25.10	(± 0.43)	‰
Delta 13C (Honey/VPDB)	-25.60	(± 0.23)	‰
Delta 13C (Fructose/VPDB)	-25.60	(± 0.33)	‰
Delta 13C (Glucose/VPDB)	-25.62	(± 0.33)	‰
Delta 13C (Disaccharides/VPDB)	-25.39	(± 0.52)	‰

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude
The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



This report replaces report number: AR-24-TH-000962-01-THH26

Delta 13C (Trisaccharides/VPDB)	na	‰
Delta 13C (Oligosaccharides/VPDB)	na	‰
Delta 13C (F-G)	0.02	‰
Delta 13C (max.)	0.52	‰
Percentage of C4 sugar	0.00	%
Disaccharides rel. to total sugar content	2.13	%
Trisaccharides rel. to total sugar content	nd	%
Oligosaccharides rel. to total sugar content	nd	%
F/G-ratio	1.19	(± 0.10)

(#)= Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The sample meets the specifications of pure honey. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Assessment criteria for pure honey (Apidologie 39 (2008) 574-587):

Delta 13C (F-G): not higher than $\pm 1,0$ ‰

Delta 13C (max): not higher than $\pm 2,1$ ‰

C4 sugar (calculated): < 7 %

Oligosaccharides (related to total sugar content): not detected (nd) < 0.7 %

Remark:

na: not analyzed, because not detected

Values in brackets: expanded measurement uncertainty (F = 2.58; 99%).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6)

requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis

results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty

in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification

value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this

standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-PJCIP



This report replaces report number: AR-24-TH-000962-01-PJCIP

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 01.02.2024

Test results

Heavy Metals

JCHRA Lead (Pb) in honey, rice [syrup], milk products, sugar

Method DIN EN 15763:2010 (2010-04), mod.

Modification: incl. ICP-MS/MS, extension of the analysis parameters, extension of the application scope to feed, tobacco and tobacco products

Subcontracted to a Eurofins laboratory accredited for this test.

Lead (Pb)

Result	Uncertainty	Unit
2	(± 1)	µg/kg

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.
The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

Assessment

Regarding the examined parameter the sample corresponds to the legal regulations (Regulation (EEC) No. 315/93 from August 07th, 2009 in connection with EU Regulation (EC) 2023/915 from April 25th, 2023).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/2

Analytical report

AR-24-TH-000962-02-PJC0U



This report replaces report number: AR-24-TH-000962-01-PJC0U

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 01.02.2024

Test results

Heavy Metals

JCHRD Trace Marker Rice Syrup (TM-R)

Method DIN EN 15763:2010 (2010-04), mod.

Modification: incl. ICP-MS/MS, extension of the analysis parameters, extension of the application scope to feed, tobacco and tobacco products

Subcontracted to a Eurofins laboratory accredited for this test.

Arsenic (As)

Result	Uncertainty	Unit
3	(± 1)	µg/kg

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6)

requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis

results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty

in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification

value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this

standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

This report replaces report number: AR-24-TH-000962-01-PJC0U

Assessment

The level of arsenic in honey is within the naturally occurring range. Therefore, there is no hint of an unauthorized addition of rice syrup. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXP11 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 02.02.2024

Page 1/13

Analytical report

AR-24-TH-000962-02-PXPH1



This report replaces report number: AR-24-TH-000962-01-PXPH1

Sample Code

296-2024-00000643

Sample name

CQ23120101-1,2 LINDEN
005-10530-0004262256

Packaging

Plastic cup

Sampler

Client

Type

Linden

Number sample tubes

2

Type of seal

Seal

Seal description

Eurofins Big Bag EF000732, Eurofins sealing no.EF012625,
EF012626,EF012632, EF012633

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

18.01.2024

Start / End of analysis

26.01.2024 / 30.01.2024

Test results

Pesticides

SP931 Pesticides Quechers LC-MS/MS

Method DIN EN 15662:2018 mod.

Modification: Automated sample processing with ultrasonic extraction

Subcontracted to a Eurofins laboratory accredited for this test.

Result Uncertainty Unit

Screened pesticides

Not Detected

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

This report replaces report number: AR-24-TH-000962-01-PXPH1

SP932 Pesticides Quechers GC-MSD

Method DIN EN 15662:2018 mod.

Modification: Automated sample processing with ultrasonic extraction

Subcontracted to a Eurofins laboratory accredited for this test.

Screened pesticides

Result	Uncertainty	Unit
Not Detected		

SPSM9 Matrine

Method Internal Method SPF-14.188-4

Subcontracted to a Eurofins laboratory accredited for this test.

Oxymatrine

Matrine

Result	Uncertainty	Unit
< 0.01		mg/kg
< 0.01		mg/kg

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in connection with Regulation (EU) 37/2010 from May 09th, 2022 and Regulation (EU) 396/2005 from December 14th, 2022).

Version history:

Version -02: added tests THFL3, THMA3, THDA3, THH26, THH46, THH32, THH84, PJCIP, PJC0U and package PXPH1 (marked with I)

Version -01: original version

Signature



Assistant Analytical Service Manager (Julie Oetjen)

| = Identification of changes to the previous version of this analytical Report

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

List of analysed substances:
SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
1,2-Benzoisothiazolin-3-one (BIT)	0.01	1-Naphthylacetamide	0.01
1-Naphthylacetic acid	0.1	2,4,5-T	0.01
2,4-D	0.01	2,4-DB	0.1
2,4-Dimethylaniline	0.01	2,4'-Formoxylidid (Amitraz Metabolite)	0.01
2,6-Dichlorobenzamide	0.01	2-Naphthyloxyacetic acid	0.01
3-Hydroxycarbofuran	0.001	4-(3-Indole)-Butyric acid	0.01
4,6-Dihydroxy-Tembotrione	0.01	4-Amino-3-methylbenzoic acid	0.01
4-Bromo-2-Chlorophenol	0.01	4-Bromophenylurea	0.01
4-CPA	0.01	5-Nitroguaiacol sodium salt	0.01
6-Benzyladenine	0.01	Acephate	0.01
Acetamiprid	0.01	Acetochlor	0.01
Acibenzolar-s-methyl	0.01	Acifluorfen	0.05
Acrinathrin	0.01	Afidopyropen	0.01
Alanycarb	0.01	Aldicarb	0.02
Aldicarb-sulfone	0.01	Aldicarb-sulfoxide	0.05
Ametoctradin	0.01	Aminocarb	0.01
Amisulbrom	0.01	Amitraz	0.01
Anilofos	0.01	Anthraquinone	0.01
Atrazin, desisopropyl-	0.01	Atrazine	0.01
Avermectin B1a	0.005	Avermectin B1b	0.1
Azaconazole	0.01	Azadirachtin	0.05
Azinphos-methyl	0.01	Azoxystrobin	0.01
BAC C10 -	0.02	BAC C18 -	0.02
Benzyltrimethyldecylammonium chloride		Benzyltrimethyloctadecylammonium	
Benalaxyl including other mixtures of constituent	0.01	Bendiocarb	0.01
Benfuracarb	0.01	Benfuresate	0.02
Benodanil	0.01	Benoxacor	0.01
Bensulide	0.01	Bentazone	0.01
Benthiavalicarb, isopropyl-	0.01	Benzethonium Chloride	0.02
Benzovindiflupyr	0.01	Benzoximate	0.01
Benzyltrimethyldodecylammonium chloride (BAC C12)	0.02	Benzyltrimethylhexadecylammonium chloride (BAC C16)	0.02
Benzyltrimethyloctylammonium chloride (BAC C8)	0.02	Benzyltrimethyltetradecylammonium chloride (BAC C14)	0.02

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Bifenazate	0.01	Bifenazate-diazene	0.01
Bispyribac Sodium	0.01	Bitertanol	0.01
Bixafen	0.01	Boscalid	0.01
Bromoxynil	0.01	Bromuconazole, cis-	0.01
Bromuconazole, trans-	0.01	BTS 27271	0.01
BTS 44595	0.01	BTS 44596	0.01
Bupirimate	0.01	Buprofezin	0.01
Butocarboxim-sulfoxide	0.01	Buturon	0.01
Butylate	0.02	Cadusafos	0.02
Carbaryl	0.01	Carbendazim	0.005
Carbendazim/Benomyl (sum)	0.005	Carbetamide	0.01
Carbofuran	0.001	Carbosulfan	0.01
Carboxin	0.01	Carboxin-Sulfoxide	0.01
Carfentrazone-ethyl	0.01	Carpropamid	0.01
Cetrimonium (Sum of all salts)	0.02	Chlorantraniliprole	0.01
Chlorbromuron	0.01	Chlorbufam	0.01
Chlordecon	0.01	Chlorempenthrin	0.01
Chlorfluazuron	0.01	Chloridazon	0.02
Chloridazon-desphenyl	0.01	Chlorotoluron	0.01
Chloroxuron	0.01	Chlorpropham	0.01
Chlorpyrifos (-ethyl)	0.01	Chlorpyrifos-methyl	0.01
Chromafenozide	0.1	Cinidon-ethyl	0.01
Clefoxydim	0.01	Clethodim	0.01
Climbazole	0.01	Clofentezine	0.01
Clomazone	0.01	Clomeprop	0.1
Cloprop	0.01	Clopyralid	0.01
Clothianidin	0.01	Coumaphos	0.01
Coumoxystrobin	0.01	Crimidine	0.01
Cyanofenphos	0.01	Cyantraniliprole	0.01
Cyazofamid	0.01	Cycloate	0.01
Cycloxydim	0.01	Cyflumetofen	0.01
Cyhalodiamide	0.01	Cyhalofop	0.01
Cyhalofop-butyl	0.05	Cyhexatin	0.01
Cymiazol	0.01	Cymoxanil	0.01
Cyphenothrin	0.05	Cyproconazole	0.01
Cyprodinil	0.01	Cyprofuram	0.01
Cyromazine	0.05	Dazomet	0.01
DDAC C10 -	0.02	DDAC C12 - Didodecyl dimethyl	0.02
Didecyldimethylammoniumchloride		ammonium chloride	

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

This report replaces report number: AR-24-TH-000962-01-PXPH1

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
DDAC C8 - Dioctyldimethylammonium chloride	0.02	Demeton-S-methyl	0.02
Demeton-S-methyl-sulfone	0.01	Denatonium benzoate (Bitrex)	0.01
Desmedipham	0.01	Diafenthuron	0.01
Diallate	0.01	Diazinon	0.01
Dicamba	0.1	Dichlofenthion	0.01
Dichlormid	0.01	Dichlorprop	0.01
Dichlorprop-butoxyethyl ester	0.01	Dichlorvos	0.02
Diclofop-methyl	0.01	Dicrotophos	0.01
Diethofencarb	0.01	Diethyltoluamide	0.01
Difenacoum	0.01	Difenoconazole	0.01
Difenoxyuron	0.01	Diflubenzuron	0.01
Diflufenican	0.01	Dimefox	0.01
Dimefuron	0.1	Dimepiperate	0.01
Dimethachlor	0.01	Dimethenamid including other mixtures of constitue	0.01
Dimethoate	0.01	Dimethomorph	0.01
Dimethrin	0.01	Dimetilan	0.01
Dimoxystrobin	0.01	Dimpropyridaz	0.01
Diniconazole	0.01	Dinocap	0.05
Dinoseb	0.01	Dinotefuran	0.05
Dinoterb	0.01	Dioxacarb	0.01
Dioxathion	0.01	Diphenamid	0.01
Diphenylamine	0.02	Disulfoton	0.01
Disulfoton-sulfon	0.01	Disulfoton-sulfoxide	0.01
Dithianon	0.01	Diuron	0.01
Dodecyltrimethylammonium chloride	0.01	Dodemorph	0.01
Dodine	0.01	Emamectin B1a	0.005
Enestroburin	0.01	EPN	0.01
Epoxiconazole	0.01	EPTC	0.01
Ethiofencarb	0.01	Ethiofencarb-sulfone	0.01
Ethiofencarb-sulfoxide	0.01	Ethion	0.01
Ethiprole	0.01	Ethirimol	0.01
Ethofumesate	0.01	Ethoprophos	0.01
Ethoxyquin	0.01	Ethychlozate	0.01
Etofenprox	0.01	Fenamidone	0.01
Fenaminstrobin	0.01	Fenamiphos	0.01
Fenamiphos-sulfone	0.01	Fenamiphos-sulfoxide	0.01
Fenarimol	0.01	Fenazaquin	0.01

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Fenbuconazole (sum of constituent enantiomers)	0.01	Fenbutatin oxide	0.01
Fenhexamid	0.01	Fenobucarb	0.01
Fenoprop	0.01	Fenoxaprop-P	0.01
Fenoxycarb	0.01	Fenpiclonil	0.01
Fenpicoxamid	0.01	Fenpropidin	0.01
Fenpropimorph	0.01	Fenpyrazamine	0.01
Fenpyroximate	0.01	Fensulfothion	0.01
Fenthion	0.01	Fenthion-oxon	0.01
Fenthion-oxon-sulfone	0.01	Fenthion-oxon-sulfoxide	0.01
Fenthion-sulfone	0.01	Fenthion-sulfoxide	0.01
Fentin (including its salts)	0.01	Fipronil	0.005
Fipronil, desulfinyl-	0.01	Fipronil-sulfide	0.005
Fipronil-sulfone	0.005	Flamprop	0.01
Flometoquin	0.01	Flonicamid	0.02
Florpyrauxifen-benzyl	0.01	Fluazifop-P	0.01
Fluazifop-P-butyl	0.01	Fluazinam	0.01
Fluazuron	0.01	Flubendiamide	0.01
Flucycloxuron	0.01	Fludioxonil	0.01
Flufenacet	0.01	Flufenacet ESA	0.01
Flufenacet OXA	0.005	Flufenacet-alcohol	0.01
Flufenacet-methylsulfone	0.01	Flufenacet-Thioglycolat-Sulfoxide	0.01
Flufenoxuron	0.01	Flufenzine	0.01
Flumethrin	0.01	Fluometuron	0.01
Flupicolide	0.01	Fluopyram	0.01
Fluoxastrobin	0.01	Flupyradifurone	0.01
Flupyrimin	0.01	Flurochloridone	0.01
Fluroxypyr	0.01	Fluroxypyr-Methylheptyl	0.01
Flurprimidol	0.01	Flurtamone	0.01
Flusilazole	0.01	Fluthiacet-methyl	0.01
Flutianil	0.01	Flutolanil	0.01
Flutriafol	0.01	Fluxapyroxad	0.01
FM-6-1 (metabolite triflumizole)	0.01	Fomesafen	0.01
Forchlorfenuron	0.01	Formetanate	0.01
Fosthiazate	0.01	Fuberidazole	0.01
Furalaxyl	0.01	Furametpyr	0.01
Furathiocarb	0.01	Halauxifen	0.01
Haloxypop	0.01	Heptenophos	0.01
Hexaconazole	0.01	Hexaflumuron	0.01
Hexazinone	0.01		

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

This report replaces report number: AR-24-TH-000962-01-PXPH1

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Hexythiazox (any ratio of constituent isomers)	0.01	Icaridin	0.01
Imazalil (any ratio of constituent isomers)	0.01	Imazamox	0.01
Imazapyr	0.01	Imazaquin	0.01
Imazethapyr	0.01	Imibenconazole	0.01
Imidacloprid	0.01	Indaziflam	0.01
Indoxacarb (sum, R+S isomers)	0.01	Iodosulfuron methyl	0.01
Ioxynil	0.01	Iprodione	0.01
Iprovalicarb	0.01	Isazofos	0.01
Isofenphos	0.01	Isofenphos-methyl	0.01
Isofetamid	0.01	Isoprocab	0.01
Isoprothiolane	0.01	Isoproturon	0.01
Isoprazam	0.01	Isouron	0.01
Isoxaben	0.01	Isoxaflutole	0.01
Isoxaflutole diketonitrile	0.01	Karanjin	0.01
Kresoxim-methyl	0.01	Lenacil	0.01
Linuron	0.01	Lufenuron	0.01
Malaoxon	0.01	Malathion	0.01
Mandipropamid (any ratio of constituent isomers)	0.01	MCPA	0.01
MCPA-2-ethylhexyl	0.01	MCPB	0.01
Mecoprop	0.01	Mefentrifluconazole	0.01
Mepanipyrim	0.01	Mesotrione	0.01
Metaflumizone (sum of E- and Z-isomers)	0.01	Metalaxyl	0.01
Metamitron	0.01	Metazachlor Metabolite 479M08	0.01
Metazachlor Metabolite 479M16	0.01	Metazachlor OA (479M04)	0.01
Metconazole	0.01	Methabenzthiazuron	0.01
Methacrifos	0.01	Methamidophos	0.02
Methidathion	0.02	Methiocarb	0.01
Methiocarb-sulfone	0.01	Methiocarb-sulfoxide	0.01
Methomyl	0.01	Methomyl-oxim	0.01
Methoxyfenozide	0.01	Metobromuron	0.01
Metolachlor	0.01	Metolcarb	0.01
Metosulam	0.01	Metoxuron	0.01
Metribuzin	0.01	Milbemectin A3	0.1
Milbemectin A4	0.1	Molinate	0.01
Monocrotophos	0.01	Monolinuron	0.01
Monuron	0.01		

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

This report replaces report number: AR-24-TH-000962-01-PXPH1

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Myclobutanil (sum of constituent isomers)	0.01	Napropamide	0.01
Neburon	0.01	Niclosamid	0.01
Nicosulfuron	0.01	Nitenpyram	0.1
Novaluron	0.01	Noviflumuron	0.01
Nuarimol	0.01	Ofurace	0.01
Omethoate	0.01	Orysastrobin	0.01
Oryzalin	0.01	Oxadiazon	0.01
Oxadixyl	0.01	Oxamyl	0.001
Oxamyl-oxime	0.01	Oxathiapiprolin	0.01
Oxaziclomefone	0.01	Oxfendazole	0.01
Oxycarboxin	0.01	Oxydemeton-methyl	0.02
Paclobutrazol	0.01	Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01	Parathion-methyl	0.05
Pebulate	0.01	Penconazole (sum of constituent isomers)	0.01
Pencycuron	0.01	Pencycuron-PB-amine	0.01
Pendimethalin	0.01	Penflufen	0.01
Penoxsulam	0.01	Pentachlorophenol	0.01
Pentanochlor	0.01	Penthiopyrad	0.01
Pethoxamid	0.01	Phenmedipham	0.01
Phenothrin	0.01	Phenthoate	0.01
Phorate	0.01	Phorate-sulfone	0.01
Phorate-sulfoxide	0.01	Phosalone	0.01
Phosmet	0.005	Phosmet-oxon	0.01
Phosphamidon	0.01	Phoxim	0.01
Picloram	0.1	Pinoxaden	0.01
Piperonyl butoxide	0.01	Pirimicarb	0.01
Pirimicarb, desmethyl-	0.01	Pirimicarb, desmethyl-formamido-	0.01
Pirimiphos-methyl	0.01	Prochloraz	0.01
Procymidone	0.01	Profenofos	0.01
Prohexadione	0.01	Promecarb	0.01
Prometon	0.01	Propamocarb (Sum of propamocarb and its salts, exp	0.01
Propanil	0.01	Propaquizafop	0.01
Propargite	0.01	Propham	0.01
Propiconazole (sum of isomers)	0.01	Propoxur	0.005
Propoxycarbazon-2-hydroxy	0.01	Propoxycarbazone	0.01
Propyzamide	0.01	Proquinazid	0.02
Prosulfocarb	0.01	Prothioconazole	0.01

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Prothioconazole-desthio	0.01	Pydiflumetofen	0.01
Pymetrozine	0.01	Pyraclostrobin	0.01
Pyraflufen, desethyl-	0.01	Pyraflufen-ethyl	0.01
Pyrametostrobin	0.01	Pyraoxystrobin	0.01
Pyrasulfotole	0.01	Pyrethrins	0.1
Pyribencarb	0.01	Pyridaben	0.01
Pyridate	0.01	Pyrifluquinazon	0.01
Pyrimethanil	0.01	Pyrimidifen	0.01
Pyriminostrobin	0.01	Pyriofenone	0.01
Pyriproxyfen	0.01	Pyrisoxazole	0.01
Pyroxsulam	0.01	Quinclorac	0.01
Quinmerac	0.01	Quinoclamine	0.01
Quinoxifen	0.01	Quizalofop	0.01
Quizalofop-P-tefuryl	0.01	Resmethrin	0.01
Rimsulfuron	0.01	Rotenone	0.01
Saflufenacil	0.01	Sedaxane, cis-	0.01
Sedaxane, trans-	0.01	Sethoxydim	0.01
Silafluofen	0.01	Simazine	0.01
Simeconazole	0.01	Simetryn	0.01
Sintofen	0.01	Spinetoram J	0.01
Spinetoram L	0.01	Spinosyn A	0.01
Spinosyn D	0.01	Spirodiclofen	0.01
Spiromesifen	0.05	Spirotetramat	0.01
Spirotetramat-enol	0.01	Spirotetramat-enolglucoside	0.02
Spirotetramat-ketohydroxy	0.01	Spirotetramat-monohydroxy	0.01
Spiroxamine	0.01	Sulcotrione	0.05
Sulfentrazone	0.01	Sulfotep	0.01
Sulfoxaflor	0.01	Sulprofos-sulfoxide	0.01
Tebuconazole	0.01	Tebufozide	0.01
Tebuflufenpyrad	0.01	Tebuflufen	0.01
Teflubenzuron	0.01	Tembotrione	0.01
Temephos	0.01	Tepraloxymid	0.01
Terbacil	0.01	Terbufos	0.01
Terbufos-sulfone	0.01	Terbufos-sulfoxide	0.01
Terbumeton	0.01	Terbutylazine	0.01
Tetraconazole	0.01	Tetradecyltrimethylammonium chloride	0.01
TFNA	0.02	TFNG	0.02
Thiabendazole	0.01	Thiacloprid	0.01
Thiamethoxam	0.01	Thiobencarb	0.01

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Rætzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Thiocyclam	0.02	Thiodicarb	0.01
Thiofanox	0.02	Thiofanox-sulfone	0.01
Thiofanox-sulfone	0.01	Thiofanox-sulfoxide	0.01
Thiofanox-sulfoxide	0.01	Thiophanate-methyl	0.005
Tioxazafen	0.01	Tolclofos-methyl	0.01
Tolfenpyrad	0.01	Tralkoxydim	0.01
Triadimefon	0.01	Triadimenol	0.01
Triamiphos	0.01	Triasulfuron	0.01
Triazophos	0.01	Trichlorfon	0.05
Triclopyr	0.01	Triclopyricarb	0.01
Tricyclazole	0.01	Tridemorph	0.01
Trifloxystrobin	0.01	Triflomezopyrim	0.01
Triflumizole	0.01	Triflururon	0.01
Triflurosulfuron-methyl	0.01	Triforine	0.01
Trimethacarb, 3,4,5-	0.01	Trinexapac (free acid)	0.01
Trinexapac-ethyl	0.02	Triticonazole	0.01
Valifenalate	0.01	Vamidotion	0.01
Vamidotion-sulfone	0.01	Vamidotion-sulfoxide	0.01
XMC	0.01	Xyllylcarb	0.01
Zoxamide	0.01		

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
1,4-dimethylnaphthalene	0.01	2,6-Dichlorobenzamide	0.01
2,6-Dimethylnaphthalene	0.01	2-Phenylphenol	0.01
Acephate	0.01	Acetochlor	0.02
Aclonifen	0.01	Acrinathrin	0.01
Alachlor	0.01	Aldrin	0.01
Allethrin	0.01	Ametryn	0.01
Atrazin, desethyl-	0.01	Atrazin, desisopropyl-	0.02
Atrazine	0.01	Azaconazole	0.01
Azinphos-ethyl	0.01	Azoxystrobin	0.01
Benalaxyl including other mixtures of constituent	0.01	Benfluralin	0.01
Bifenthrin	0.01	Biphenyl	0.01
Boscalid	0.01	Bromacil	0.02
Bromocyclen	0.02	Bromophos-ethyl	0.02

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Bromophos-methyl	0.02	Bromopropylate	0.01
Butachlor	0.01	Butafenacil	0.01
Captan	0.02	Carbophenothion	0.01
Carbophenothion-methyl	0.01	Carboxin	0.01
Chlordane, cis-	0.01	Chlordane, trans-	0.01
Chlorfenapyr	0.01	Chlorfenvinphos	0.01
Chlorobenzilate/Chloropropylate	0.01	Chloroneb	0.01
Chlorothalonil	0.01	Chlorpyrifos (-ethyl)	0.01
Chlorpyrifos-methyl	0.01	Chlorthal-dimethyl	0.01
Chlorthion	0.01	Chlozolate	0.01
Clodinafop-propargyl	0.01	Clomazone	0.01
Cloquintocet-mexyl	0.01	Cyanazine	0.02
Cyanophos	0.02	Cyflufenamid	0.01
Cyfluthrin	0.01	Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)	0.01
Cypermethrin (sum of isomers)	0.01	Cypermethrin, alpha-	0.01
Cyprodinil	0.01	DDD, o,p-	0.01
DDD, p,p'-	0.01	DDE, o,p-	0.01
DDE, p,p'-	0.01	DDT, o,p'-	0.01
DDT, p,p'-	0.01	Deltamethrin	0.01
Desmetryn	0.01	Diazinon	0.01
Dibromobenzophenone, p,p-	0.01	Dichlobenil	0.01
Dichlofluanid	0.01	Dichlorvos	0.01
Diclobutrazol	0.01	Dicloran	0.01
Dicofol, o,p-	0.01	Dicofol, p,p-	0.01
Dieldrin	0.02	Diffufenican	0.01
Dimethenamid including other mixtures of constitue	0.01	Dimethylaminosulphotoluidide (DMST)	0.05
Dimoxystrobin	0.01	Dioxacarb	0.02
Diphenylamine	0.02	Dipropetryn	0.03
Edifenphos	0.01	Endosulfan sulphate	0.01
Endosulfan, alpha-	0.01	Endosulfan, beta-	0.01
Endrin	0.01	Etaconazole	0.01
Ethion	0.01	Ethofumesat-2-keto	0.05
Etoxazole	0.01	Etridiazole	0.01
Etrimfos	0.01	Famophos	0.05
Famoxadone	0.01	Fenamidone	0.01
Fenamiphos	0.02	Fenarimol	0.01
Fenfluthrin	0.03	Fenitrothion	0.01
Fenoxycarb	0.01	Fenpropathrin	0.01

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Fenson	0.01	Fenthion	0.01
Fenvalerate (RR-/SS-Isomers)	0.01	Fenvalerate (RS-/SR-Isomers)	0.01
Fipronil	0.01	Fipronil-sulfone	0.01
Flamprop-methyl	0.01	Fluazifop-P-butyl	0.01
Fluazolate	0.01	Flucythrinate	0.01
Flumioxazin	0.01	Fluotrimazole	0.01
Fluquinconazole	0.01	Flurenol-butyl	0.03
Flutriafol	0.02	Fluvalinate (sum of isomers)	0.01
Folpet	0.02	Fonofos	0.01
Formothion	0.01	Furathiocarb	0.01
Haloxypop-methyl	0.03	HCH, alpha-	0.01
HCH, beta-	0.01	HCH, delta-	0.01
HCH, epsilon-	0.01	Heptachlor	0.01
Heptachlor epoxide, cis-	0.01	Heptachlor epoxide, trans-	0.01
Hexachlorobenzene (HCB)	0.01	Hexazinone	0.01
Iodofenphos	0.03	Iprobenfos	0.01
Iprodione	0.02	Isocarbofos	0.01
Isodrin	0.03	Isofenphos	0.01
Isofenphos-methyl	0.01	Isoprothiolane	0.01
Isoxadifen-ethyl	0.01	Isoxathion	0.05
Lenacil	0.02	Leptophos	0.02
Lindane (gamma-HCH)	0.01	Malaoxon	0.02
Malathion	0.01	Mandestrobin	0.01
Mecarbam	0.01	Mefenpyr-diethyl	0.01
Mepanipyrim	0.02	Mepronil	0.01
Metazachlor	0.01	Metconazole, cis-	0.01
Metconazole, trans-	0.01	Methacrifos	0.05
Methoprotryne	0.05	Methoxychlor	0.01
Metolachlor	0.01	Metrafenone	0.01
Metribuzin	0.01	Mevinphos	0.01
Mirex	0.05	Monalide	0.05
Monocrotophos	0.02	Napropamide	0.01
Nitrapyrin	0.01	Nitrofen	0.01
Nitrothal-isopropyl	0.01	Norflurazon	0.01
Ofurace	0.02	Oxadiazon	0.02
Oxyfluorfen	0.01	Paclobutrazol	0.01
Paraoxon-methyl	0.02	Parathion	0.01
Parathion-methyl	0.02	Pebulate	0.01
Pentachloroaniline	0.01	Pentachloroanisole	0.01

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Ræzke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

This report replaces report number: AR-24-TH-000962-01-PXPH1

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Permethrin (sum of isomers)	0.01	Perthane	0.03
Phenkapton	0.02	Phenthoate	0.01
Phorate	0.02	Phosalone	0.02
Phosmet	0.01	Phosphamidon	0.02
Phthalimide (PI)	0.01	Picolinafen	0.01
Picoxystrobin	0.01	Pirimiphos-ethyl	0.01
Pirimiphos-methyl	0.01	Procymidone	0.01
Profenofos	0.02	Profluralin	0.03
Prometryn	0.01	Propachlor	0.03
Propanil	0.02	Propazine	0.01
Propetamphos	0.01	Propyzamide	0.01
Prothiofos	0.01	Pyrazophos	0.01
Pyridalyl	0.01	Pyridaphenthion	0.01
Pyrifenox	0.02	Pyrimethanil	0.01
Quinalphos	0.01	Quintozene	0.01
Quizalofop-P-ethyl	0.01	S 421	0.01
Sebuthylazine	0.01	Secbumeton	0.03
Silafluofen	0.01	Silthiofam	0.01
Simazine	0.01	Spiromesifen	0.02
Sulprofos	0.01	Tecnazene	0.03
Tefluthrin	0.01	Terbacil	0.02
Terbufos	0.01	Terbuthylazine	0.01
Terbuthylazine, desethyl-	0.01	Terbutryn	0.01
Tetrachlorvinphos	0.01	Tetradifon	0.01
Tetrahydrophthalimide (THPI)	0.01	Tetramethrin	0.02
Tolyfluanid	0.01	Transfluthrin	0.01
Triallate	0.01	Triazamate	0.01
Triazophos	0.01	Trifloxystrobin	0.01
Trifluralin	0.01	Trinexapac-ethyl	0.02
Triticonazole	0.01	Uniconazole	0.01
Vinclozolin	0.01		

SPSM9 Matrine

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Matrine	0.01	Oxymatrine	0.01

The customer, except those data generated during the sample registration and on-site by Eurofins, submitted all sample information. Data provided by the customer may influence the validity of results and the result interpretation.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Dr. Kurt-Peter Raezke

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at

<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.