

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/3

Analytical report

AR-25-TH-018657-01-PTH04



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 11.12.2025

Test results

Sensory analysis

THH25 Sensory Analysis of Honey (#)
Method ICS SOP 520-02 (2024-01)

sensory indication

Color: water-light yellow

Consistency: liquid

Odor: slightly source-specific

Taste: sweet, bloomy, spicy, tart, medical, slightly source-specific

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Microscopy

THH21 Pollen Analysis - Bot. & Geogr. Origin (ADV) (#)

Method DIN 10760 mod. (2002-05) [ICS SOP 520-11 (2024-01)]

Modification: Sample amount

Microscopic examination of pollen

Number of pollen counted: 500

Number of types of pollen identified: 19

Other components of sediment: elements of fungus, spores, bee hair, crystals, wax particles, plant tissue, vegetable fibers, black particles

Yeast content / 10 g honey: >1.000.000 (extremely high)

Starch content: < 5/500* Pollen

Amount of honeydew particles: low

Pollen from nectarless plants: 264

Very frequent pollen > 46 %

60% Malvaceae/Tilia spec./Linde/Linden

Frequent pollen 16 - 45 %

none

Single pollen 3 - 15%

14% Brassicaceae/Brassica spec./Kohl-Pflanzen/Cabbage

10% Fabaceae/Robinia pseudoacacia/Robinie/Robinia

4% Rosaceae/Rubus spec./Brombeere/Himbeere/Bramble/Raspberry

Isolated pollen < 3 %

1% Phyllanthaceae/Flueggea/Buschkraut/Bushweed

Actinidiaceae/Actinidia spec./Kiwi/Kiwi°

Amaranthaceae/Chenopodiaceae/Gänsefuß/Goosefoot°

Anacardiaceae/diff. Genera./Sumachgewächse/Cashew Family

Aquifoliaceae/Ilex spec./Stechpalmen/Holly

Caprifoliaceae/Lonicera spec./Geißblatt/Honeysuckle

Fabaceae/Amorpha fruticosa/Bastardindigo/False Indigo

Fabaceae/Trifolium/Klee/Clover

Fabaceae/Vicia spec./Bohne/Bean

Malvaceae/Bombax spec.

Rosaceae/Pyrus/Prunus-T/Obst

Rutaceae/Tetradium daniellii/Samthaarige Stinkesche/Samthaarige Stinkesche

Sapindaceae/Acer spec./Ahorn/Maple

unknown pollen (small tricolporate)

Vitaceae/Vitis vinifera/Wein/Vine°

°nectarless plants

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed. Eurofins Food Integrity Control Services GmbH - Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Physico-chemical analysis**THH05 Electrical conductivity (20 °C) (#)**

Method ICS SOP 510-06 (2021-04)

Conductivity at 20°C

Result	Uncertainty	Unit
0.33	(± 0.02)	mS/cm

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

According to the pollen-analysis, organoleptic properties and corresponding physical-chemical parameters (electrical conductivity and F/G ratio) the above-mentioned sample may be called "Linden Honey" (Honey directive 2001/110/EU, Article 2 from June 23rd, 2014, in connection with Annex I and relevant literature: BMEL (2022). Neufassung der Leitsätze des Deutschen Lebensmittelbuchs für Honig. GMBI 2022, S. 429-430).

Based on the current scientific knowledge, the analyzed pollen spectrum indicates "China" as regional origin (Honey Directive 2001/110/EC; Article 2 in connection with Annex I and relevant literature).

The analyzed yeast content is extremely increased and can give a hint towards a start of fermentation or a stopped fermentation. However, the organoleptic properties do not provide an additional hint towards such fermentation. So, the sample corresponds to the legal regulations (Honey directive 2001/110/EU, Article 1 in connection with Annex II).

Signature


Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THAM2



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THAM2 Amphenicols (LOQ 0.05 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

	Result	Uncertainty	Unit
Chloramphenicol (CAP)	<0.05 *		µg/kg
Florfenicol	<0.1 *		µg/kg
Thiamphenicol	<0.1 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature



Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THNF2



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THNF2 Nitrofurantol metabolites in honey (LOQ 0.2 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

	Result	Uncertainty	Unit
AHD (1-Aminohydantoin)	<0.2 *		µg/kg
AMOX (3-Amino-5-morpholinomethyl-2-oxazol)	<0.2 *		µg/kg
AOZ (3-Amino-2-oxazolidinone)	<0.2 *		µg/kg
DNSH (3,5-Dinitrosalicylic acid hydrazide)	<0.3 *		µg/kg
SEM (Semicarbazide)	<0.2 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THNI3



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THNI3 Nitroimidazoles in honey (LOQ 0.1 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

	Result	Uncertainty	Unit
Dimetridazole (DMZ)	<0.1 *		µg/kg
Dimetridazole-OH	<0.1 *		µg/kg
Iprnidazole (IPZ)	<0.1 *		µg/kg
Iprnidazole-OH	<0.1 *		µg/kg
Metronidazole (MNZ)	<0.1 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Metronidazole-OH	<0.1 *	µg/kg
Nimorazole	<0.1 *	µg/kg
Ornidazole	<0.1 *	µg/kg
Ronidazole	<0.1 *	µg/kg
Tinidazole	<0.1 *	µg/kg


* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THDA3



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THDA3 Dapson (LOQ 0.1 µg/kg) (#)
Method ICS SOP 530-16 (2021-04)

Dapsone

Result	Uncertainty	Unit
<0.1 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.




* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 2019/1871 from November 28th, 2022).

Signature



Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THSU3



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THSU3 Sulfonamides in honey (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Succinylsulfathiazole	<0.5 *		µg/kg
Sulfabenzamide	<0.5 *		µg/kg
Sulfacetamide	<0.5 *		µg/kg
Sulfachloropyridazine	<0.5 *		µg/kg
Sulfaclozine (Sulfachlorpyrazine)	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Sulfadiazine	<0.5 *	µg/kg
Sulfadimethoxine	<0.5 *	µg/kg
Sulfadimidine (Sulfamethazine)	<0.5 *	µg/kg
Sulfadoxine	<0.5 *	µg/kg
Sulfaguanidine	<0.5 *	µg/kg
Sulfamerazine	<0.5 *	µg/kg
Sulfameter	<0.5 *	µg/kg
Sulfamethizole	<0.5 *	µg/kg
Sulfamethoxazole	<0.5 *	µg/kg
Sulfamethoxypyridazine	<0.5 *	µg/kg
Sulfamonomethoxine	<0.5 *	µg/kg
Sulfamoxole	<0.5 *	µg/kg
Sulfanilamide	<0.5 *	µg/kg
Sulfaphenazole	<0.5 *	µg/kg
Sulfapyridine	<0.5 *	µg/kg
Sulfaquinoxaline	<0.5 *	µg/kg
Sulfathiazole	<0.5 *	µg/kg
Sulfisomidine	<0.5 *	µg/kg
Sulfisoxazole	<0.5 *	µg/kg
Sulfisozole	<0.5 *	µg/kg
Trimethoprim	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THST3



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THST3 Strepto-/Dihydrostreptomycin (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

Streptomycin

Result <0.5 * Unit µg/kg

Dihydro-streptomycin

<0.5 * µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THTE3



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THTE3 Tetracyclines in honey (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Tetracycline	<0.5 *		µg/kg
Oxytetracycline	<0.5 *		µg/kg
Chlortetracycline	<0.5 *		µg/kg
Doxycycline	<0.5 *		µg/kg
Demeclocycline	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Minocycline	<0.5 *	µg/kg
Metacycline	<0.5 *	µg/kg


* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THFL3



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

LC-MS

THFL3 Fluoroquinolones (LOQ 0.5 µg/kg) (#)
Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Carbadox	<0.5 *		µg/kg
Cinoxacin	<0.5 *		µg/kg
Ciprofloxacin	<0.5 *		µg/kg
Danofloxacin	<0.5 *		µg/kg
Difloxacin	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Enoxacin	<0.5 *	µg/kg
Enrofloxacin	<0.5 *	µg/kg
Fleroxacin	<0.5 *	µg/kg
Flumequin	<0.5 *	µg/kg
Lomefloxacin	<0.5 *	µg/kg
Marbofloxacin	<0.5 *	µg/kg
Nadifloxacin	<0.5 *	µg/kg
Nalidixic acid	<0.5 *	µg/kg
Norfloxacin	<0.5 *	µg/kg
Ofloxacin	<0.5 *	µg/kg
Orbifloxacin	<0.5 *	µg/kg
Oxolinic acid	<0.5 *	µg/kg
Pazufloxacin	<0.5 *	µg/kg
Pefloxacin	<0.5 *	µg/kg
Pipemidic acid	<0.5 *	µg/kg
Sarafloxacin	<0.5 *	µg/kg
Sparfloxacin	<0.5 *	µg/kg


* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THMA3



Sample Code

296-2025-00018871

¹ Sample name CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging Plastic cup

Product Honey

Sampler Client

¹Type Linde

Number sample tubes 2

Type of seal Seal

¹Seal description Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443, EF726450, EF726451

Amount approx.200 g (each)

Reception temperature room temperature

Reception date time 04.12.2025

Start / End of analysis 04.12.2025 / 09.12.2025

Test results

LC-MS

THMA3 Macrolides (LOQ 0.5 µg/kg) (#)

Method Internal Method ICS SOP 530-15 (2024-03)

	Result	Uncertainty	Unit
Clindamycin	<0.5 *		µg/kg
Desmycosin	<0.5 *		µg/kg
Josamycin	<0.5 *		µg/kg
Lincomycin	<0.5 *		µg/kg
Spiramycin	<0.5 *		µg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Tilmicosin	<0.5 *	µg/kg
Troleandomycin	<0.5 *	µg/kg
Leucomycin	<0.5 *	µg/kg
Oleandomycin	<0.5 *	µg/kg
Erythromycin A (incl. Anhydroerythromycin)	<0.5 *	µg/kg
Azithromycin	<0.5 *	µg/kg
Tylosin A (incl. Tylosin B)	<0.5 *	µg/kg

* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in conjunction with Regulation (EU) 37/2010 from April 8th, 2024).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THH32



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 11.12.2025

Test results

Authenticity

THH32 Foreign Oligosaccharides in Honey (LC-ELSD) (#)
Method ICS SOP 520-09 (2022-10)

Foreign oligosaccharides

Result	Uncertainty	Unit
<0.1 *		%

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.


Assessment

No honey foreign oligosaccharides (an indicator of adulteration with starch-based sugar syrups) were detected. Regarding the examined parameter the sample corresponds to the legal regulations (EU Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Remark:

Values in brackets: expanded measurement uncertainty ($F = 2.58$; 99%)

Signature



Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THH46



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 10.12.2025

Test results

Authenticity

THH46 **Specific marker rice syrup (SM-R) (#)**
Method ICS SOP 520-06 (2018-08)

Specific Marker Rice Syrup (SM-R)

Result Uncertainty Unit

Not detected

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The result does not indicate an unauthorized addition of rice syrup in the investigated honey sample. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Signature


Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THH84



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 11.12.2025

Test results

Authenticity

THH84 Syrup Marker Beet sugar (SM-B) in honey (#)
Method ICS SOP 520-19 (2019-09)

Syrup Marker Beet sugar (SM-B)

Result Uncertainty Unit
not detected

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The result does not indicate an unauthorized addition of beet syrup in the investigated honey sample. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Signature


Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THH26



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

Authenticity

THH26 C4/C3 Sugars in Honey (13C EA/LC-IRMS) (#)
Method ICS SOP 520-13 (2025-09)

	Result	Uncertainty	Unit
Delta 13C (Protein/VPDB)	-24.5	(± 0.3)	‰
Delta 13C (Honey/VPDB)	-25.1	(± 0.3)	‰
Delta 13C (Fructose/VPDB)	-25.12	(± 0.43)	‰
Delta 13C (Glucose/VPDB)	-25.08	(± 0.43)	‰
Delta 13C (Disaccharides/VPDB)	-25.09	(± 0.62)	‰

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Delta 13C (Trisaccharides/VPDB)	na	‰
Delta 13C (Oligosaccharides/VPDB)	na	‰
Delta 13C (F-G)	-0.04	‰
Delta 13C (max.)	0.62 (± 0.40)	‰
Percentage of C4 sugar	0.00	%
Disaccharides rel. to total sugar content	5.66	%
Trisaccharides rel. to total sugar content	nd	%
Oligosaccharides rel. to total sugar content	nd	%
F/G-ratio	1.14	

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

The sample meets the specifications of pure honey. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Assessment criteria for pure honey (Apidologie 39 (2008) 574-587):

Delta 13C (F-G): not higher than $\pm 1,0$ ‰

Delta 13C (max): not higher than $\pm 2,1$ ‰

C4 sugar (calculated): < 7 %

Oligosaccharides: not detected (nd) (rel. amount $< 0.7\%$ related to the total sugar content of all sugar species (LC-IRMS))

Remark:

na: not analyzed

nd: not detected (rel. amount $< 1.0\%$ related to the total sugar content of all sugar species (LC-IRMS))

Values in brackets: expanded measurement uncertainty ($F = 2.58$; 99%)

Signature


Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-AA0SG



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 08.12.2025

Test results

Authenticity

AA0SG 1H-NMR profiling of honey (sugars, HMF, sugar add)

Method Internal

Subcontracted to a Eurofins laboratory accredited for this test.

	Result	Uncertainty	Unit
Fructose	41.7	(± 2.0)	g/100 g
Glucose	35.4	(± 2.0)	g/100 g
Fructose / Glucose	1.18	(± 0.05)	
Glucose+Fructose	77.1	(± 4.0)	g/100 g
Sucrose	<0.5		g/100 g

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

Turanose	1.03	(± 0.15)	g/100 g
5-HMF	<5		mg/kg
Mannose	<500		mg/kg
Dihydroxyacetone	<20		mg/kg
Citric acid	51	(± 11)	mg/kg
Ethanol	189	(± 22)	mg/kg
Acetic acid	31	(± 10)	mg/kg
Lactic acid	21	(± 6)	mg/kg
Succinic acid	40	(± 9)	mg/kg
Proline	280	(± 48)	mg/kg
Spectral fingerprint	typical / not adulterated		

Assessment

The NMR profiling test did not reveal any anomalies. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Signature


Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THP01



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 11.12.2025

Test results

Authenticity

THP01 Honey Authenticity by LC-HRMS (#)

Method ICS SOP 520-17 (2025-10), LC-Orbitrap-HRMS

Exogenous sugar

Result

Not detected

Uncertainty

Unit

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.




(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

Exogenous sugar could not be detected. Therefore, the sample corresponds to the legal requirements with regard to the test performed (EU Honey Directive 2001/110/EC, article 1 and annex II from June 23rd, 2014).

Signature



Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +4942924077299

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THH47



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 11.12.2025

Test results

Authenticity

THH47 Colorant E150d (#)
Method ICS SOP 520-12 (2021-04)

E150d

Result	Uncertainty	Unit
<2 *		mg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.




* = below indicated quantification level

(#) = Eurofins Food Integrity Control Services is accredited for this test.

Assessment

An unauthorized addition of the colorant E150d was not detected. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Signature



Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.





Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THU19



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

Heavy Metals

THU19 Lead analysis in honey

Method

Subcontracted to an external laboratory accredited for this test

Lead (Pb)

Result

<0.01 *

Uncertainty

Unit

mg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

* = below indicated quantification level

Assessment

Regarding the examined parameter the sample corresponds to the legal regulations (Regulation (EEC) No. 315/93 from August 07th, 2009 in connection with EU Regulation (EC) 2023/915 from January 1st, 2025).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/2

Analytical report

AR-25-TH-018657-01-THU23



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 09.12.2025

Test results

Heavy Metals

THU23 Trace Marker Rice Syrup (TM-R) in honey

Method

Subcontracted to an external laboratory accredited for this test

Arsenic (As)

Result	Uncertainty	Unit
<0.010 *		mg/kg

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

* = below indicated quantification level

Assessment

The level of arsenic in honey is within the naturally occurring range. Therefore, there is no hint of an unauthorized addition of rice syrup. Regarding the examined parameter the sample corresponds to the legal regulations (Honey directive 2001/110/EC Article 1 in connection with Annex II from June 23rd, 2014).

Signature


Responsible Scientist Authenticity (Jule Hansen)

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Eurofins Food Integrity Control Services GmbH
Berliner Straße 2
D-27721 Ritterhude
GERMANY

Tel: +49 4292 40772 00
Fax: +49 4292 40772 99

efics@ftdach.eurofins.com

www.eurofins.de

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

Huzar Sp. z o.o.
attn. Laboratory
ul. Tarnowska 161
33-300 Nowy Sącz
POLEN

Report date 11.12.2025

Page 1/14

Analytical report

AR-25-TH-018657-01-PXPH1



Sample Code

296-2025-00018871

¹ Sample name

CQ25111501-1 / CQ25111501-2
005-10530-0005003384

Packaging

Plastic cup

Product

Honey

Sampler

Client

¹Type

Linde

Number sample tubes

2

Type of seal

Seal

¹Seal description

Big bag EUROFINS SEAL NO.:976258, EF726444, EF726443,
EF726450, EF726451

Amount

approx.200 g (each)

Reception temperature

room temperature

Reception date time

04.12.2025

Start / End of analysis

04.12.2025 / 08.12.2025

Test results

Pesticides

SP931 Pesticides Quechers LC-MS/MS

Method DIN EN 15662:2018-07 mod.

Modification: Automated sample processing with ultrasonic extraction

Subcontracted to a Eurofins laboratory

Result

Uncertainty

Unit

Screened pesticides

< reporting limit

¹: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Wołoszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDE3317 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Method DIN EN 15662:2018-07 mod.

Modification: Automated sample processing with ultrasonic extraction

Subcontracted to a Eurofins laboratory

Screened pesticides

Result Uncertainty Unit

< reporting limit

SPSM9 Matrine

Method Internal Method GSP-14.188-1

Subcontracted to a Eurofins laboratory accredited for this test.

Oxymatrine

Result Uncertainty Unit

< 0.01 mg/kg

Matrine

< 0.01 mg/kg

Assessment

Regarding the examined parameters the sample corresponds to the legal regulations (Regulation (EC) 470/2009 from June 16th, 2009 in connection with Regulation (EU) 37/2010 from April 8th, 2024 and Regulation (EU) 396/2005 from February 2nd, 2024).

Signature



Responsible Scientist Authenticity (Jule Hansen)

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM33 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

List of analysed substances:
SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
1,2-Benzoisothiazolin-3-one (BIT)	0.01	1-Naphthylacetamide	0.01
1-Naphthylacetic acid	0.1	2,4,5-T	0.01
2,4-D	0.01	2,4-DB	0.1
2,4-Dimethylaniline	0.01	2,4'-Formoxylidid (Amitraz Metabolite)	0.01
2,6-Dichlorobenzamide	0.01	2-Naphthyloxyacetic acid	0.01
3-Hydroxycarbofuran	0.001	4-(3-Indole)-Butyric acid	0.01
4,6-Dihydroxy-Tembotrione	0.01	4-Amino-3-methylbenzoic acid	0.01
4-Bromo-2-Chlorophenol	0.01	4-Bromophenylurea	0.01
4-CPA	0.01	5-Nitroguaiacol sodium salt	0.01
6-Benzyladenine	0.01	Acephate	0.01
Acetamiprid	0.01	Acetamiprid-N-desmethyl	0.01
Acetochlor	0.01	Acibenzolar-s-methyl	0.01
Acifluorfen	0.05	Acrinathrin	0.01
Afidopyropen	0.01	Alanycarb	0.01
Aldicarb	0.02	Aldicarb-sulfone	0.01
Aldicarb-sulfoxide	0.05	Ametoctradin	0.01
Aminocarb	0.01	Amisulbrom	0.01
Amitraz	0.01	Anilofos	0.01
Anthraquinone	0.01	Atrazin, desisopropyl-	0.01
Atrazine	0.01	Avermectin B1a	0.005
Avermectin B1b	0.1	Azaconazole	0.01
Azadirachtin	0.05	Azinphos-methyl	0.01
Azoxystrobin	0.01	BAC C10 - Benzyltrimethyldecylammonium chloride	0.02
BAC C18 - Benzyltrimethyloctadecylammonium	0.02	Benalaxyl including other mixtures of constituent	0.01
Bendiocarb	0.01	Benfuracarb	0.01
Benfuresate	0.02	Benodanil	0.01
Benoxacor	0.01	Bensulide	0.01
Bentazone	0.01	Benthiavalicarb, isopropyl-	0.01
Benzethonium Chloride	0.02	Benzovindiflupyr	0.01
Benzoximate	0.01	Benzyltrimethyldodecylammonium chloride (BAC C12)	0.02
Benzyltrimethylhexadecylammonium chloride (BAC C16)	0.02	Benzyltrimethyloctylammonium chloride (BAC C8)	0.02

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Benzyl dimethyl tetradecyl ammonium chloride (BAC C14)	0.02	Bifenazate	0.01
Bifenazate-diazene	0.01	Bispyribac Sodium	0.01
Bitertanol	0.01	Bixafen	0.01
Boscalid	0.01	Broflanilide	0.01
Bromoxynil	0.01	Bromuconazole, cis-	0.01
Bromuconazole, trans-	0.01	BTS 27271 (Amitraz Metabolite)	0.01
BTS 44595	0.01	BTS 44596	0.01
Bupirimate	0.01	Buprofezin	0.01
Butocarboxim-sulfoxide	0.01	Buturon	0.01
Butylate	0.02	Cadusafos	0.02
Carbaryl	0.01	Carbendazim	0.005
Carbetamide	0.01	Carbofuran	0.001
Carbosulfan	0.01	Carboxin	0.01
Carboxin-Sulfoxide	0.01	Carfentrazone-ethyl	0.01
Carpropamid	0.01	Cetrimonium (Sum of all salts)	0.02
Chlorantraniliprole	0.01	Chlorbromuron	0.01
Chlorbufam	0.01	Chlorempenthrin	0.01
Chlorfluazuron	0.01	Chloridazon	0.02
Chloridazon-desphenyl	0.01	Chlorotoluron	0.01
Chloroxuron	0.01	Chlorpropham	0.01
Chlorpyrifos (-ethyl)	0.01	Chlorpyrifos-methyl	0.01
Chromafenozide	0.01	Cinerin I	0.1
Cinerin II	0.1	Cinidon-ethyl	0.01
Clefoxydim	0.01	Clethodim	0.01
Clethodim sulfone	0.01	Clethodim sulfoxide	0.01
Climbazole	0.01	Clofentezine	0.01
Clomazone	0.01	Clomeprop	0.1
Cloprop	0.01	Clopyralid	0.01
Clothianidin	0.01	Coumaphos	0.01
Coumoxystrobin	0.01	Crimidine	0.01
Cyanofenphos	0.01	Cyantraniliprole	0.01
Cyazofamid	0.01	Cycloate	0.01
Cycloxydim	0.01	Cyflumetofen	0.01
Cyhalodiamide	0.01	Cyhalofop	0.01
Cyhalofop-butyl	0.05	Cyhexatin	0.01
Cymiazol	0.01	Cymoxanil	0.01
Cyphenothrin	0.05	Cyproconazole	0.01
Cyprodinil	0.01	Cyprofuram	0.01

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Cyromazine	0.05	Dazomet	0.01
DDAC C10 -	0.02	DDAC C12 - Didodecyl dimethyl ammonium chloride	0.02
Didecyldimethylammoniumchloride		Demeton-S-methyl	0.02
DDAC C8 - Dioctyldimethylammonium chloride	0.02		
Demeton-S-methyl-sulfone	0.01	Denatonium benzoate (Bitrex)	0.01
Desmedipham	0.01	Diafenthiuron	0.01
Diallate	0.01	Diazinon	0.01
Dicamba	0.1	Dichlofenthion	0.01
Dichlormid	0.01	Dichlorprop	0.01
Dichlorprop-butoxyethyl ester	0.01	Dichlorvos	0.02
Diclofop-methyl	0.01	Dicrotophos	0.01
Diethofencarb	0.01	Diethyltoluamide	0.01
Difenacoum	0.01	Difenoconazole	0.01
Difenoxyuron	0.01	Diflubenzuron	0.01
Diflufenican	0.01	Dimefox	0.01
Dimefuron	0.1	Dimepiperate	0.01
Dimethachlor	0.01	Dimethenamid including other mixtures of constitue	0.01
		Dimethomorph (sum of isomers)	0.01
Dimethoate	0.01	Dimetilan	0.01
Dimethrin	0.01	Dimpropyridaz	0.01
Dimoxystrobin	0.01	Dinocap (sum of dinocap isomers and their correspo	0.05
Diniconazole	0.01		
		Dinotefuran	0.05
Dinoseb	0.01	Dioxacarb	0.01
Dinoterb	0.01	Diphenamid	0.01
Dioxathion	0.01	Disulfoton	0.01
Diphenylamine	0.02	Disulfoton-sulfoxide	0.01
Disulfoton-sulfon	0.01	Diuron	0.01
Dithianon	0.01	Dodemorph	0.01
Dodecyltrimethylammonium chloride	0.01	Emamectin B1a	0.005
Dodine	0.01	EPN	0.01
Enestroburin	0.01	EPTC	0.01
Epoxiconazole	0.01	Ethiofencarb-sulfone	0.01
Ethiofencarb	0.01	Ethion	0.01
Ethiofencarb-sulfoxide	0.01	Ethirimol	0.01
Ethiprole	0.01	Ethoprophos	0.01
Ethofumesate	0.01	Ethychlozate	0.01
Ethoxyquin	0.01	Fenamidone	0.01
Etofenprox	0.01		

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Fenaminstrobin	0.01	Fenamiphos	0.01
Fenamiphos-sulfone	0.01	Fenamiphos-sulfoxide	0.01
Fenarimol	0.01	Fenazaquin	0.01
Fenbuconazole (sum of constituent enantiomers)	0.01	Fenbutatin oxide	0.01
Fenhexamid	0.01	Fenobucarb	0.01
Fenoprop	0.01	Fenoxaprop-P	0.01
Fenoxycarb	0.01	Fenpiclonil	0.01
Fenpicoxamid	0.01	Fenpropidin	0.01
Fenpropimorph	0.01	Fenpyrazamine	0.01
Fenpyroximate	0.01	Fensulfothion	0.01
Fenthion	0.01	Fenthion-oxon	0.01
Fenthion-oxon-sulfone	0.01	Fenthion-oxon-sulfoxide	0.01
Fenthion-sulfone	0.01	Fenthion-sulfoxide	0.01
Fentin (including its salts)	0.01	Fipronil	0.005
Fipronil, desulfinyl-	0.01	Fipronil-sulfide	0.005
Fipronil-sulfone	0.005	Flamprop	0.01
Flometoquin	0.01	Flonicamid	0.02
Florpyrauxifen-benzyl	0.01	Fluazifop-P	0.01
Fluazifop-P-butyl	0.01	Fluazinam	0.01
Fluazuron	0.01	Flubendiamide	0.01
Flucycloxuron	0.01	Fludioxonil	0.01
Flufenacet	0.01	Flufenacet ESA	0.01
Flufenacet OXA	0.005	Flufenacet-alcohol	0.01
Flufenacet-methylsulfone	0.01	Flufenacet-Thioglycolat-Sulfoxide	0.01
Flufenoxuron	0.01	Flufenazine	0.01
Flumethrin	0.01	Fluometuron	0.01
Fluopicolide	0.01	Fluopyram	0.01
Fluoxapiprolin	0.01	Fluoxastrobin	0.01
Flupyradifurone	0.01	Flupyrimin	0.01
Flurochloridone	0.01	Fluroxypyr	0.01
Fluroxypyr-Methylheptyl	0.01	Flurprimidol	0.01
Flurtamone	0.01	Flusilazole	0.01
Fluthiacet-methyl	0.01	Flutianil	0.01
Flutolanil	0.01	Flutriafol	0.01
Fluxapyroxad	0.01	FM-6-1 (metabolite triflumizole)	0.01
Fomesafen	0.01	Forchlorfenuron	0.01
Formetanate	0.01	Fosthiazate	0.01
Fuberidazole	0.01	Furalaxyl	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Furametpyr	0.01	Furathiocarb	0.01
Halauxifen	0.01	Haloxypop	0.01
Heptenophos	0.01	Hexaconazole	0.01
Hexaflumuron	0.01	Hexazinone	0.01
Hexythiazox (any ratio of constituent isomers)	0.01	Hymexazol	0.01
Icaridin	0.01	Imazalil (any ratio of constituent isomers)	0.01
Imazamox	0.01	Imazapyr	0.01
Imazaquin	0.01	Imazethapyr	0.01
Imibenconazole	0.01	Imidacloprid	0.01
Indaziflam	0.01	Indoxacarb (sum, R+S isomers)	0.01
Iodosulfuron methyl	0.01	Ioxynil (sum of ioxynil and its salts, expressed as	0.01
Iprodione	0.01	Iprovalicarb	0.01
Isazofos	0.01	Isofenphos	0.01
Isofenphos-methyl	0.01	Isofetamid	0.01
Isoprocab	0.01	Isoprothiolane	0.01
Isoproturon	0.01	Isoprazam	0.01
Isotianil	0.01	Isouron	0.01
Isoxaben	0.01	Isoxaflutole	0.01
Isoxaflutole diketonitrile	0.01	Jasmodin I	0.1
Jasmodin II	0.1	Karanjin	0.01
Kresoxim-methyl	0.01	Lenacil	0.01
Linuron	0.01	Lufenuron	0.01
Malaoxon	0.01	Malathion	0.01
Mandipropamid (any ratio of constituent isomers)	0.01	MCPA	0.01
MCPA-2-ethylhexyl	0.01	MCPB	0.01
Mecoprop (sum of mecoprop-p and mecoprop expressed	0.01	Mefentrifluconazole	0.01
Mepanipyrim	0.01	Mesotrione	0.01
Metaflumizone (sum of E- and Z- isomers)	0.01	Metalaxyl and metalaxyl-M (metalaxyl including oth	0.01
Metaldehyde	0.01	Metamitron	0.01
Metazachlor Metabolite 479M08	0.01	Metazachlor Metabolite 479M16	0.01
Metazachlor OA (479M04)	0.01	Metconazole (sum of isomers)	0.01
Methabenzthiazuron	0.01	Methacrifos	0.01
Methamidophos	0.02	Methidathion	0.02
Methiocarb	0.01	Methiocarb-sulfone	0.01

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Methiocarb-sulfoxide	0.01	Methomyl	0.01
Methomyl-oxim	0.01	Methoxyfenozide	0.01
Metobromuron	0.01	Metolachlor and S-metolachlor (metolachlor includi	0.01
Metolcarb	0.01	Metosulam	0.01
Metoxuron	0.01	Metribuzin	0.01
Milbemectin A3	0.1	Milbemectin A4	0.1
Molinate	0.01	Monocrotophos	0.01
Monolinuron	0.01	Monuron	0.01
Myclobutanil (sum of constituent isomers)	0.01	Napropamide	0.01
Neburon	0.01	Niclosamid	0.01
Nicosulfuron	0.01	Nitenpyram	0.1
Novaluron	0.01	Noviflumuron	0.01
Nuarimol	0.01	Ofurace	0.01
Omethoate	0.01	Orysastobin	0.01
Oryzalin	0.01	Oxadiazon	0.01
Oxadixyl	0.01	Oxamyl	0.001
Oxamyl-oxime	0.01	Oxathiapiprolin	0.01
Oxaziclomefone	0.01	Oxfendazole	0.01
Oxycarboxin	0.01	Oxydemeton-methyl	0.02
Paclobutrazol	0.01	Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01	Parathion-methyl	0.05
Pebulate	0.01	Penconazole (sum of constituent isomers)	0.01
Pencycuron	0.01	Pencycuron-PB-amine	0.01
Pendimethalin	0.01	Penflufen	0.01
Penoxsulam	0.01	Pentachlorophenol	0.01
Pentachlor	0.01	Penthiopyrad	0.01
Pethoxamid	0.01	Phenmedipham	0.01
Phenothrin (phenothrin including other mixtures of	0.01	Phenthoate	0.01
Phorate	0.01	Phorate-sulfone	0.01
Phorate-sulfoxide	0.01	Phosalone	0.01
Phosmet	0.005	Phosmet-oxon	0.01
Phosphamidon	0.01	Phoxim	0.01
Picloram	0.1	Pinoxaden	0.01
Piperonyl butoxide	0.01	Pirimicarb	0.01
Pirimicarb, desmethyl-	0.01	Pirimicarb, desmethyl-formamido-	0.01
Pirimiphos-methyl	0.01	Prochloraz	0.01

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Procymidone	0.01	Profenofos	0.01
Prohexadione	0.01	Promecarb	0.01
Prometon	0.01	Propamocarb (Sum of propamocarb and its salts, exp	0.01
Propanil	0.01	Propaquizafop	0.01
Propargite	0.01	Propham	0.01
Propiconazole (sum of isomers)	0.01	Propoxur	0.005
Propoxycarbazone-2-hydroxy	0.01	Propoxycarbazone	0.01
Propyzamide	0.01	Proquinazid	0.02
Prosulfocarb	0.01	Prothioconazole	0.01
Prothioconazole-desthio	0.01	Pydiflumetofen	0.01
Pymetrozine	0.01	Pyraclostrobin	0.01
Pyraflufen, desethyl-	0.01	Pyraflufen-ethyl	0.01
Pyrametostrobin	0.01	Pyraoxystrobin	0.01
Pyrasulfotole	0.01	Pyrethrin I	0.1
Pyrethrin II	0.1	Pyrethrins	0.1
Pyribencarb	0.01	Pyridaben	0.01
Pyridate	0.01	Pyrifluquinazon	0.01
Pyrimethanil	0.01	Pyrimidifen	0.01
Pyriminostrobin	0.01	Pyriofenone	0.01
Pyriproxyfen	0.01	Pyrisoxazole	0.01
Pyroxulam	0.01	Quinclorac	0.01
Quinmerac	0.01	Quinoclamine	0.01
Quinoxifen	0.01	Quizalofop	0.01
Quizalofop-P-tefuryl	0.01	Resmethrin (resmethrin including other mixtures of	0.01
Rimsulfuron	0.01	Rotenone	0.01
Saflufenacil	0.01	Sedaxane, cis-	0.01
Sedaxane, trans-	0.01	Sethoxydim	0.01
Silafluofen	0.01	Simazine	0.01
Simeconazole	0.01	Simetryn	0.01
Sintofen	0.01	Spidoxamat	0.01
Spinetoram J	0.01	Spinetoram L	0.01
Spinosyn A	0.01	Spinosyn D	0.01
Spirodiclofen	0.01	Spiromesifen	0.05
Spirotetramat	0.01	Spirotetramat-enol	0.01
Spirotetramat-enolglucoside	0.02	Spirotetramat-ketohydroxy	0.01
Spirotetramat-monohydroxy	0.01	Spiroxamine	0.01
Sulcotrione	0.05	Sulfentrazone	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP931 Pesticides Quechers LC-MS/MS

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Sulfotep	0.01	Sulfoxaflor	0.01
Sulprofos-sulfoxide	0.01	Tebuconazole	0.01
Tebufenozide	0.01	Tebufenpyrad	0.01
Tebufloquin	0.01	Teflubenzuron	0.01
Tembotrione	0.01	Temephos	0.01
Tepraloxydim	0.01	Terbacil	0.01
Terbufos	0.01	Terbufos-sulfone	0.01
Terbufos-sulfoxide	0.01	Terbumeton	0.01
Terbuthylazine	0.01	Tetraconazole	0.01
Tetradecyltrimethylammonium chloride	0.01	TFNA	0.02
TFNG	0.02	Thiabendazole	0.01
Thiacloprid	0.01	Thiamethoxam	0.01
Thiobencarb	0.01	Thiocyclam	0.02
Thiodicarb	0.01	Thiofanox	0.02
Thiofanox-sulfone	0.01	Thiofanox-sulfone	0.01
Thiofanox-sulfoxide	0.01	Thiofanox-sulfoxide	0.01
Thiophanate-methyl	0.005	Tioxazafen	0.01
Tolclofos-methyl	0.01	Tolfenpyrad	0.01
Tralkoxydim	0.01	Triadimefon	0.01
Triadimenol (any ratio of constituent isomers)	0.01	Triamiphos	0.01
Triasulfuron	0.01	Triazophos	0.01
Trichlorfon	0.05	Triclopyr	0.01
Triclopyricarb	0.01	Tricyclazole	0.01
Tridemorph	0.01	Trifloxystrobin	0.01
Triflumezopyrim	0.01	Triflumizole	0.01
Triflumuron	0.01	Triflurosulfuron-methyl	0.01
Triforine	0.01	Trimethacarb, 3,4,5-	0.01
Trinexapac (free acid)	0.01	Trinexapac-ethyl	0.02
Triticonazole	0.01	Valifenalate	0.01
Vamidothion	0.01	Vamidothion-sulfone	0.01
Vamidothion-sulfoxide	0.01	XMC	0.01
Xylolcarb	0.01	Zoxamide	0.01

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
1,4-dimethylnaphthalene	0.01	2,6-Dichlorobenzamide	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
2,6-Dimethylnaphthalene	0.01	2-Phenylphenol	0.01
Acephate	0.01	Acetochlor	0.02
Aclonifen	0.01	Acrinathrin	0.01
Alachlor	0.01	Aldrin	0.01
Allethrin	0.01	Ametryn	0.01
Atrazin, desethyl-	0.01	Atrazin, desisopropyl-	0.02
Atrazine	0.01	Azaconazole	0.01
Azinphos-ethyl	0.01	Azoxystrobin	0.01
Benalaxyl including other mixtures of constituent	0.01	Benfluralin	0.01
Bifenthrin	0.01	Biphenyl	0.01
Boscalid	0.01	Bromacil	0.02
Bromocyclen	0.02	Bromophos-ethyl	0.02
Bromophos-methyl	0.02	Bromopropylate	0.01
Butachlor	0.01	Butafenacil	0.01
Captan	0.02	Carbophenothion	0.01
Carbophenothion-methyl	0.01	Carboxin	0.01
Chlordane, cis-	0.01	Chlordane, trans-	0.01
Chlorfenapyr	0.01	Chlorfenvinphos	0.01
Chlorobenzilate/Chloropropylate	0.01	Chloroneb	0.01
Chlorothalonil	0.01	Chlorpyrifos (-ethyl)	0.01
Chlorpyrifos-methyl	0.01	Chlorthal-dimethyl	0.01
Chlorthion	0.01	Chlozolate	0.01
Clodinafop-propargyl	0.01	Clomazone	0.01
Cloquintocet-mexyl	0.01	Cyanazine	0.02
Cyanophos	0.02	Cyflufenamid	0.01
Cyfluthrin	0.01	Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)	0.01
Cypermethrin (sum of isomers)	0.01	Cypermethrin, alpha-	0.01
Cyprodinil	0.01	DDD, o,p-	0.01
DDD, p,p'-	0.01	DDE, o,p-	0.01
DDE, p,p'-	0.01	DDT, o,p'-	0.01
DDT, p,p'-	0.01	Deltamethrin	0.01
Desmetryn	0.01	Diazinon	0.01
Dibromobenzophenone, p,p-	0.01	Dichlobenil	0.01
Dichlofluanid	0.01	Dichlorvos	0.01
Diclobutrazol	0.01	Dicloran	0.01
Dicofol, o,p-	0.01	Dicofol, p,p-	0.01
Dieldrin	0.02	Diflufenican	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Dimethenamid including other mixtures of constitute	0.01	Dimethylaminosulphotoluidide (DMST)	0.05
Dimoxystrobin	0.01	Dioxacarb	0.02
Diphenylamine	0.02	Dipropetryn	0.03
Edifenphos	0.01	Endosulfan sulphate	0.01
Endosulfan, alpha-	0.01	Endosulfan, beta-	0.01
Endrin	0.01	Etaconazole	0.01
Ethion	0.01	Ethofumesat-2-keto	0.05
Etoxazole	0.01	Etridiazole	0.01
Etrimfos	0.01	Famophos	0.05
Famoxadone	0.01	Fenamidone	0.01
Fenamiphos	0.02	Fenarimol	0.01
Fenfluthrin	0.03	Fenitrothion	0.01
Fenoxycarb	0.01	Fenpropathrin	0.01
Fenson	0.01	Fenthion	0.01
Fenvalerate (RR-/SS-Isomers)	0.01	Fenvalerate (RS-/SR-Isomers)	0.01
Fipronil	0.01	Fipronil-sulfone	0.01
Flamprop-methyl	0.01	Fluazifop-P-butyl	0.01
Fluazolate	0.01	Flucythrinate	0.01
Flumioxazin	0.01	Fluotrimazole	0.01
Fluquinconazole	0.01	Flurenol-butyl	0.03
Flutriafol	0.02	Fluvalinate (sum of isomers)	0.01
Folpet	0.02	Fonofos	0.01
Formothion	0.01	Furathiocarb	0.01
Haloxypop-methyl	0.03	HCH, alpha-	0.01
HCH, beta-	0.01	HCH, delta-	0.01
HCH, epsilon-	0.01	Heptachlor	0.01
Heptachlor epoxide, cis-	0.01	Heptachlor epoxide, trans-	0.01
Hexachlorobenzene (HCB)	0.01	Hexazinone	0.01
Iodofenphos	0.03	Iprobenfos	0.01
Iprodione	0.02	Isocarbofos	0.01
Isodrin	0.03	Isofenphos	0.01
Isofenphos-methyl	0.01	Isoprothiolane	0.01
Isoxadifen-ethyl	0.01	Isoxathion	0.05
Lenacil	0.02	Leptophos	0.02
Lindane (gamma-HCH)	0.01	Malaoxon	0.02
Malathion	0.01	Mandestrobin	0.01
Mecarbam	0.01	Mefenpyr-diethyl	0.01
Mepanipyrim	0.02	Mepronil	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Metazachlor	0.01	Metconazole, cis-	0.01
Metconazole, trans-	0.01	Methacrifos	0.05
Methoprotryne	0.05	Methoxychlor	0.01
Metolachlor and S-metolachlor (metolachlor includi	0.01	Metrafenone	0.01
Metribuzin	0.01	Mevinphos	0.01
Mirex	0.05	Monalide	0.05
Monocrotophos	0.02	Napropamide	0.01
Nitrapyrin	0.01	Nitrofen	0.01
Nitrothal-isopropyl	0.01	Norflurazon	0.01
Ofurace	0.02	Oxadiazon	0.02
Oxyfluorfen	0.01	Paclobutrazol	0.01
Paraoxon-methyl	0.02	Parathion	0.01
Parathion-methyl	0.02	Pebulate	0.01
Pentachloroaniline	0.01	Pentachloroanisole	0.01
Permethrin (sum of isomers)	0.01	Perthane	0.03
Phenkapton	0.02	Phenthoate	0.01
Phorate	0.02	Phosalone	0.02
Phosmet	0.01	Phosphamidon	0.02
Phthalimide (PI)	0.01	Picolinafen	0.01
Picoxystrobin	0.01	Pirimiphos-ethyl	0.01
Pirimiphos-methyl	0.01	Procymidone	0.01
Profenofos	0.02	Profluralin	0.03
Prometryn	0.01	Propachlor	0.03
Propanil	0.02	Propazine	0.01
Propetamphos	0.01	Propyzamide	0.01
Prothiofos	0.01	Pyrazophos	0.01
Pyridalyl	0.01	Pyridaphenthion	0.01
Pyrifenox	0.02	Pyrimethanil	0.01
Quinalphos	0.01	Quintozene	0.01
Quizalofop-P-ethyl	0.01	S 421	0.01
Sebuthylazine	0.01	Secbumeton	0.03
Silafluofen	0.01	Silthiofam	0.01
Simazine	0.01	Spiromesifen	0.02
Sulprofos	0.01	Tecnazene	0.03
Tefluthrin	0.01	Terbacil	0.02
Terbufos	0.01	Terbuthylazine	0.01
Terbuthylazine, desethyl-	0.01	Terbutryn	0.01
Tetrachlorvinphos	0.01	Tetradifon	0.01

1: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.

SP932 Pesticides Quechers GC-MSD

Substance	Reporting Limit mg/kg
Tetrahydrophthalimide (THPI)	0.01
Tolylfluanid	0.01
Tri-allate	0.01
Triazophos	0.01
Trifluralin	0.01
Triticonazole	0.01
Vinclozolin	0.01

Substance	Reporting Limit mg/kg
Tetramethrin	0.02
Transfluthrin	0.01
Triazamate	0.01
Trifloxystrobin	0.01
Trinexapac-ethyl	0.02
Uniconazole	0.01

SPSM9 Matrine

Substance	Reporting Limit mg/kg
Matrine	0.01

Substance	Reporting Limit mg/kg
Oxymatrine	0.01

*: This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results and the result assessment.

The analysis results and evaluation refer exclusively to the submitted samples and the scope of investigation. The measurement uncertainty does not include possible variation by sampling, if not stated otherwise.

The norm "General requirements for the competence of testing and calibration laboratories (DIN EN ISO/IEC 17025:2018, chapter 7.8.6) requires to state the decision rule for the consideration of the expanded measurement uncertainty in the conformity assessment analysis results obtained for the tested samples. Eurofins Food Integrity Control Services GmbH considers the expanded measurement uncertainty in case the analysis results exceed a legal limit or specification value. In case the analysis results do not exceed a legal limit or specification value, the expanded measurement uncertainty is not considered. Please contact us, if you have particular requirements differing from this standard procedure in order to set up an individual procedure according to your specific needs.

Any publication of this report requires written permission. An excerpt publication is not allowed.

Eurofins Food Integrity Control Services GmbH · Berliner Straße 2 · D-27721 Ritterhude

The place of execution and jurisdiction is Walsrode - lower district court Walsrode HRB 206619.

Managing Director: Piotr Woloszyn

VAT No.: DE301552996

Hypovereinsbank SWIFT-BIC: HYVEDEMM17 IBAN: DE77 2073 0017 7000 0022 00

Our General Terms & Conditions, available upon request and online at <http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.