

Client:


22608171102
PA446916

Huzar Sp. z o.o.
ul. Tarnowska 161
33 300 Nowy Sacz
Poland

FAX: ++48 18 443 45 99

E-Mail: Huzar

Your order no. 49/2026

Attachment pollen analysis: 260812032

Our reference no.	: PI2608100263		
Product	: Honey		
Sample description / Batch	: 02/09		
Sample received on / transported by	: 10.08.2026 via Parcel service	Seal	: none
Sample temp. when received / stored	: RT	Sampling	: Client
Packaging / Quantity	: Plastic container / ca. 100g	Start / End of analysis	: 11.08.2026 / 17.08.2026

ANALYSIS REQUESTED: Determination of the botanical and geographical origin of honey (101294)

Parameter	Description	Result	Method
Yeast content - estimated	increased (>500,000/10g)		PM DE01.045:2024-03 (na) ¹
Starch content_acc. to pollen content	very low (< 5%)		PM DE01.037:2009-08 (a) ²
Colour	white		PM DE01.108:2015-09 (a) ³
Consistency	partly crystalline		PM DE01.108:2015-09 (a) ³
Odour	not typical for honey		PM DE01.108:2015-09 (a) ³
Taste	sweet,fruity,malty,not typical for honey		PM DE01.108:2015-09 (a) ³
Honeydew elements	crystalline matter (moderate),spores (few)		PM DE01.045:2024-03 (na) ¹
Other sediment	plant fibers,pieces of dirt		PM DE01.045:2024-03 (na) ¹
Electr. conductivity		0.08 mS/cm	PM DE01.042:2022-04 (a)
Botanical origin	-		
Geographical origin	China,Eastern Europe		

n.d.= not detected, n.d.(Starch)=<1%, n.a.=not analysed
see attachment for results of the pollen analysis
Assessment according to Directive 2001/110/EC in combination with literature

(a) : accredited method. (na) : not accredited method. (1) DIN 10760 (2) Inhouse procedure (3) DIN 10964
This document may only be reproduced in full. The results given herein apply to the submitted sample only.

Interpretation:

The organoleptic properties of the sample are not consistent with honey. Therefore, we recommend analyzing this sample for adulteration. Based on the analysed pollen spectrum the above stated geographical origin was determined for this sample. The electrical conductivity lies on the edge of the naturally occurring range. The yeast content can give a hint towards a fermentation or a stopped fermentation.



Dr. Klaus Beckmann
Responsible Scientist, Certified Food Chemist

Relative distribution of pollen of nectariferous plants after DIN10760: 2002-5

(undiff. = undifferentiated; accomp. = accompanying; signif. = significant)

Accomp. pollen (16% - 45%)	41%	Rubus (bramble/raspberry)
Signif. Isolated pollen (3% - 15%)	9%	undiff. Asteraceae (daisy family)
	9%	Camellia (camellia)
	4%	undiff. Brassicaceae (cabbage family)

List of identified pollen types

Identified pollen grains of nectariferous plants

Alliaceae	undiff. (-)
Anacardiaceae	undiff. (cashew family)
Apiaceae	Coriandrum (coriander)
Apiaceae	Foeniculum (fennel)
Apiaceae	undiff. (carrot family)
Aquifoliaceae	Ilex (holly)
Asteraceae	Achillea (yarrow)
Asteraceae	Centaurea cyanus (corn flower)
Asteraceae	Helianthus (sunflower)
Asteraceae	Serratula (saw-worth)
Asteraceae	Taraxacum (dandelion)
Asteraceae	undiff. (daisy family)
Brassicaceae	undiff. (cabbage family)
Caprifoliaceae	undiff. (honeysuckle family)
Cornaceae	Cornus (cornel)
Fabaceae	Astragalus (milk vetch)
Fabaceae	Lotus (bird's foot trefoil)
Fabaceae	Onobrychis (sainforn)
Fabaceae	Trifolium (clover)
Fabaceae	Vicia (vetch)
Fagaceae	Castanea (chestnut)
Hydrophyllaceae	Phacelia (bluebell)
Lamiaceae	undiff. (mint family)
Myrtaceae	undiff. (myrtle family)
Polygonaceae	Fagopyrum (buck wheat)
Rhamnaceae	undiff. (buckthorn family)
Rosaceae	Rubus (bramble/raspberry)
Sapindaceae	Acer (maple)
Solanaceae	undiff. (nightshade family)
Theaceae	Camellia (camellia)
Verbenaceae	Vitex (chastetree)
Zygophyllaceae	Nitraria (-)

Identified pollen grains of nectarless plants

Asteraceae	Artemisia (mugwort)
Cannabaceae	undiff. (-)
Chenopodiaceae	undiff. (amaranth family)
Cyperaceae	undiff. (sedges)
Juglandaceae	Juglans (walnut)

Identified pollen grains of nectarless plants

Juglandaceae

Pinaceae

Polygonaceae

Pterocarya (wingnut)

undiff. (pine family)

Rumex (dock)