

ANALYSIS REPORT No. 2608140544
DATE: 14.08.2026
PAGE 1/2

Client:


22608140544
PA446916

Huzar Sp. z o.o.
ul. Tarnowska 161
33 300 Nowy Sacz
Poland

FAX: ++48 18 443 45 99

E-Mail: Huzar

Your order no. 49/2026
Attachment pollen analysis: 260814059

Our reference no.	: PI2608100261		
Product	: Honey		
Sample description / Batch	: 21/05		
Sample received on / transported by	: 10.08.2026 via Parcel service	Seal	: none
Sample temp. when received / stored	: RT	Sampling	: Client
Packaging / Quantity	: Plastic container / ca. 100g	Start / End of analysis	: 11.08.2026 / 14.08.2026

ANALYSIS REQUESTED: Determination of the botanical and geographical origin of honey (101294)

Parameter	Description	Result	Method
Yeast content - estimated	increased (>500,000/10g)		PM DE01.045:2024-03 (na) ¹
Starch content_acc. to pollen content	very low (< 5%)		PM DE01.037:2009-08 (a) ²
Colour	white		PM DE01.108:2015-09 (a) ³
Consistency	partly crystalline		PM DE01.108:2015-09 (a) ³
Odour	not typical for honey		PM DE01.108:2015-09 (a) ³
Taste	sweet,fruity,malty,not typical for honey		PM DE01.108:2015-09 (a) ³
Honeydew elements	crystalline matter (moderate),spores (few)		PM DE01.045:2024-03 (na) ¹
Other sediment	plant fibers,pieces of dirt		PM DE01.045:2024-03 (na) ¹
Electr. conductivity		0.08 mS/cm	PM DE01.042:2022-04 (a)
Botanical origin	-		
Geographical origin	China,Eastern Europe		

n.d.= not detected, n.d.(Starch)=<1%, n.a.=not analysed
see attachment for results of the pollen analysis
Assessment according to Directive 2001/110/EC in combination with literature

(a) : accredited method. (na) : not accredited method. (1) DIN 10760 (2) Inhouse procedure (3) DIN 10964
This document may only be reproduced in full. The results given herein apply to the submitted sample only.

Interpretation:

Based on the analysed organoleptic, physico-chemical and microscopic characteristics, the above stated botanical and geographical origin was determined for this sample.

The organoleptic properties of the sample are not consistent with honey. Therefore, we recommend analyzing this sample for adulteration. The electrical conductivity lies on the edge of the naturally occurring range. Based on the analysed pollen spectrum the above stated geographical origin was determined for this sample. The sample contains

to be continued...



mostly pollen from nectarless plants, hence, the number of nectariferous plants is so low that the values may not be representative. The yeast content can give a hint towards a fermentation or a stopped fermentation.

Dr. Sebastian Klingenberg
Responsible Scientist, Geoscientist

Relative distribution of pollen of nectariferous plants after DIN10760: 2002-5

(undiff. = undifferentiated; accomp. = accompanying; signif. = significant)

Accomp. pollen (16% - 45%)	37%	Myosotis (forget-me-not)
	22%	undiff. Brassicaceae (cabbage family)
Signif. Isolated pollen (3% - 15%)	8%	Camellia (camellia)
	5%	undiff. Asteraceae (daisy family)
	4%	undiff. Apiaceae (carrot family)

List of identified pollen types

Identified pollen grains of nectariferous plants

Apiaceae	Coriandrum (coriander)
Apiaceae	Foeniculum (fennel)
Apiaceae	undiff. (carrot family)
Asteraceae	Achillea (yarrow)
Asteraceae	Centaurea cyanus (corn flower)
Asteraceae	Helianthus (sunflower)
Asteraceae	Serratula (saw-worth)
Asteraceae	Taraxacum (dandelion)
Asteraceae	undiff. (daisy family)
Boraginaceae	Borago (borage)
Boraginaceae	Myosotis (forget-me-not)
Brassicaceae	undiff. (cabbage family)
Caesalpinaceae	Gleditsia (honeylocust)
Caprifoliaceae	undiff. (honeysuckle family)
Fabaceae	Trifolium (clover)
Fabaceae	Vicia (vetch)
Fagaceae	Castanea (chestnut)
Hydrophyllaceae	Phacelia (bluebell)
Lamiaceae	undiff. (mint family)
Myrtaceae	Eucalyptus (gum)
Myrtaceae	undiff. (myrtle family)
Phyllanthaceae	Flueggea (-)
Polygonaceae	Fagopyrum (buck wheat)
Rosaceae	Rubus (bramble/raspberry)
Theaceae	Camellia (camellia)
Tiliaceae	Tilia (linden)
Valerianaceae	Valeriana (valerian)
Verbenaceae	Vitex (chastetree)
Vitaceae	Vitis (vine)
Zygophyllaceae	Nitraria (-)

Identified pollen grains of nectarless plants

Actinidiaceae	Actinidia (kiwi fruit)
Asteraceae	Artemisia (mugwort)
Asteraceae	Xanthium (cocklebur)
Betulaceae	Alnus (alder)
Betulaceae	Betula (birch)
Chenopodiaceae	undiff. (amaranth family)

Identified pollen grains of nectarless plants

Fagaceae
Juglandaceae
Poaceae
Poaceae

Quercus (Oak)
Juglans (walnut)
undiff. (grasses)
Zea (maize)