

Client:



Huzar Sp. z o.o.
ul. Tarnowska 161
33 300 Nowy Sacz
Poland

FAX: ++48 18 443 45 99

E-Mail: Huzar

Your order no. 49/2026

Attachment pollen analysis: 260814008

Our reference no.	: PI2608100260		
Product	: Honey		
Sample description / Batch	: 25C062101		
Sample received on / transported by	: 10.08.2026 via Parcel service	Seal	: none
Sample temp. when received / stored	: RT	Sampling	: Client
Packaging / Quantity	: Plastic container / ca. 110g	Start / End of analysis	: 11.08.2026 / 14.08.2026

ANALYSIS REQUESTED: Determination of the botanical and geographical origin of honey (101294)

Parameter	Description	Result	Method
Yeast content - estimated	increased (>500,000/10g)		PM DE01.045:2024-03 (na) ¹
Starch content_acc. to pollen content	very low (< 5%)		PM DE01.037:2009-08 (a) ²
Colour	extra white		PM DE01.108:2015-09 (a) ³
Consistency	liquid		PM DE01.108:2015-09 (a) ³
Odour	slightly source-specific		PM DE01.108:2015-09 (a) ³
Taste	sweet,fruity,slightly source-specific		PM DE01.108:2015-09 (a) ³
Honeydew elements	crystalline matter (moderate),spores (few)		PM DE01.045:2024-03 (na) ¹
Other sediment	plant fibers,pieces of dirt		PM DE01.045:2024-03 (na) ¹
Electr. conductivity		0.12 mS/cm	PM DE01.042:2022-04 (a)
Botanical origin	Acacia honey if F/G otherwise Acacia honey with blossom honey		
Geographical origin	China		
n.d.= not detected, n.d.(Starch)=<1%, n.a.=not analysed see attachment for results of the pollen analysis Assessment according to Directive 2001/110/EC in combination with literature			
(a) : accredited method. (na) : not accredited method. (1) DIN 10760 (2) Inhouse procedure (3) DIN 10964 This document may only be reproduced in full. The results given herein apply to the submitted sample only.			

Interpretation:

Based on the analysed organoleptic, physico-chemical and microscopic characteristics, the above stated botanical and geographical origin was determined for this sample.

A designation of the honey as single variety (see above) is only possible if the fructose/glucose ratio is also within the range for this type of honey. The yeast content can give a hint towards a fermentation or a stopped fermentation.



Dr. Sebastian Klingenberg
Responsible Scientist, Geoscientist

Relative distribution of pollen of nectariferous plants after DIN10760: 2002-5

(undiff. = undifferentiated; accomp. = accompanying; signif. = significant)

Main pollen (>45%)	49%	Robinia (false acacia)
Signif. Isolated pollen (3% - 15%)	11%	undiff. Brassicaceae (cabbage family)
	4%	undiff. Celastraceae (bittersweet family)
	3%	undiff. Rhamnaceae (buckthorn family)

List of identified pollen types

Identified pollen grains of nectariferous plants

Alliaceae	undiff. (-)
Apiaceae	Coriandrum (coriander)
Apiaceae	undiff. (carrot family)
Asteraceae	Serratula (saw-worth)
Asteraceae	Taraxacum (dandelion)
Asteraceae	undiff. (daisy family)
Bignoniaceae	Catalpa (catalpa)
Brassicaceae	undiff. (cabbage family)
Caprifoliaceae	undiff. (honeysuckle family)
Celastraceae	undiff. (bittersweet family)
Elaeagnaceae	Elaeagnus (oleaster)
Ericaceae	undiff. (heather family)
Fabaceae	Amorpha (false indigo)
Fabaceae	Astragalus (milk vetch)
Fabaceae	Lotus (bird's foot trefoil)
Fabaceae	Robinia (false acacia)
Fabaceae	Trifolium (clover)
Fabaceae	Vicia (vetch)
Rhamnaceae	undiff. (buckthorn family)
Rosaceae	Prunus (stone fruit)
Rosaceae	Pyrus (pear)
Rosaceae	Rubus (bramble/raspberry)
Salicaceae	Salix (willow)
Sapindaceae	Acer (maple)
Scrophulariaceae	Paulownia (foxglove tree)
Simaroubaceae	Ailanthus (tree of heaven)
Theaceae	Camellia (camellia)

Identified pollen grains of nectarless plants

Actinidiaceae	Actinidia (kiwi fruit)
Asteraceae	Artemisia (mugwort)
Betulaceae	undiff. (birch family)
Chenopodiaceae	undiff. (amaranth family)
Cyperaceae	undiff. (sedges)
Fagaceae	Quercus (Oak)
Juglandaceae	Pterocarya (wingnut)
Pinaceae	undiff. (pine family)
Poaceae	undiff. (grasses)
Polygonaceae	Rumex (dock)