

ANALYSIS REPORT No. 2608140543
DATE: 14.08.2026
PAGE 1/1

Client:


22608140543
PA446916

Huzar Sp. z o.o.
ul. Tarnowska 161
33 300 Nowy Sacz
Poland

FAX: ++48 18 443 45 99

E-Mail: Huzar

Your order no. 49/2026
Attachment pollen analysis: 260812033

Our reference no.	: PI2608100264		
Product	: Honey		
Sample description / Batch	: CQ25111501-1		
Sample received on / transported by	: 10.08.2026 via Parcel service	Seal	: none
Sample temp. when received / stored	: RT	Sampling	: Client
Packaging / Quantity	: Plastic container / ca. 100g	Start / End of analysis	: 11.08.2026 / 14.08.2026

ANALYSIS REQUESTED: Determination of the botanical and geographical origin of honey (101294)

Parameter	Description	Result	Method
Yeast content - estimated	increased (>500,000/10g)		PM DE01.045:2024-03 (na) ¹
Starch content_acc. to pollen content	very low (< 5%)		PM DE01.037:2009-08 (a) ²
Colour	white		PM DE01.108:2015-09 (a) ³
Consistency	liquid		PM DE01.108:2015-09 (a) ³
Odour	typical for honey		PM DE01.108:2015-09 (a) ³
Taste	sweet,fruity,minty		PM DE01.108:2015-09 (a) ³
Honeydew elements	crystalline matter (moderate),spores (few)		PM DE01.045:2024-03 (na) ¹
Other sediment	plant fibers		PM DE01.045:2024-03 (na) ¹
Electr. conductivity		0.34 mS/cm	PM DE01.042:2022-04 (a)
Botanical origin	Linden honey		
Geographical origin	China		

n.d.= not detected, n.d.(Starch)=<1%, n.a.=not analysed
see attachment for results of the pollen analysis
Assessment according to Directive 2001/110/EC in combination with literature

(a) : accredited method. (na) : not accredited method. (1) DIN 10760 (2) Inhouse procedure (3) DIN 10964
This document may only be reproduced in full. The results given herein apply to the submitted sample only.

Interpretation:

Based on the analysed organoleptic, physico-chemical and microscopic characteristics, the above stated botanical and geographical origin was determined for this sample.

The yeast content can give a hint towards a fermentation or a stopped fermentation.



Dr. Sebastian Klingenberg
Responsible Scientist, Geoscientist

Relative distribution of pollen of nectariferous plants after DIN10760: 2002-5

(undiff. = undifferentiated; accomp. = accompanying; signif. = significant)

Accomp. pollen (16% - 45%)	23%	Tilia (linden)
Signif. Isolated pollen (3% - 15%)	3%	undiff. Brassicaceae (cabbage family)

List of identified pollen types

Identified pollen grains of nectariferous plants

Alliaceae	undiff. (-)
Apiaceae	Coriandrum (coriander)
Apiaceae	Foeniculum (fennel)
Apiaceae	undiff. (carrot family)
Asteraceae	Helianthus (sunflower)
Asteraceae	Taraxacum (dandelion)
Asteraceae	undiff. (daisy family)
Brassicaceae	undiff. (cabbage family)
Celastraceae	undiff. (bittersweet family)
Fabaceae	Amorpha (false indigo)
Fabaceae	Robinia (false acacia)
Fabaceae	Trifolium (clover)
Fabaceae	Vicia (vetch)
Fagaceae	Castanea (chestnut)
Oleaceae	Ligustrum (privet)
Phyllanthaceae	Flueggea (-)
Rhamnaceae	undiff. (buckthorn family)
Rosaceae	Prunus (stone fruit)
Rosaceae	Pyrus (pear)
Rosaceae	Rubus (bramble/raspberry)
Theaceae	Camellia (camellia)
Tiliaceae	Tilia (linden)
Verbenaceae	Vitex (chastetree)

Identified pollen grains of nectarless plants

Actinidiaceae	Actinidia (kiwi fruit)
Betulaceae	Corylus (hazel)
Juglandaceae	Juglans (walnut)
Pinaceae	undiff. (pine family)
Plantaginaceae	Plantago (plantain)