





pgAdmin

File Object Tools Help

Browser

- Servers (1)
  - PostgreSQL 15
    - Databases (3)
      - lab11\_nyc
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions (2)
          - plpgsql
          - postgres
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configurations
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Views
            - Operators
            - Procedures
            - Sequences
            - Tables (6)
              - nyc\_census\_blocks
              - nyc\_homicides
              - nyc\_neighborhoods
              - nyc\_streets
              - nyc\_subway\_stations
              - spatial\_ref\_sys
            - Trigger Functions
            - Types
            - Views

Properties SQL Statistics Dependencies Dependents Processes lab11\_nyc/postgres@PostgreSQL 15\* Untitled\*

lab11\_nyc/postgres@PostgreSQL 15

Query Query History

```
1 SELECT count(*) from nyc_streets;
```

Scratch Pad

Data Output Messages Notifications

	count	bigint
1	19091	

pgAdmin

File Object Tools Help

Browser

- Servers (1)
  - PostgreSQL 15
    - Databases (3)
      - lab11\_nyc
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions (2)
          - plpgsql
          - postgres
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configurations
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Views
            - Operators
            - Procedures
            - Sequences
            - Tables (6)
              - nyc\_census\_blocks
              - nyc\_homicides
              - nyc\_neighborhoods
              - nyc\_streets
              - nyc\_subway\_stations
              - spatial\_ref\_sys
            - Trigger Functions
            - Types
            - Views

Properties SQL Statistics Dependencies Dependents Processes lab11\_nyc/postgres@PostgreSQL 15\* Untitled\*

lab11\_nyc/postgres@PostgreSQL 15

Query Query History

```
1 select Count(*)
2 from nyc_streets as nys
3 where nys.name like 'DS' or
4 name like 'Q01' or
5 name like 'MS';
```

Scratch Pad

Data Output Messages Notifications

	count	bigint
1	2102	

min File Object Tools Help

Properties SQL Statistics Dependencies Dependents Processes lab11\_nyc/postgres@PostgreSQL 15\* Untitled\*

lab11\_nyc/postgres@PostgreSQL 15

Query Query History Scratch Pad

```

1 select Sum(popn_total)
2 as population
3 from nyc_census_blocks;

```

Data Output Messages Notifications

population
8175032

lab11\_nyc/postgres@PostgreSQL 15

Tables (6)

- nyc\_census\_blocks
  - Columns (10)
    - gid
    - bkid
    - popn\_total

File Object Tools Help

Properties SQL Statistics Dependencies Dependents Processes lab11\_nyc/postgres@PostgreSQL 15\* Untitled\*

lab11\_nyc/postgres@PostgreSQL 15

Query Query History Scratch Pad

```

1 select Sum(popn_total)
2 as population
3 from nyc_census_blocks as nycb
4 where nycb.borname = 'The Bronx' or nycb.borname = 'Manhattan' or nycb.borname = 'Queens';

```

Data Output Messages Notifications

population
5201602

lab11\_nyc/postgres@PostgreSQL 15

Tables (6)

- nyc\_census\_blocks
  - Columns (10)
    - gid
    - bkid
    - popn\_total
    - popn\_white
    - popn\_black
    - popn\_nativ
    - popn\_asian

