CJK Symbols and Punctuation

Range: 3000-303F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 14.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See https://www.unicode.org/charts/PDF/Unicode-14.0/ for charts showing only the characters added in Unicode 14.0.

See https://www.unicode.org/Public/14.0.0/charts/ for a complete archived file of character code charts for Unicode 14.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 14.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 14.0, online at https://www.unicode.org/versions/Unicode14.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See https://www.unicode.org/pending/pending.html and https://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2021 Unicode, Inc. All rights reserved.



→ 230B | right floor

LEFT WHITE CORNER BRACKET

RIGHT WHITE CORNER BRACKET

r

300E

300F _

CJK symbols and punctuation CJK brackets LEFT BLACK LENTICULAR BRACKET 3000 SP IDEOGRAPHIC SPACE 3010 → 0020 sp space 3011 RIGHT BLACK LENTICULAR BRACKET ≈ <wide> 0020 [sp **CJK symbols** 3001 **IDEOGRAPHIC COMMA** 3012 〒 POSTAL MARK • in Chinese, delimits items in a list or series → 20B8 **T** tenge sign \rightarrow 002C, comma \rightarrow 2AE7 \mp short down tack with overbar \rightarrow FF0C , fullwidth comma → 1F3E3 🗐 japanese post office → FF64 , halfwidth ideographic comma 3013 GETA MARK \sim 3001 FE00 、 corner-justified form • substitute for ideograph not in font ~ 3001 FE01 > centered form • editorial convention to represent ideographic 3002 。 **IDEOGRAPHIC FULL STOP** \rightarrow 002E. full stop \rightarrow 25A1 \square white square → FF0E. fullwidth full stop → 1F7F0 = heavy equals sign → FF61 o halfwidth ideographic full stop **CJK brackets** ~ 3002 FE00 。 corner-justified form 3014 LEFT TORTOISE SHELL BRACKET ~ 3002 FE01 ° centered form 3015 RIGHT TORTOISE SHELL BRACKET 3003 // DITTO MARK → 2033 " double prime 3016 LEFT WHITE LENTICULAR BRACKET 3004 (JAPANESE INDUSTRIAL STANDARD SYMBOL 3017 RIGHT WHITE LENTICULAR BRACKET 3018 LEFT WHITE TORTOISE SHELL BRACKET 3005 々 IDEOGRAPHIC ITERATION MARK → 206A4 々 → 27EC (mathematical left white tortoise shell → 16FE0 3 tangut iteration mark 3019 RIGHT WHITE TORTOISE SHELL BRACKET 3006 → 4E44 メ → 27ED) mathematical right white tortoise shell bracket 3007 ○ IDEOGRAPHIC NUMBER ZERO 301A LEFT WHITE SOUARE BRACKET → 20DD ⑤ combining enclosing circle = left abstract syntax bracket \rightarrow 25CB O white circle → 27E6 [mathematical left white square → 25EF large circle bracket **CJK angle brackets** 301B RIGHT WHITE SQUARE BRACKET 3008 LEFT ANGLE BRACKET = right abstract syntax bracket → 27E7 mathematical right white square → 003C < less-than sign bracket → 2039 < single left-pointing angle quotation mark **CJK** punctuation → 2329 〈 left-pointing angle bracket 301C ∼ **WAVE DASH** → 27E8 (mathematical left angle bracket This character was encoded to match JIS C 6226-3009 **RIGHT ANGLE BRACKET** 1978 1-33 "wave dash". → 003E > greater-than sign → 2053 ~ swung dash → 203A > single right-pointing angle quotation → 3030 \ wavy dash mark ightarrow FF5E \sim fullwidth tilde → 232A \right-pointing angle bracket 301D REVERSED DOUBLE PRIME QUOTATION MARK → 27E9 \ mathematical right angle bracket sometimes depicted as double prime **《 LEFT DOUBLE ANGLE BRACKET** 300A quotation mark → 00AB « left-pointing double angle quotation → 201C" left double quotation mark mark → 2036 " reversed double prime → 27EA (mathematical left double angle 301E DOUBLE PRIME QUOTATION MARK bracket • this is a mistaken analogue to 201D "; 301F > 300B » RIGHT DOUBLE ANGLE BRACKET is preferred → 00BB » right-pointing double angle \rightarrow 201D" right double quotation mark \rightarrow 2033" double prime quotation mark → 27EB » mathematical right double angle 301F s LOW DOUBLE PRIME QUOTATION MARK brackét may be depicted as low inverse double prime **CJK corner brackets** quótation mark The CJK corner brackets, which function as quotation marks, **CJK symbol** are not recommended for general-purpose corner brackets. 3020 TO POSTAL MARK FACE See the ceiling and floor characters, instead. Suzhou numerals 300C LEFT CORNER BRACKET The Suzhou numerals (Chinese su1zhou1ma3zi) are special → 2308 [left ceiling 300D | RIGHT CORNER BRACKET numeric forms used by traders to display the prices of goods.

3021

3022

[]

The use of "HANGZHOU" in the names is a misnomer.

HANGZHOU NUMERAL ONE

HANGZHOU NUMERAL TWO

3023	[1]	HANGZHOU NUMERAL THREE
3024	乂	HANGZHOU NUMERAL FOUR
3025	8	HANGZHOU NUMERAL FIVE
3026	Т.	HANGZHOU NUMERAL SIX
3027	=	HANGZHOU NUMERAL SEVEN
3028	$\stackrel{ ax}{=}$	HANGZHOU NUMERAL EIGHT
3029	タ	HANGZHOU NUMERAL NINE

Combining tone marks

= double dot Bangjeom

Other CJK punctuation

3030 \sim WAVY DASH \rightarrow 2307 \(\) wavy line \rightarrow 301C \sim wave dash

Kana repeat marks

These characters are only used in vertical writing of Japanese.

3031 VERTICAL KANA REPEAT MARK
3032 VERTICAL KANA REPEAT WITH VOICED SOUND
MARK

• implemented as glyphs that are two-em tall VERTICAL KANA REPEAT MARK UPPER HALF

3033 / VERTICAL KANA REPEAT MARK UPPER HALF 3034 / VERTICAL KANA REPEAT WITH VOICED SOUND MARK UPPER HALF

> implemented as glyphs that are one-em tall and that combine with the following character to form ligated two-em glyphs for the complete repeat marks

3035 \ VERTICAL KANA REPEAT MARK LOWER HALF

Other CJK symbols

3036 🖶 CIRCLED POSTAL MARK

= symbol for type B electronics

• not used as a postal mark

→ 2B97 ▼ symbol for type a electronics ≈ 3012 ⊤ postal mark

3037 XX IDEOGRAPHIC TELEGRAPH LINE FEED SEPARATOR SYMBOL

Additional Suzhou numerals

3038 + HANGZHOU NUMERAL TEN ≈ 5341 +

303A ∰ HANGZHOU NUMERAL THIRTY ≈ 5345 ∰

Other CJK punctuation

303B S VERTICAL IDEOGRAPHIC ITERATION MARK

303C MASU MARK

• informal abbreviation for Japanese -masu ending

→ 29C4 🛛 squared rising diagonal slash

303D [→] PART ALTERNATION MARK

• marks the start of a song part in Japanese

Special CJK indicators

These are visibly displayed graphic characters, not invisible format control characters.

303E ≠ IDEOGRAPHIC VARIATION INDICATOR

 visual indicator that the following ideograph is to be taken as a variant of the intended character

303F ☐ IDEOGRAPHIC HALF FILL SPACE

• visual indicator of a screen space for half of an ideograph