



Basic Operations of AUTOCUT10 Optimization Software




- 1.Double click with the left mouse button to open the AutoCUT software on the desktop
- 2.Left click on File and click on New




① Without entering the project name, click OK (skip steps 3 and 4 below)




② Enter the project name and click OK



3.Switch to project name 123456




4.Right click in the blank and click "Import"



5.Set fields before importing data.

①Next, edit the fields and click on the icon shown in the figure to pop up the field editing


box.Example as shown in the figure



②Open the data table provided by the splitting software, view the header of each column, and edit the fields according to this header

Part Name	Part Length	Part Width	Required Quantity	Grains	Material Code	Edge Top	Edge Bottom	Edge Left	Edge Right	Finished Length	Finished Width	Barcode	Project Code	Article Name	Customer Name
Bottom Panel	1915	57.2	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1915	57.5	44281_101	44281_PC2	44281_King Holiday Inn	Oak Fe
HB_Front_P	1954.4	1015.4	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1955	1016	44281_101	44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	503.5	50	110	17	0	Pim Mdf_17	bevel Cut 4			503.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	503.5	50	110	17	0	Pim Mdf_17	bevel Cut 4			503.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	543.5	50	110	17	0	Pim Mdf_17	bevel Cut 4			543.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	543.5	50	110	17	0	Pim Mdf_17	bevel Cut 4			543.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	1200	50	165	17	0	Pim Mdf_17	bevel Cut 4			1200	50		44281_PC2	44281_King Holiday Inn	Oak Fe


6.Select the document to be disassembled (for Beam saw) and click "Open"





7.Match each item correctly. The circle section is the default field, while the box section is an editable field (used for label making)


Part Name	Part Length	Part Width	Required Quantity	Thickness	Grains	Material Code	Edge Top	Edge Bottom	Edge Left	Edge Right	Finished Length	Finished Width	Barcode	Project Code	Article Name	Customer Name
Bottom Panel	1915	57.2	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1915	57.5	44281_101	44281_PC2	44281_King Holiday Inn	Oak Fe
HB_Front_Par	1954.4	1015.4	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1955	1016	44281_101	44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	503.5	50	110	17	0	Pim Mdf_17	bevel Cut 4				503.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	503.5	50	110	17	0	Pim Mdf_17	bevel Cut 4				503.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	543.5	50	110	17	0	Pim Mdf_17	bevel Cut 4				543.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	543.5	50	110	17	0	Pim Mdf_17	bevel Cut 4				543.5	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	1200	50	165	17	0	Pim Mdf_17	bevel Cut 4				1200	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Miter Panel	1915	50	55	17	0	Pim Mdf_17	bevel Cut 4				1915	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Bottom Panel	995.2	57.7	110	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	995.5	58	44281_404	44281_PC2	44281_King Holiday Inn	Oak Fe
Top Panel	1953.4	57.7	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1954	58	44281_504	44281_PC2	44281_King Holiday Inn	Oak Fe
Battam Panel	548.5	56.9	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	548.5	57.5	44281_419	44281_PC2	44281_King Holiday Inn	Oak Fe
Battam Panel	548.5	56.9	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	548.5	57.5	44281_519	44281_PC2	44281_King Holiday Inn	Oak Fe
Front Panel	1524.4	584.4	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1525	585	44281_519	44281_PC2	44281_King Holiday Inn	Oak Fe
Front Panel	1524.4	584.4	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1525	585	44281_519	44281_PC2	44281_King Holiday Inn	Oak Fe
Side Panel	1504.2	57.7	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1504.5	58		44281_PC2	44281_King Holiday Inn	Oak Fe
Side Panel	1504.2	57.7	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1504.5	58		44281_PC2	44281_King Holiday Inn	Oak Fe
Side Panel	1521.4	57.7	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1522	58		44281_PC2	44281_King Holiday Inn	Oak Fe
Side Panel	1521.4	57.7	55	17	1	Pim Mdf_17	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	Pvc 22x0.8	1522	58		44281_PC2	44281_King Holiday Inn	Oak Fe
Thickness Panel	355.4	50	110	17	1	Pim Mdf_17					355.4	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Thickness Panel	355.4	50	110	17	1	Pim Mdf_17					355.4	50		44281_PC2	44281_King Holiday Inn	Oak Fe
Thickness Panel	408	50	220	17	1	Pim Mdf_17					408	50		44281_PC2	44281_King Holiday Inn	Oak Fe

8.After matching, select the data start position and data end point position, and then click OK










9. Click on the Solving button



10. Click on the Combine Solving button, start optimizing layout



11. After optimizing the layout, we can view the corresponding data, including the boards used, the generated layout diagrams, etc



12.Finally, save the file. Click on file, select Save As, and then click Save.

