

Notatnik

1.0

Generated by Doxygen 1.8.13

Contents

| | | |
|----------|--|----------|
| 1 | Namespace Index | 1 |
| 1.1 | Namespace List | 1 |
| 2 | Hierarchical Index | 3 |
| 2.1 | Class Hierarchy | 3 |
| 3 | Class Index | 5 |
| 3.1 | Class List | 5 |
| 4 | File Index | 7 |
| 4.1 | File List | 7 |
| 5 | Namespace Documentation | 9 |
| 5.1 | NOTATNIK Namespace Reference | 9 |
| 5.2 | NOTATNIK.Models Namespace Reference | 9 |
| 5.3 | NOTATNIK.Models.Database Namespace Reference | 9 |
| 5.4 | NOTATNIK.Models.Extensions Namespace Reference | 10 |
| 5.5 | NOTATNIK.Models.Interfaces Namespace Reference | 10 |
| 5.6 | NOTATNIK.ViewModels Namespace Reference | 10 |
| 5.7 | NOTATNIK.Views Namespace Reference | 10 |
| 5.8 | NOTATNIK.Views.Controls Namespace Reference | 10 |

| | | |
|----------|---|-----------|
| 6 | Class Documentation | 11 |
| 6.1 | NOTATNIK.Views.AddTaskPage Class Reference | 11 |
| 6.1.1 | Detailed Description | 11 |
| 6.1.2 | Constructor & Destructor Documentation | 11 |
| 6.1.2.1 | AddTaskPage() | 12 |
| 6.1.3 | Member Function Documentation | 12 |
| 6.1.3.1 | OnAppearing() | 12 |
| 6.1.4 | Property Documentation | 12 |
| 6.1.4.1 | TaskId | 12 |
| 6.2 | NOTATNIK.ViewModels.AddTaskViewModel Class Reference | 12 |
| 6.2.1 | Detailed Description | 13 |
| 6.2.2 | Constructor & Destructor Documentation | 13 |
| 6.2.2.1 | AddTaskViewModel() | 13 |
| 6.2.3 | Member Function Documentation | 13 |
| 6.2.3.1 | Load() | 13 |
| 6.2.4 | Property Documentation | 14 |
| 6.2.4.1 | CmdRemove | 14 |
| 6.2.4.2 | CmdSave | 14 |
| 6.2.4.3 | Content | 14 |
| 6.2.4.4 | IsRemove | 14 |
| 6.2.4.5 | Page | 15 |
| 6.2.4.6 | Subject | 15 |
| 6.3 | NOTATNIK.App Class Reference | 15 |
| 6.3.1 | Detailed Description | 15 |
| 6.3.2 | Constructor & Destructor Documentation | 16 |
| 6.3.2.1 | App() | 16 |
| 6.3.3 | Property Documentation | 16 |
| 6.3.3.1 | Height | 16 |
| 6.3.3.2 | Width | 16 |
| 6.4 | NOTATNIK.Models.Extensions.AssetsImageExtension Class Reference | 16 |

| | | |
|---------|--|----|
| 6.4.1 | Detailed Description | 17 |
| 6.4.2 | Member Function Documentation | 17 |
| 6.4.2.1 | GetSource() | 17 |
| 6.4.2.2 | ProvideValue() | 17 |
| 6.4.3 | Property Documentation | 18 |
| 6.4.3.1 | Source | 18 |
| 6.5 | NOTATNIK.Models.Configuration Class Reference | 18 |
| 6.5.1 | Detailed Description | 18 |
| 6.5.2 | Property Documentation | 18 |
| 6.5.2.1 | DATABASE | 18 |
| 6.6 | NOTATNIK.Views.DashboardPage Class Reference | 19 |
| 6.6.1 | Detailed Description | 19 |
| 6.6.2 | Constructor & Destructor Documentation | 19 |
| 6.6.2.1 | DashboardPage() | 19 |
| 6.6.3 | Member Function Documentation | 19 |
| 6.6.3.1 | OnAppearing() | 19 |
| 6.7 | NOTATNIK.ViewModels.DashboardViewModel Class Reference | 20 |
| 6.7.1 | Detailed Description | 20 |
| 6.7.2 | Constructor & Destructor Documentation | 20 |
| 6.7.2.1 | DashboardViewModel() | 20 |
| 6.7.3 | Member Function Documentation | 20 |
| 6.7.3.1 | AddTasks() | 20 |
| 6.7.3.2 | Load() | 21 |
| 6.7.4 | Member Data Documentation | 21 |
| 6.7.4.1 | Tasks | 21 |
| 6.7.5 | Property Documentation | 21 |
| 6.7.5.1 | CmdAdd | 21 |
| 6.7.5.2 | HasItems | 22 |
| 6.7.5.3 | NoItems | 22 |
| 6.7.5.4 | Page | 22 |

| | | |
|----------|---|----|
| 6.8 | NOTATNIK.ViewModels.GetTask Class Reference | 22 |
| 6.8.1 | Detailed Description | 23 |
| 6.8.2 | Member Function Documentation | 23 |
| 6.8.2.1 | DatabaseCall() | 23 |
| 6.8.3 | Property Documentation | 23 |
| 6.8.3.1 | Task | 23 |
| 6.9 | NOTATNIK.Models.Interfaces.IGetTask Interface Reference | 23 |
| 6.9.1 | Detailed Description | 24 |
| 6.9.2 | Member Function Documentation | 24 |
| 6.9.2.1 | DatabaseCall() | 24 |
| 6.9.3 | Property Documentation | 24 |
| 6.9.3.1 | Task | 24 |
| 6.10 | NOTATNIK.Views.InitializationPage Class Reference | 24 |
| 6.10.1 | Detailed Description | 25 |
| 6.10.2 | Constructor & Destructor Documentation | 25 |
| 6.10.2.1 | InitializationPage() | 25 |
| 6.10.3 | Member Function Documentation | 25 |
| 6.10.3.1 | OnAppearing() | 25 |
| 6.11 | NOTATNIK.ViewModels.InitializationViewModel Class Reference | 25 |
| 6.11.1 | Detailed Description | 26 |
| 6.11.2 | Member Function Documentation | 26 |
| 6.11.2.1 | Database() | 26 |
| 6.11.2.2 | SizeChanged() | 26 |
| 6.12 | NOTATNIK.Models.Interfaces.ISourceService Interface Reference | 27 |
| 6.12.1 | Detailed Description | 27 |
| 6.12.2 | Member Function Documentation | 27 |
| 6.12.2.1 | GetSource() | 27 |
| 6.13 | NOTATNIK.Models.Interfaces.IStreamService Interface Reference | 27 |
| 6.13.1 | Detailed Description | 27 |
| 6.13.2 | Member Function Documentation | 27 |

| | | |
|--------------|--|-----------|
| 6.13.2.1 | GetStream() | 28 |
| 6.14 | NOTATNIK.Models.Database.Task Class Reference | 28 |
| 6.14.1 | Detailed Description | 28 |
| 6.14.2 | Property Documentation | 28 |
| 6.14.2.1 | Content | 28 |
| 6.14.2.2 | Id | 28 |
| 6.14.2.3 | Subject | 29 |
| 6.15 | NOTATNIK.Views.Controls.TaskControl Class Reference | 29 |
| 6.15.1 | Detailed Description | 29 |
| 6.15.2 | Constructor & Destructor Documentation | 29 |
| 6.15.2.1 | TaskControl() | 29 |
| 6.16 | NOTATNIK.ViewModels.TaskViewModel Class Reference | 30 |
| 6.16.1 | Detailed Description | 30 |
| 6.16.2 | Property Documentation | 30 |
| 6.16.2.1 | CmdSelected | 30 |
| 6.16.2.2 | Content | 30 |
| 6.16.2.3 | Id | 30 |
| 6.16.2.4 | Subject | 30 |
| 7 | File Documentation | 31 |
| 7.1 | NOTATNIK/NOTATNIK/App.xaml.cs File Reference | 31 |
| 7.2 | NOTATNIK/NOTATNIK/Models/Configuration.cs File Reference | 31 |
| 7.3 | NOTATNIK/NOTATNIK/Models/Database/Task.cs File Reference | 31 |
| 7.4 | NOTATNIK/NOTATNIK/Models/Extensions/AssetsImageExtension.cs File Reference | 32 |
| 7.5 | NOTATNIK/NOTATNIK/Models/Interfaces/IGetTask.cs File Reference | 32 |
| 7.6 | NOTATNIK/NOTATNIK/Models/Interfaces/ISourceService.cs File Reference | 32 |
| 7.7 | NOTATNIK/NOTATNIK/Models/Interfaces/IStreamService.cs File Reference | 32 |
| 7.8 | NOTATNIK/NOTATNIK/Properties/AssemblyInfo.cs File Reference | 33 |
| 7.9 | NOTATNIK/NOTATNIK/ViewModels/AddTaskViewModel.cs File Reference | 33 |
| 7.10 | NOTATNIK/NOTATNIK/ViewModels/DashboardViewModel.cs File Reference | 33 |
| 7.11 | NOTATNIK/NOTATNIK/ViewModels/InitializationViewModel.cs File Reference | 33 |
| 7.12 | NOTATNIK/NOTATNIK/ViewModels/TaskViewModel.cs File Reference | 34 |
| 7.13 | NOTATNIK/NOTATNIK/Views/AddTaskPage.xaml.cs File Reference | 34 |
| 7.14 | NOTATNIK/NOTATNIK/Views/Controls/TaskControl.xaml.cs File Reference | 34 |
| 7.15 | NOTATNIK/NOTATNIK/Views/DashboardPage.xaml.cs File Reference | 34 |
| 7.16 | NOTATNIK/NOTATNIK/Views/InitializationPage.xaml.cs File Reference | 34 |
| Index | | 35 |

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

| | |
|-----------------------------------|----|
| NOTATNIK | 9 |
| NOTATNIK.Models | 9 |
| NOTATNIK.Models.Database | 9 |
| NOTATNIK.Models.Extensions | 10 |
| NOTATNIK.Models.Interfaces | 10 |
| NOTATNIK.ViewModels | 10 |
| NOTATNIK.Views | 10 |
| NOTATNIK.Views.Controls | 10 |

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

| | |
|---|----|
| NOTATNIK.ViewModels.AddTaskViewModel | 12 |
| Application | |
| NOTATNIK.App | 15 |
| NOTATNIK.Models.Configuration | 18 |
| ContentPage | |
| NOTATNIK.Views.AddTaskPage | 11 |
| NOTATNIK.Views.DashboardPage | 19 |
| NOTATNIK.Views.InitializationPage | 24 |
| ContentView | |
| NOTATNIK.Views.Controls.TaskControl | 29 |
| NOTATNIK.ViewModels.DashboardViewModel | 20 |
| NOTATNIK.Models.Interfaces.IGetTask | 23 |
| NOTATNIK.ViewModels.GetTask | 22 |
| IMarkupExtension | |
| NOTATNIK.Models.Extensions.AssetsImageExtension | 16 |
| NOTATNIK.ViewModels.InitializationViewModel | 25 |
| NOTATNIK.Models.Interfaces.ISourceService | 27 |
| NOTATNIK.Models.Interfaces.IStreamService | 27 |
| NOTATNIK.Models.Database.Task | 28 |
| NOTATNIK.ViewModels.TaskViewModel | 30 |

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| | |
|---|----|
| NOTATNIK.Views.AddTaskPage | 11 |
| NOTATNIK.ViewModels.AddTaskViewModel | |
| Klasa pomocnicza do załadowania danych do widoku. | 12 |
| NOTATNIK.App | |
| Klasa startowa projektu. | 15 |
| NOTATNIK.Models.Extensions.AssetsImageExtension | |
| Klasa pomocnicza do wczytywania obrazka. | 16 |
| NOTATNIK.Models.Configuration | |
| Klasa pomocnicza ze stałymi wartościami do projektu | 18 |
| NOTATNIK.Views.DashboardPage | 19 |
| NOTATNIK.ViewModels.DashboardViewModel | |
| Klasa pomocnicza do załadowania danych do widoku. | 20 |
| NOTATNIK.ViewModels.GetTask | |
| Klasa implementująca metode do pobrania tasków z bazy | 22 |
| NOTATNIK.Models.Interfaces.IGetTask | |
| Interfejs do pobrania Task | 23 |
| NOTATNIK.Views.InitializationPage | 24 |
| NOTATNIK.ViewModels.InitializationViewModel | |
| Klasa pomocnicza do obsłużenia widoku InitializationPage. | 25 |
| NOTATNIK.Models.Interfaces.ISourceService | |
| Interfejs do pobrania ścieżki | 27 |
| NOTATNIK.Models.Interfaces.IStreamService | |
| Intefejs do uzyskania stream ze ścieżki do zdjęcia. | 27 |
| NOTATNIK.Models.Database.Task | |
| Klasa pomocnicza do bazy danych. | 28 |
| NOTATNIK.Views.Controls.TaskControl | 29 |
| NOTATNIK.ViewModels.TaskViewModel | 30 |

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

| | |
|---|----|
| NOTATNIK/NOTATNIK/ App.xaml.cs | 31 |
| NOTATNIK/NOTATNIK/Models/ Configuration.cs | 31 |
| NOTATNIK/NOTATNIK/Models/Database/ Task.cs | 31 |
| NOTATNIK/NOTATNIK/Models/Extensions/ AssetsImageExtension.cs | 32 |
| NOTATNIK/NOTATNIK/Models/Interfaces/ IGetTask.cs | 32 |
| NOTATNIK/NOTATNIK/Models/Interfaces/ ISourceService.cs | 32 |
| NOTATNIK/NOTATNIK/Models/Interfaces/ IStreamService.cs | 32 |
| NOTATNIK/NOTATNIK/Properties/ AssemblyInfo.cs | 33 |
| NOTATNIK/NOTATNIK/ViewModels/ AddTaskViewModel.cs | 33 |
| NOTATNIK/NOTATNIK/ViewModels/ DashboardViewModel.cs | 33 |
| NOTATNIK/NOTATNIK/ViewModels/ InitializationViewModel.cs | 33 |
| NOTATNIK/NOTATNIK/ViewModels/ TaskViewModel.cs | 34 |
| NOTATNIK/NOTATNIK/Views/ AddTaskPage.xaml.cs | 34 |
| NOTATNIK/NOTATNIK/Views/ DashboardPage.xaml.cs | 34 |
| NOTATNIK/NOTATNIK/Views/ InitializationPage.xaml.cs | 34 |
| NOTATNIK/NOTATNIK/Views/Controls/ TaskControl.xaml.cs | 34 |

Chapter 5

Namespace Documentation

5.1 NOTATNIK Namespace Reference

Namespaces

- namespace **Models**
- namespace **ViewModels**
- namespace **Views**

Classes

- class **App**
Klasa startowa projektu.

5.2 NOTATNIK.Models Namespace Reference

Namespaces

- namespace **Database**
- namespace **Extensions**
- namespace **Interfaces**

Classes

- class **Configuration**
Klasa pomocnicza ze stałymi wartościami do projektu

5.3 NOTATNIK.Models.Database Namespace Reference

Classes

- class **Task**
Klasa pomocnicza do bazy danych.

5.4 NOTATNIK.Models.Extensions Namespace Reference

Classes

- class **AssetsImageExtension**
Klasa pomocnicza do wczytywania obrazka.

5.5 NOTATNIK.Models.Interfaces Namespace Reference

Classes

- interface **IGetTask**
Interfejs do pobrania Task
- interface **ISourceService**
Interfejs do pobrania ścieżki
- interface **IStreamService**
Intefejs do uzyskania stream ze ścieżki do zdjęcia.

5.6 NOTATNIK.ViewModels Namespace Reference

Classes

- class **AddTaskViewModel**
Klasa pomocnicza do załadowania danych do widoku.
- class **DashboardViewModel**
Klasa pomocnicza do załadowania danych do widoku.
- class **GetTask**
Klasa implementująca metode do pobrania tasków z bazy
- class **InitializationViewModel**
Klasa pomocnicza do obsłużenia widoku InitializationPage.
- class **TaskViewModel**

5.7 NOTATNIK.Views Namespace Reference

Namespaces

- namespace **Controls**

Classes

- class **AddTaskPage**
- class **DashboardPage**
- class **InitializationPage**

5.8 NOTATNIK.Views.Controls Namespace Reference

Classes


- class **TaskControl**

Chapter 6

Class Documentation

6.1 NOTATNIK.Views.AddTaskPage Class Reference

Inheritance diagram for NOTATNIK.Views.AddTaskPage:



Public Member Functions

- **AddTaskPage ()**

Protected Member Functions

- override void **OnAppearing ()**

Properties

- int **TaskId** [get, set]

6.1.1 Detailed Description

Definition at line 8 of file AddTaskPage.xaml.cs.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 AddTaskPage()

```
NOTATNIK.Views.AddTaskPage.AddTaskPage ( ) [inline]
```

Definition at line 13 of file AddTaskPage.xaml.cs.

6.1.3 Member Function Documentation

6.1.3.1 OnAppearing()

```
override void NOTATNIK.Views.AddTaskPage.OnAppearing ( ) [inline], [protected]
```

Definition at line 22 of file AddTaskPage.xaml.cs.

6.1.4 Property Documentation

6.1.4.1 TaskId

```
int NOTATNIK.Views.AddTaskPage.TaskId [get], [set]
```

Definition at line 11 of file AddTaskPage.xaml.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Views/ **AddTaskPage.xaml.cs**

6.2 NOTATNIK.ViewModels.AddTaskViewModel Class Reference

Klasa pomocnicza do załadowania danych do widoku.

Public Member Functions

- **AddTaskViewModel ()**
Konstruktor.
- async void **Load (IGetTask getTask, int id)**
Metoda do pobrania z bazy danych oraz wczytywanie ich do widoku.

Properties

- bool **IsRemove** [get, set]
Zmienna mówiąca czy przycisk usuń ma być widoczny.
- string **Subject** = false [get, set]
Zmienna subject
- string **Content** [get, set]
Zmienna content
- Command **CmdSave** [get, set]
Event do kliknięcia
- Command **CmdRemove** [get, set]
Event do kliknięcia
- Page **Page** [get, set]
Zmienna page.

6.2.1 Detailed Description

Klasa pomocnicza do załadowania danych do widoku.

Definition at line 32 of file AddTaskViewModel.cs.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 AddTaskViewModel()

```
NOTATNIK.ViewModels.AddTaskViewModel.AddTaskViewModel ( ) [inline]
```

Konstruktor.

Połączenie do bazy

Event do kliknięcia

Event do kliknięcia

Definition at line 66 of file AddTaskViewModel.cs.

6.2.3 Member Function Documentation

6.2.3.1 Load()

```
async void NOTATNIK.ViewModels.AddTaskViewModel.Load (
    IGetTask getTask,
    int id ) [inline]
```

Metoda do pobrania z bazy danych oraz wczytywanie ich do widoku.

Parameters

| | |
|----------------|-----------|
| <i>getTask</i> | interfejs |
| <i>id</i> | id taska |

Definition at line 119 of file AddTaskViewModel.cs.

6.2.4 Property Documentation

6.2.4.1 CmdRemove

Command NOTATNIK.ViewModels.AddTaskViewModel.CmdRemove [get], [set]

Event do kliknięcia

Definition at line 57 of file AddTaskViewModel.cs.

6.2.4.2 CmdSave

Command NOTATNIK.ViewModels.AddTaskViewModel.CmdSave [get], [set]

Event do kliknięcia

Definition at line 53 of file AddTaskViewModel.cs.

6.2.4.3 Content

string NOTATNIK.ViewModels.AddTaskViewModel.Content [get], [set]

Zmienna content

Definition at line 49 of file AddTaskViewModel.cs.

6.2.4.4 IsRemove

bool NOTATNIK.ViewModels.AddTaskViewModel.IsRemove [get], [set]

Zmienna mówiąca czy przycisk usuń ma być widoczny.

Definition at line 41 of file AddTaskViewModel.cs.

6.2.4.5 Page

```
Page NOTATNIK.ViewModels.AddTaskViewModel.Page [get], [set]
```

Zmienna page.

Definition at line 61 of file AddTaskViewModel.cs.

6.2.4.6 Subject

```
string NOTATNIK.ViewModels.AddTaskViewModel.Subject = false [get], [set]
```

Zmienna subject

Definition at line 45 of file AddTaskViewModel.cs.


The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/ViewModels/ **AddTaskViewModel.cs**

6.3 NOTATNIK.App Class Reference

Klasa startowa projektu.

Inheritance diagram for NOTATNIK.App:



Public Member Functions

- **App ()**
Konstruktor.

Properties

- double **Width** [get, set]
- double **Height** [get, set]

6.3.1 Detailed Description

Klasa startowa projektu.

Definition at line 10 of file App.xaml.cs.

6.3.2 Constructor & Destructor Documentation

6.3.2.1 App()

```
NOTATNIK.App.App ( ) [inline]
```

Konstruktor.

Definition at line 17 of file App.xaml.cs.

6.3.3 Property Documentation

6.3.3.1 Height

```
double NOTATNIK.App.Height [get], [set]
```

Definition at line 13 of file App.xaml.cs.

6.3.3.2 Width

```
double NOTATNIK.App.Width [get], [set]
```

Definition at line 12 of file App.xaml.cs.


The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/ **App.xaml.cs**

6.4 NOTATNIK.Models.Extensions.AssetsImageExtension Class Reference

Klasa pomocnicza do wczytywania obrazka.

Inheritance diagram for NOTATNIK.Models.Extensions.AssetsImageExtension:



Public Member Functions

- object **ProvideValue** (IServiceProvider serviceProvider)
Metoda do odczytania ścieżki obrazka.

Static Public Member Functions

- static ImageSource **GetSource** (string source)
Metoda do odczytania ścieżki obrazka.

Properties

- string **Source** [get, set]
Źródło obrazka.

6.4.1 Detailed Description

Klasa pomocnicza do wczytywania obrazka.

Definition at line 13 of file AssetsImageExtension.cs.

6.4.2 Member Function Documentation

6.4.2.1 GetSource()

```
static ImageSource NOTATNIK.Models.Extensions.AssetsImageExtension.GetSource (  
    string source ) [inline], [static]
```

Metoda do odczytania ścieżki obrazka.

Definition at line 39 of file AssetsImageExtension.cs.

6.4.2.2 ProvideValue()

```
object NOTATNIK.Models.Extensions.AssetsImageExtension.ProvideValue (  
    IServiceProvider serviceProvider ) [inline]
```

Metoda do odczytania ścieżki obrazka.

Definition at line 23 of file AssetsImageExtension.cs.

6.4.3 Property Documentation

6.4.3.1 Source

```
string NOTATNIK.Models.Extensions.AssetsImageExtension.Source [get], [set]
```

Źródło obrazka.

Definition at line 18 of file AssetsImageExtension.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Models/Extensions/ **AssetsImageExtension.cs**

6.5 NOTATNIK.Models.Configuration Class Reference

Klasa pomocnicza ze stałymi wartościami do projektu

Properties

- static string **DATABASE** [get]

6.5.1 Detailed Description

Klasa pomocnicza ze stałymi wartościami do projektu

Definition at line 9 of file Configuration.cs.

6.5.2 Property Documentation

6.5.2.1 DATABASE

```
string NOTATNIK.Models.Configuration.DATABASE [static], [get]
```


Definition at line 12 of file Configuration.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Models/ **Configuration.cs**

6.6 NOTATNIK.Views.DashboardPage Class Reference

Inheritance diagram for NOTATNIK.Views.DashboardPage:



Public Member Functions

- **DashboardPage** ()

Protected Member Functions

- override void **OnAppearing** ()

6.6.1 Detailed Description

Definition at line 7 of file DashboardPage.xaml.cs.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 DashboardPage()

```
NOTATNIK.Views.DashboardPage.DashboardPage ( ) [inline]
```

Definition at line 11 of file DashboardPage.xaml.cs.

6.6.3 Member Function Documentation

6.6.3.1 OnAppearing()

```
override void NOTATNIK.Views.DashboardPage.OnAppearing ( ) [inline], [protected]
```

Definition at line 20 of file DashboardPage.xaml.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Views/ **DashboardPage.xaml.cs**

6.7 NOTATNIK.ViewModels.DashboardViewModel Class Reference

Klasa pomocnicza do załadowania danych do widoku.

Public Member Functions

- **DashboardViewModel** ()
Konstruktor.
- async void **Load** (StackLayout layout)
Metoda do pobrania z bazy danych oraz wczytywanie ich do widoku.
- void **AddTasks** (StackLayout layout)
Metoda wczytywania widoku.

Public Attributes

- List< **TaskViewModel** > **Tasks** = new List< **TaskViewModel**>()
*Lista obiektów **TaskViewModel** (p. 30).*

Properties

- bool **HasItems** [get, set]
- bool **NoItems** = true [get, set]
- Command **CmdAdd** = false [get, set]
Event do kliknięcia
- Page **Page** [get, set]
Zmienna page

6.7.1 Detailed Description

Klasa pomocnicza do załadowania danych do widoku.

Definition at line 16 of file DashboardViewModel.cs.

6.7.2 Constructor & Destructor Documentation

6.7.2.1 DashboardViewModel()

```
NOTATNIK.ViewModels.DashboardViewModel.DashboardViewModel ( ) [inline]
```

Konstruktor.

Definition at line 36 of file DashboardViewModel.cs.

6.7.3 Member Function Documentation

6.7.3.1 AddTasks()

```
void NOTATNIK.ViewModels.DashboardViewModel.AddTasks (
    StackLayout layout ) [inline]
```

Metoda wczytywania widoku.

Parameters

| | |
|---------------|-------------|
| <i>layout</i> | StackLayout |
|---------------|-------------|

Definition at line 72 of file DashboardViewModel.cs.

6.7.3.2 Load()

```
async void NOTATNIK.ViewModels.DashboardViewModel.Load (
    StackLayout layout ) [inline]
```

Metoda do pobrania z bazy danych oraz wczytywanie ich do widoku.

Parameters

| | |
|---------------|-------------|
| <i>layout</i> | StackLayout |
|---------------|-------------|

Definition at line 47 of file DashboardViewModel.cs.

6.7.4 Member Data Documentation

6.7.4.1 Tasks

```
List< TaskViewModel> NOTATNIK.ViewModels.DashboardViewModel.Tasks = new List< TaskView↵  
Model> ()
```

Lista obiektów **TaskViewModel** (p. 30).

Definition at line 21 of file DashboardViewModel.cs.

6.7.5 Property Documentation

6.7.5.1 CmdAdd

```
Command NOTATNIK.ViewModels.DashboardViewModel.CmdAdd = false [get], [set]
```

Event do kliknięcia

Definition at line 27 of file DashboardViewModel.cs.

6.7.5.2 HasItems

```
bool NOTATNIK.ViewModels.DashboardViewModel.HasItems [get], [set]
```

Definition at line 22 of file DashboardViewModel.cs.

6.7.5.3 NoItems

```
bool NOTATNIK.ViewModels.DashboardViewModel.NoItems = true [get], [set]
```

Definition at line 23 of file DashboardViewModel.cs.

6.7.5.4 Page

```
Page NOTATNIK.ViewModels.DashboardViewModel.Page [get], [set]
```

Zmienna page

Definition at line 31 of file DashboardViewModel.cs.


The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/ViewModels/ **DashboardViewModel.cs**

6.8 NOTATNIK.ViewModels.GetTask Class Reference

Klasa implementująca metode do pobrania tasków z bazy

Inheritance diagram for NOTATNIK.ViewModels.GetTask:



Public Member Functions

- async System.Threading.Tasks.Task **DatabaseCall** (int id)

Properties

- **Task Task** [get, set]

6.8.1 Detailed Description

Klasa implementująca metode do pobrania tasków z bazy

Definition at line 14 of file AddTaskViewModel.cs.

6.8.2 Member Function Documentation

6.8.2.1 DatabaseCall()

```
async System.Threading.Tasks.Task NOTATNIK.ViewModels.GetTask.DatabaseCall (
    int id ) [inline]
```

Implements **NOTATNIK.Models.Interfaces.IGetTask** (p. 24).

Definition at line 18 of file AddTaskViewModel.cs.

6.8.3 Property Documentation

6.8.3.1 Task

```
Task NOTATNIK.ViewModels.GetTask.Task [get], [set]
```

Definition at line 16 of file AddTaskViewModel.cs.


The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/ViewModels/ **AddTaskViewModel.cs**

6.9 NOTATNIK.Models.Interfaces.IGetTask Interface Reference

Interfejs do pobrania Task

Inheritance diagram for NOTATNIK.Models.Interfaces.IGetTask:



Public Member Functions

- `System.Threading.Tasks.Task DatabaseCall (int id)`

Properties

- `Task Task [get, set]`

6.9.1 Detailed Description

Interfejs do pobrania Task

Definition at line 8 of file IGetTask.cs.

6.9.2 Member Function Documentation

6.9.2.1 DatabaseCall()

```
System.Threading.Tasks.Task NOTATNIK.Models.Interfaces.IGetTask.DatabaseCall (  
    int id )
```

Implemented in **NOTATNIK.ViewModels.GetTask** (p. 23).

6.9.3 Property Documentation

6.9.3.1 Task

Task NOTATNIK.Models.Interfaces.IGetTask.Task [get], [set]


Definition at line 11 of file IGetTask.cs.

The documentation for this interface was generated from the following file:

- NOTATNIK/NOTATNIK/Models/Interfaces/ **IGetTask.cs**

6.10 NOTATNIK.Views.InitializationPage Class Reference

Inheritance diagram for NOTATNIK.Views.InitializationPage:



Public Member Functions

- **InitializationPage** ()

Protected Member Functions

- override async void **OnAppearing** ()

6.10.1 Detailed Description

Definition at line 9 of file InitializationPage.xaml.cs.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 InitializationPage()

```
NOTATNIK.Views.InitializationPage.InitializationPage ( ) [inline]
```

Definition at line 13 of file InitializationPage.xaml.cs.

6.10.3 Member Function Documentation

6.10.3.1 OnAppearing()

```
override async void NOTATNIK.Views.InitializationPage.OnAppearing ( ) [inline], [protected]
```

Definition at line 22 of file InitializationPage.xaml.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Views/ **InitializationPage.xaml.cs**

6.11 NOTATNIK.ViewModels.InitializationViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku InitializationPage.

Public Member Functions

- void **SizeChanged** (double width, double height)
Metoda do zapisywania rozdzielczości telefonu.
- async void **Database** ()
Klasa pomocnicza do stworzenia tabel w bazie.

6.11.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku InitializationPage.

Definition at line 14 of file InitializationViewModel.cs.

6.11.2 Member Function Documentation

6.11.2.1 Database()

```
async void NOTATNIK.ViewModels.InitializationViewModel.Database ( ) [inline]
```

Klasa pomocnicza do stworzenia tabel w bazie.

Definition at line 29 of file InitializationViewModel.cs.

6.11.2.2 SizeChanged()

```
void NOTATNIK.ViewModels.InitializationViewModel.SizeChanged (
    double width,
    double height ) [inline]
```

Metoda do zapisywania rozdzielczości telefonu.

Parameters

| | |
|---------------|------------------|
| <i>height</i> | Wysokosc ekranu |
| <i>width</i> | Szerokosc ekranu |

Definition at line 21 of file InitializationViewModel.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/ViewModels/ **InitializationViewModel.cs**

6.12 NOTATNIK.Models.Interfaces.ISourceService Interface Reference

Interfejs do pobrania ścieżki

Public Member Functions

- string **GetSource** ()

6.12.1 Detailed Description

Interfejs do pobrania ścieżki

Definition at line 6 of file ISourceService.cs.

6.12.2 Member Function Documentation

6.12.2.1 GetSource()

```
string NOTATNIK.Models.Interfaces.ISourceService.GetSource ( )
```

The documentation for this interface was generated from the following file:

- NOTATNIK/NOTATNIK/Models/Interfaces/ **ISourceService.cs**

6.13 NOTATNIK.Models.Interfaces.IStreamService Interface Reference

Intefejs do uzyskania stream ze ścieżki do zdjęcia.

Public Member Functions

- Stream **GetStream** (string path)

6.13.1 Detailed Description

Intefejs do uzyskania stream ze ścieżki do zdjęcia.

Definition at line 8 of file IStreamService.cs.

6.13.2 Member Function Documentation

6.13.2.1 GetStream()

```
Stream NOTATNIK.Models.Interfaces.IStreamService.GetStream (
    string path )
```

The documentation for this interface was generated from the following file:

- NOTATNIK/NOTATNIK/Models/Interfaces/ **IStreamService.cs**

6.14 NOTATNIK.Models.Database.Task Class Reference

Klasa pomocnicza do bazy danych.

Properties

- int **Id** [get, set]
- string **Subject** [get, set]
- string **Content** [get, set]

6.14.1 Detailed Description

Klasa pomocnicza do bazy danych.

Definition at line 9 of file Task.cs.

6.14.2 Property Documentation

6.14.2.1 Content

```
string NOTATNIK.Models.Database.Task.Content [get], [set]
```

Definition at line 16 of file Task.cs.

6.14.2.2 Id

```
int NOTATNIK.Models.Database.Task.Id [get], [set]
```

Definition at line 13 of file Task.cs.

6.14.2.3 Subject

```
string NOTATNIK.Models.Database.Task.Subject [get], [set]
```


Definition at line 15 of file Task.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Models/Database/ **Task.cs**

6.15 NOTATNIK.Views.Controls.TaskControl Class Reference

Inheritance diagram for NOTATNIK.Views.Controls.TaskControl:



Public Member Functions

- **TaskControl** ()

6.15.1 Detailed Description

Definition at line 11 of file TaskControl.xaml.cs.

6.15.2 Constructor & Destructor Documentation

6.15.2.1 TaskControl()

```
NOTATNIK.Views.Controls.TaskControl.TaskControl ( ) [inline]
```

Definition at line 13 of file TaskControl.xaml.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/Views/Controls/ **TaskControl.xaml.cs**

6.16 NOTATNIK.ViewModels.TaskViewModel Class Reference

Properties

- int **Id** [get, set]
- string **Subject** [get, set]
- string **Content** [get, set]
- Command **CmdSelected** [get, set]

6.16.1 Detailed Description

Definition at line 7 of file TaskViewModel.cs.

6.16.2 Property Documentation

6.16.2.1 CmdSelected

Command NOTATNIK.ViewModels.TaskViewModel.CmdSelected [get], [set]

Definition at line 12 of file TaskViewModel.cs.

6.16.2.2 Content

string NOTATNIK.ViewModels.TaskViewModel.Content [get], [set]

Definition at line 11 of file TaskViewModel.cs.

6.16.2.3 Id

int NOTATNIK.ViewModels.TaskViewModel.Id [get], [set]

Definition at line 9 of file TaskViewModel.cs.

6.16.2.4 Subject

string NOTATNIK.ViewModels.TaskViewModel.Subject [get], [set]

Definition at line 10 of file TaskViewModel.cs.

The documentation for this class was generated from the following file:

- NOTATNIK/NOTATNIK/ViewModels/ **TaskViewModel.cs**

Chapter 7

File Documentation

7.1 NOTATNIK/NOTATNIK/App.xaml.cs File Reference

Classes

- class **NOTATNIK.App**
Klasa startowa projektu.

Namespaces

- namespace **NOTATNIK**

7.2 NOTATNIK/NOTATNIK/Models/Configuration.cs File Reference

Classes

- class **NOTATNIK.Models.Configuration**
Klasa pomocnicza ze stałymi wartościami do projektu

Namespaces

- namespace **NOTATNIK.Models**

7.3 NOTATNIK/NOTATNIK/Models/Database/Task.cs File Reference

Classes

- class **NOTATNIK.Models.Database.Task**
Klasa pomocnicza do bazy danych.

Namespaces

- namespace **NOTATNIK.Models.Database**

7.4 NOTATNIK/NOTATNIK/Models/Extensions/AssetsImageExtension.cs File Reference

Classes

- class **NOTATNIK.Models.Extensions.AssetsImageExtension**
Klasa pomocnicza do wczytywania obrazka.

Namespaces

- namespace **NOTATNIK.Models.Extensions**

7.5 NOTATNIK/NOTATNIK/Models/Interfaces/IGetTask.cs File Reference

Classes

- interface **NOTATNIK.Models.Interfaces.IGetTask**
Interfejs do pobrania Task

Namespaces

- namespace **NOTATNIK.Models.Interfaces**

7.6 NOTATNIK/NOTATNIK/Models/Interfaces/ISourceService.cs File Reference

Classes

- interface **NOTATNIK.Models.Interfaces.ISourceService**
Interfejs do pobrania ścieżki

Namespaces

- namespace **NOTATNIK.Models.Interfaces**

7.7 NOTATNIK/NOTATNIK/Models/Interfaces/IStreamService.cs File Reference

Classes

- interface **NOTATNIK.Models.Interfaces.IStreamService**
Intefejs do uzyskania stream ze ścieżki do zdjęcia.

Namespaces

- namespace **NOTATNIK.Models.Interfaces**

7.8 NOTATNIK/NOTATNIK/Properties/AssemblyInfo.cs File Reference

7.9 NOTATNIK/NOTATNIK/ViewModels/AddTaskViewModel.cs File Reference

Classes

- class **NOTATNIK.ViewModels.GetTask**
Klasa implementująca metode do pobrania tasków z bazy
- class **NOTATNIK.ViewModels.AddTaskViewModel**
Klasa pomocnicza do załadowania danych do widoku.

Namespaces

- namespace **NOTATNIK.ViewModels**

7.10 NOTATNIK/NOTATNIK/ViewModels/DashboardViewModel.cs File Reference

Classes

- class **NOTATNIK.ViewModels.DashboardViewModel**
Klasa pomocnicza do załadowania danych do widoku.

Namespaces

- namespace **NOTATNIK.ViewModels**

7.11 NOTATNIK/NOTATNIK/ViewModels/InitializationViewModel.cs File Reference

Classes

- class **NOTATNIK.ViewModels.InitializationViewModel**
Klasa pomocnicza do obsługi widoku InitializationPage.

Namespaces

- namespace **NOTATNIK.ViewModels**

7.12 NOTATNIK/NOTATNIK/ViewModels/TaskViewModel.cs File Reference

Classes

- class **NOTATNIK.ViewModels.TaskViewModel**

Namespaces

- namespace **NOTATNIK.ViewModels**

7.13 NOTATNIK/NOTATNIK/Views/AddTaskPage.xaml.cs File Reference

Classes

- class **NOTATNIK.Views.AddTaskPage**

Namespaces

- namespace **NOTATNIK.Views**

7.14 NOTATNIK/NOTATNIK/Views/Controls/TaskControl.xaml.cs File Reference

Classes

- class **NOTATNIK.Views.Controls.TaskControl**

Namespaces

- namespace **NOTATNIK.Views.Controls**

7.15 NOTATNIK/NOTATNIK/Views/DashboardPage.xaml.cs File Reference

Classes

- class **NOTATNIK.Views.DashboardPage**

Namespaces

- namespace **NOTATNIK.Views**

7.16 NOTATNIK/NOTATNIK/Views/InitializationPage.xaml.cs File Reference

Classes

- class **NOTATNIK.Views.InitializationPage**

Namespaces

- namespace **NOTATNIK.Views**

Index

- AddTaskPage
 - NOTATNIK::Views::AddTaskPage, 11
- AddTaskViewModel
 - NOTATNIK::ViewModels::AddTaskViewModel, 13
- AddTasks
 - NOTATNIK::ViewModels::DashboardViewModel, 20
- App
 - NOTATNIK::App, 16
- CmdAdd
 - NOTATNIK::ViewModels::DashboardViewModel, 21
- CmdRemove
 - NOTATNIK::ViewModels::AddTaskViewModel, 14
- CmdSave
 - NOTATNIK::ViewModels::AddTaskViewModel, 14
- CmdSelected
 - NOTATNIK::ViewModels::TaskViewModel, 30
- Content
 - NOTATNIK::Models::Database::Task, 28
 - NOTATNIK::ViewModels::AddTaskViewModel, 14
 - NOTATNIK::ViewModels::TaskViewModel, 30
- DATABASE
 - NOTATNIK::Models::Configuration, 18
- DashboardPage
 - NOTATNIK::Views::DashboardPage, 19
- DashboardViewModel
 - NOTATNIK::ViewModels::DashboardViewModel, 20
- Database
 - NOTATNIK::ViewModels::InitializationViewModel, 26
- DatabaseCall
 - NOTATNIK::Models::Interfaces::IGetTask, 24
 - NOTATNIK::ViewModels::GetTask, 23
- GetSource
 - NOTATNIK::Models::Extensions::AssetsImage↔
Extension, 17
 - NOTATNIK::Models::Interfaces::ISourceService, 27
- GetStream
 - NOTATNIK::Models::Interfaces::IStreamService, 27
- HasItems
 - NOTATNIK::ViewModels::DashboardViewModel, 21
- Height
 - NOTATNIK::App, 16
- Id
 - NOTATNIK::Models::Database::Task, 28
 - NOTATNIK::ViewModels::TaskViewModel, 30
- InitializationPage
 - NOTATNIK::Views::InitializationPage, 25
- IsRemove
 - NOTATNIK::ViewModels::AddTaskViewModel, 14
- Load
 - NOTATNIK::ViewModels::AddTaskViewModel, 13
 - NOTATNIK::ViewModels::DashboardViewModel, 21
- NOTATNIK.App, 15
- NOTATNIK.Models, 9
- NOTATNIK.Models.Configuration, 18
- NOTATNIK.Models.Database, 9
- NOTATNIK.Models.Database.Task, 28
- NOTATNIK.Models.Extensions, 10
- NOTATNIK.Models.Extensions.AssetsImageExtension, 16
- NOTATNIK.Models.Interfaces, 10
- NOTATNIK.Models.Interfaces.IGetTask, 23
- NOTATNIK.Models.Interfaces.ISourceService, 27
- NOTATNIK.Models.Interfaces.IStreamService, 27
- NOTATNIK.ViewModels, 10
- NOTATNIK.ViewModels.AddTaskViewModel, 12
- NOTATNIK.ViewModels.DashboardViewModel, 20
- NOTATNIK.ViewModels.GetTask, 22
- NOTATNIK.ViewModels.InitializationViewModel, 25
- NOTATNIK.ViewModels.TaskViewModel, 30
- NOTATNIK.Views, 10
- NOTATNIK.Views.AddTaskPage, 11
- NOTATNIK.Views.Controls, 10
- NOTATNIK.Views.Controls.TaskControl, 29
- NOTATNIK.Views.DashboardPage, 19
- NOTATNIK.Views.InitializationPage, 24
- NOTATNIK/NOTATNIK/App.xaml.cs, 31
- NOTATNIK/NOTATNIK/Models/Configuration.cs, 31
- NOTATNIK/NOTATNIK/Models/Database/Task.cs, 31
- NOTATNIK/NOTATNIK/Models/Extensions/Assets↔
ImageExtension.cs, 32
- NOTATNIK/NOTATNIK/Models/Interfaces/IGetTask.cs, 32
- NOTATNIK/NOTATNIK/Models/Interfaces/ISource↔
Service.cs, 32

- NOTATNIK/NOTATNIK/Models/Interfaces/IStream↔
 - Service.cs, 32
- NOTATNIK/NOTATNIK/Properties/AssemblyInfo.cs, 33
- NOTATNIK/NOTATNIK/ViewModels/AddTaskView↔
 - Model.cs, 33
- NOTATNIK/NOTATNIK/ViewModels/DashboardView↔
 - Model.cs, 33
- NOTATNIK/NOTATNIK/ViewModels/InitializationView↔
 - Model.cs, 33
- NOTATNIK/NOTATNIK/ViewModels/TaskViewModel.↔
 - cs, 34
- NOTATNIK/NOTATNIK/Views/AddTaskPage.xaml.cs, 34
- NOTATNIK/NOTATNIK/Views/Controls/TaskControl.↔
 - xaml.cs, 34
- NOTATNIK/NOTATNIK/Views/DashboardPage.xaml.cs, 34
- NOTATNIK/NOTATNIK/Views/InitializationPage.↔
 - xaml.cs, 34
- NOTATNIK::App
 - App, 16
 - Height, 16
 - Width, 16
- NOTATNIK::Models::Configuration
 - DATABASE, 18
- NOTATNIK::Models::Database::Task
 - Content, 28
 - Id, 28
 - Subject, 28
- NOTATNIK::Models::Extensions::AssetsImage↔
 - Extension
 - GetSource, 17
 - ProvideValue, 17
 - Source, 18
- NOTATNIK::Models::Interfaces::IGetTask
 - DatabaseCall, 24
 - Task, 24
- NOTATNIK::Models::Interfaces::ISourceService
 - GetSource, 27
- NOTATNIK::Models::Interfaces::IStreamService
 - GetStream, 27
- NOTATNIK::ViewModels::AddTaskViewModel
 - AddTaskViewModel, 13
 - CmdRemove, 14
 - CmdSave, 14
 - Content, 14
 - IsRemove, 14
 - Load, 13
 - Page, 14
 - Subject, 15
- NOTATNIK::ViewModels::DashboardViewModel
 - AddTasks, 20
 - CmdAdd, 21
 - DashboadViewModel, 20
 - HasItems, 21
 - Load, 21
 - NoItems, 22
 - Page, 22
- Tasks, 21
- NOTATNIK::ViewModels::GetTask
 - DatabaseCall, 23
 - Task, 23
- NOTATNIK::ViewModels::InitializationViewModel
 - Database, 26
 - SizeChanged, 26
- NOTATNIK::ViewModels::TaskViewModel
 - CmdSelected, 30
 - Content, 30
 - Id, 30
 - Subject, 30
- NOTATNIK::Views::AddTaskPage
 - AddTaskPage, 11
 - OnAppearing, 12
 - TaskId, 12
- NOTATNIK::Views::Controls::TaskControl
 - TaskControl, 29
- NOTATNIK::Views::DashboardPage
 - DashboadPage, 19
 - OnAppearing, 19
- NOTATNIK::Views::InitializationPage
 - InitializationPage, 25
 - OnAppearing, 25
- NOTATNIK, 9
- NoItems
 - NOTATNIK::ViewModels::DashboardViewModel, 22
- OnAppearing
 - NOTATNIK::Views::AddTaskPage, 12
 - NOTATNIK::Views::DashboardPage, 19
 - NOTATNIK::Views::InitializationPage, 25
- Page
 - NOTATNIK::ViewModels::AddTaskViewModel, 14
 - NOTATNIK::ViewModels::DashboardViewModel, 22
- ProvideValue
 - NOTATNIK::Models::Extensions::AssetsImage↔
 - Extension, 17
- SizeChanged
 - NOTATNIK::ViewModels::InitializationViewModel, 26
- Source
 - NOTATNIK::Models::Extensions::AssetsImage↔
 - Extension, 18
- Subject
 - NOTATNIK::Models::Database::Task, 28
 - NOTATNIK::ViewModels::AddTaskViewModel, 15
 - NOTATNIK::ViewModels::TaskViewModel, 30
- Task
 - NOTATNIK::Models::Interfaces::IGetTask, 24
 - NOTATNIK::ViewModels::GetTask, 23
- TaskControl
 - NOTATNIK::Views::Controls::TaskControl, 29
- TaskId

NOTATNIK::Views::AddTaskPage, 12

Tasks

NOTATNIK::ViewModels::DashboardViewModel,
21

Width

NOTATNIK::App, 16