OOPS

* OOP modern Programming language that allows programmes to organize entities & Objects.

① Encapsulation :- ① It means hiding the internal state and behaviour of an object and only exposing a Controlled interface. (Variable/Method)

② Wrapping up data and method into a single Unit.

- We can Achieve Encapsulation by using:-

⦿ Access Specifiers :-

- access Modifiers control the visibility & access level of class, method, & Variables in your code.

- OR what Can be accessed & from where.

① Private - accesible only within the Same class./accesed by the member within the same class.



② Public - accesible from anywhere./means Public keywords allows its member to be visible from anywhere inside the project.



③ Protected :- In Protected only those class access Protected variable & classes which are friends class means inherited class.



④ Internal—

Polymorphism :- is a way in which we can define multiple functions in a Single name i.e. Single name and Multiple meaning.

Means assigning a Single name but there can be multiple behaviours.

① Compile time Polymorphism | Static polymorphism
② Run time Polymorphism | Dynamic polymorphism.

①→ ☆ Static / Compile time Achieve by using Method Overloading Or Operator Overloading.

☆ Method Overloading Means having muliple methods Same name but their number of parameter are different.

~~☆ Method OverRiding Means~~

②→ ☆ Runtime / Dynamic means which methods is going to calls it decide at Runtime.

☆ Method Overidig Means Two classes have Same method and we override ~~one methods~~ defination ~~to another/classes~~ One difinition of method to another Class.

So it decide at Runtime which method Should Call.