


Power BI Data Model - Human Resources Sample

Star schema: Employee (fact) to 8 dimensions. All relationships M:1, active, single cross-filter. Also lists 6 internal auto-date calculated tables (no business joins in relationship inventory).



Relationships (complete)

From	FK	To	PK col	Card	XF	Active
Employee	date	Date	Date	M:1	Single	True
Employee	FP	FP	FP	M:1	Single	True
Employee	EthnicGroup	Ethnicity	Ethnic Group	M:1	Single	True
Employee	Gender	Gender	ID	M:1	Single	True
Employee	PayTypeID	PayType	PayTypeID	M:1	Single	True
Employee	BU	BU	BU	M:1	Single	True
Employee	AgeGroupID	AgeGroup	AgeGroupID	M:1	Single	True
Employee	TermReason	SeparationReason	SeparationTypeID	M:1	Single	True

Business calculated columns

BU.Region

mid([RegionSeq], 3,15)

Date.MonthIncrementNumber

([Year]-MIN([Year]))*12 +[MonthNumber]

Employee.isNewHire

IF(YEAR([date]) = YEAR([HireDate]) && MONTH([date])=MONTH([HireDate]), 1)

Employee.AgeGroupID

IF([Age]<30, 1, IF([Age]<50, 2, 3))

Employee.TenureDays

IF([date]-[HireDate]<0,[HireDate]-[date],[date]-[HireDate])

Employee.TenureMonths

CEILING([TenureDays]/30, 1) -1

Employee.BadHires

IF(OR((([HireDate]-[TermDate])*-1)>=61,ISBLANK([TermDate])),0,1)

Internal auto-date / calculated tables (6)

These are Power BI-generated time intelligence tables (Calendar DAX). They are NOT linked in the 8 business relationships inventory. LookML: SKIP_INTERNAL.

DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d (calculated_table, 7 columns)

Date, Year*, MonthNo*, Month*, QuarterNo*, Quarter*, Day*
Calendar(Date(2015,1,1), Date(2015,1,1))

LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782 (calculated_table, 7 columns)

Date, Year*, MonthNo*, Month*, QuarterNo*, Quarter*, Day*
Calendar(Date(Year(MIN('Date'[Date])), 1, 1), Date(Year(MAX('Date'[Date])), 12, 31))

LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29 (calculated_table, 7 columns)

Date, Year*, MonthNo*, Month*, QuarterNo*, Quarter*, Day*
Calendar(Date(Year(MIN('Employee'[HireDate])), 1, 1), Date(Year(MAX('Employee'[HireDate])), 12, 31))

LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac (calculated_table, 7 columns)

Date, Year*, MonthNo*, Month*, QuarterNo*, Quarter*, Day*
Calendar(Date(Year(MIN('Date'[MonthEndDate])), 1, 1), Date(Year(MAX('Date'[MonthEndDate])), 12, 31))

LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b (calculated_table, 7 columns)

Date, Year*, MonthNo*, Month*, QuarterNo*, Quarter*, Day*
Calendar(Date(Year(MIN('Employee'[TermDate])), 1, 1), Date(Year(MAX('Employee'[TermDate])), 12, 31))

LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6 (calculated_table, 7 columns)

Date, Year*, MonthNo*, Month*, QuarterNo*, Quarter*, Day*
Calendar(Date(Year(MIN('Date'[MonthStartDate])), 1, 1), Date(Year(MAX('Date'[MonthStartDate])), 12, 31))

Summary counts

Business tables: 9 | Internal/calc auto-date tables: 6 | Total tables: 15 | Business relationships: 8 | Columns total: 87 | Business calc columns: 7 | RLS roles: 0 | Hierarchies: 7