

Migration Validation Report

Overall 73.4 pct done | 26.6 pct left | confidence MEDIUM

2026-09-16 10:12:19 UTC

1. Accuracy statement

Percentages are computed from inventory JSON / OBJECT_MAPPING / COVERAGE only. They measure migration generation coverage - NOT live Looker KPI parity or warehouse deploy success. Confidence reflects evidence completeness, not business acceptance.

Formula: $0.15 \cdot P1 + 0.45 \cdot P2 + 0.40 \cdot P3$ (renormalized if a phase is missing)

Weights used: {'phase1': 0.15, 'phase2': 0.45, 'phase3': 0.4}

Warning

Phase source PBIX names differ - overall pct mixes different reports. Sources seen: ['Human Resources Sample PBIX.pbix', 'dashboards.pbix']

2. Conversion scorecard

Phase 1: Extract / inventory

Done 100.0 pct | Left 0.0 pct | Confidence HIGH

File presence + OBJECT_COUNTS evidence; extract is deterministic (pbixray).

Source PBIX: Human Resources Sample PBIX.pbix

Phase 2: Semantic model / LookML

Done 55.3 pct | Left 44.7 pct | Confidence HIGH

Weighted from phase2/OBJECT_MAPPING.json statuses (mapped=1.0, partial=0.5, todo=0). Placeholder connection/dataset still require user input.

Source PBIX: Human Resources Sample PBIX.pbix

Open items listed: 21 (see JSON/MD for full list)

- measure | measure:empcount
- measure | measure:seps
- measure | measure:actives
- measure | measure:new_hires
- measure | measure:avg_tenure_days
- measure | measure:avg_tenure_months
- measure | measure:avg_age
- measure | measure:sum_of_badhires

Phase 3: Dashboards / visuals

Done 83.9 pct | Left 16.1 pct | Confidence HIGH

Weighted visual coverage from phase3/inventory/COVERAGE.json (decorative skips excluded; mapped/partial/gap weights fixed).

Source PBIX: dashboards.pbix

Open items listed: 27 (see JSON/MD for full list)

- partial | textbox_0
- partial | textbox_4
- partial | Monthly Net Revenue
- partial | Monthly Insurance Revenue
- partial | Monthly Patient Revenue
- partial | Monthly Procedure Volume
- gap | actionBar_16
- gap | image_17

3. Where you must edit LookML (user input)

Scanner found 146 markers in 35 files. Severity counts: {'HIGH': 48, 'MEDIUM': 91, 'LOW': 7}

Go to each file/line below in your IDE. HIGH = must fix before Looker validate. MEDIUM = KPI/parity or gap tiles. LOW = polish.

HIGH priority (29)

- phase2/lookml/m_migration/M_QUERY_RECOMMENDATIONS.md:50 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE VIEW `YOUR\_PROJECT.YOUR\_DATASET.bu` AS
- phase2/lookml/m_migration/lookml_stubs/agegroup_recommended.lkml:2 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.agegroup` ;;
- phase2/lookml/m_migration/lookml_stubs/bu_recommended.lkml:3 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.bu` ;;
- phase2/lookml/m_migration/lookml_stubs/date_recommended.lkml:3 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.date` ;;
- phase2/lookml/m_migration/lookml_stubs/employee_recommended.lkml:3 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.employee` ;;
- phase2/lookml/m_migration/lookml_stubs/ethnicity_recommended.lkml:2 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.ethnicity` ;;
- phase2/lookml/m_migration/lookml_stubs/fp_recommended.lkml:3 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.fp` ;;
- phase2/lookml/m_migration/lookml_stubs/gender_recommended.lkml:2 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.gender` ;;
- phase2/lookml/m_migration/lookml_stubs/paytype_recommended.lkml:3 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.paytype` ;;
- phase2/lookml/m_migration/lookml_stubs/separationreason_recommended.lkml:3 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.separationreason` ;;
- phase2/lookml/m_migration/sql/agegroup.sql:5 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE TABLE `YOUR\_PROJECT.YOUR\_DATASET.agegroup` AS
- phase2/lookml/m_migration/sql/bu.sql:2 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE VIEW `YOUR\_PROJECT.YOUR\_DATASET.bu` AS
- phase2/lookml/m_migration/sql/date.sql:2 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE VIEW `YOUR\_PROJECT.YOUR\_DATASET.date` AS
- phase2/lookml/m_migration/sql/employee.sql:6 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE TABLE `YOUR\_PROJECT.YOUR\_DATASET.employee` AS
- phase2/lookml/m_migration/sql/ethnicity.sql:5 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE TABLE `YOUR\_PROJECT.YOUR\_DATASET.ethnicity` AS
- phase2/lookml/m_migration/sql/fp.sql:2 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE VIEW `YOUR\_PROJECT.YOUR\_DATASET.fp` AS
- phase2/lookml/m_migration/sql/gender.sql:5 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE TABLE `YOUR\_PROJECT.YOUR\_DATASET.gender` AS
- phase2/lookml/m_migration/sql/paytype.sql:2 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE VIEW `YOUR\_PROJECT.YOUR\_DATASET.paytype` AS
- phase2/lookml/m_migration/sql/separationreason.sql:2 - Replace BigQuery project.dataset in sql_table_name
CREATE OR REPLACE VIEW `YOUR\_PROJECT.YOUR\_DATASET.separationreason` AS
- phase2/lookml/models/human_resources_sample_pbix.model.lkml:5 - Set Looker connection name (Admin > Connections)
connection: "YOUR_LOOKER_CONNECTION"
- phase2/lookml/views/agegroup.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.agegroup` ;;
- phase2/lookml/views/bu.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.bu` ;;
- phase2/lookml/views/date.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.date` ;;
- phase2/lookml/views/employee.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.employee` ;;
- phase2/lookml/views/ethnicity.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name
sql_table_name: `YOUR\_PROJECT.YOUR\_DATASET.ethnicity` ;;

- phase2/lookml/views/fp.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name

```
sql_table_name: `YOUR_PROJECT.YOUR_DATASET.fp` ;;
```

- phase2/lookml/views/gender.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name

```
sql_table_name: `YOUR_PROJECT.YOUR_DATASET.gender` ;;
```

- phase2/lookml/views/paytype.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name

```
sql_table_name: `YOUR_PROJECT.YOUR_DATASET.paytype` ;;
```

- phase2/lookml/views/separationreason.view.lkml:5 - Replace BigQuery project.dataset in sql_table_name

```
sql_table_name: `YOUR_PROJECT.YOUR_DATASET.separationreason` ;;
```

MEDIUM priority (15)

- phase2/lookml/models/human_resources_sample_pbix.model.lkml:4 - Resolve TODO - complex DAX / parity / missing logic

```
# TODO: set connection to your Looker Admin connection name
```

- phase2/lookml/models/human_resources_sample_pbix.model.lkml:23 - Explore/view notes KPI parity still required

```
description: "Migrated from Power BI (Human Resources Sample PBIX.pbix). KPI parity not yet validated."
```

- phase2/lookml/views/bu.view.lkml:35 - Measure stubbed as complex_todo - implement SQL + KPI parity

```
description: "From Power BI. Strategy=complex_todo. DAX: COUNTA('BU'[BU])"
```

- phase2/lookml/views/bu.view.lkml:37 - Resolve TODO - complex DAX / parity / missing logic

```
# TODO: complex DAX - see description; validate KPI parity before production
```

- phase2/lookml/views/date.view.lkml:95 - Measure stubbed as complex_todo - implement SQL + KPI parity

```
description: "From Power BI. Strategy=complex_todo. DAX: CALCULATE(COUNT([EmplID]),  
FILTER(ALL('Date'[PeriodNumber]), 'Date'[PeriodNumber] =
```

- phase2/lookml/views/date.view.lkml:97 - Resolve TODO - complex DAX / parity / missing logic

```
# TODO: complex DAX - see description; validate KPI parity before production
```

- phase2/lookml/views/employee.view.lkml:132 - Measure stubbed as complex_todo - implement SQL + KPI parity

```
description: "From Power BI. Strategy=complex_todo. DAX: CALCULATE(COUNT([EmplID]), FILTER(Employee,  
NOT(ISBLANK(Employee[TermDate]))))"
```

- phase2/lookml/views/employee.view.lkml:134 - Resolve TODO - complex DAX / parity / missing logic

```
# TODO: complex DAX - see description; validate KPI parity before production
```

- phase2/lookml/views/gender.view.lkml:30 - Measure stubbed as complex_todo - implement SQL + KPI parity

```
description: "From Power BI. Strategy=complex_todo. DAX: CALCULATE([TO pct], all(Gender[Gender]),  
ALL(Ethnicity[Ethnicity]))"
```

- phase2/lookml/views/gender.view.lkml:32 - Resolve TODO - complex DAX / parity / missing logic

```
# TODO: complex DAX - see description; validate KPI parity before production
```

- phase3/lookml_dashboards/dashboards/executive_summary.dashboard.lookml:40 - Dashboard tile deficiency - verify field or replace gap tile

```
# deficiency: PBI aggregation on FactTable.Insurance_Payment mapped to field ref; confirm a measure exists on  
facttable (Phase 2) or a
```

- phase3/lookml_dashboards/dashboards/hospital_insights.dashboard.lookml:49 - Dashboard tile deficiency - verify field or replace gap tile

```
# deficiency: PBI aggregation on CptCode_Lookup.CptGrouping mapped to field ref; confirm a measure exists on  
cptcode_lookup (Phase 2)
```

- phase3/lookml_dashboards/dashboards/monthly_expenses_trends.dashboard.lookml:41 - Dashboard tile deficiency - verify field or replace gap tile

```
# deficiency: PBI aggregation on FactTable.Gross Expenses mapped to field ref; confirm a measure exists on  
facttable (Phase 2) or add
```

- phase3/lookml_dashboards/dashboards/patient_analysis.dashboard.lookml:67 - Dashboard tile deficiency - verify field or replace gap tile

```
# deficiency: PBI aggregation on Patient_Lookup.City mapped to field ref; confirm a measure exists on  
patient_lookup (Phase 2) or add
```

- phase3/lookml_dashboards/dashboards/payer_provider_analysis.dashboard.lookml:58 - Dashboard tile deficiency - verify field or replace gap tile

```
# deficiency: PBI aggregation on Patient_Lookup.City mapped to field ref; confirm a measure exists on  
patient_lookup (Phase 2) or add
```

LOW priority (7)

- phase2/lookml/models/human_resources_sample_pbix.model.lkml:23 - Optional: rewrite explore/dashboard description for end users

```
description: "Migrated from Power BI (Human Resources Sample PBIX.pbix). KPI parity not yet validated."
```

- phase3/lookml_dashboards/dashboards/executive_summary.dashboard.lookml:4 - Confirm dashboards-next is enabled in your Looker instance

preferred_viewer: dashboards-next

- phase3/lookml_dashboards/dashboards/hospital_insights.dashboard.lookml:4 - Confirm dashboards-next is enabled in your Looker instance

preferred_viewer: dashboards-next

- phase3/lookml_dashboards/dashboards/monthly_expenses_trends.dashboard.lookml:4 - Confirm dashboards-next is enabled in your Looker instance

preferred_viewer: dashboards-next

- phase3/lookml_dashboards/dashboards/patient_analysis.dashboard.lookml:4 - Confirm dashboards-next is enabled in your Looker instance

preferred_viewer: dashboards-next

- phase3/lookml_dashboards/dashboards/payer_provider_analysis.dashboard.lookml:4 - Confirm dashboards-next is enabled in your Looker instance

preferred_viewer: dashboards-next

- phase3/lookml_dashboards/dashboards/project_overview.dashboard.lookml:4 - Confirm dashboards-next is enabled in your Looker instance

preferred_viewer: dashboards-next

4. Recommended checklist order

- 1. Fix HIGH items first: connection + YOUR_PROJECT.YOUR_DATASET in every view/model.
- 2. Implement Phase 2 TODO measures (complex DAX) and re-validate KPIs vs Power BI.
- 3. Open Phase 3 dashboards; replace gap/partial tiles listed in remaining work.
- 4. Re-run validation/run_validation.py after edits to refresh this report.

5. What this report does NOT claim

It does not prove warehouse tables exist, Looker connection works, or numbers match Power BI. Those require deploy + KPI parity tests after you replace placeholders and finish TODOs.